

Team Details

KnowBridge · Connecting knowledge to confident decisions | Google AI Builder Cup 2026 · Future of Work & Enterprise Productivity

a. Team name: KARAKA

b. Team leader name: Alfian Hidayatulløh

c. Problem Statement: Google Workspace SMEs hold project commitments across scattered Docs and Sheets — customer targets in one file, QA forecasts in another, security sign-off in a third. Nothing reconciles **baseline vs forecast vs commitment vs approved decision**, so teams risk promising dates the evidence does not support.

All organizations, people and records in this deck are fictional synthetic data. Results are reported as measured.

Brief about the idea

An evidence catalog that answers with sources, dates and honest gaps

KnowBridge is a grounded search and decision-support tool for Google Workspace SMEs. It imports a bounded set of files, keeps the original text and record dates attached to every piece of evidence, and answers questions with **literal, click-through citations** — reconciling conflicting documents instead of hiding them.

The workflow

Connect → **Investigate** → **Reconcile** → **Decide** — inside the tools teams already use, with every answer traceable to source text.

The output

A structured **Decision Brief**: options, risks, unknowns and conditional recommendations — for a human to verify. Never an autonomous decision.

The discipline

When evidence is absent, the answer is **"insufficient evidence"**. Fabricated excerpts are rejected server-side; a later forecast never silently erases an earlier commitment.

The proof

Deployed on Google Cloud with a deterministic synthetic corpus and a 12-case live benchmark. Failures are reported as measured, including service errors.

Opportunities

Why KnowBridge is different — and how it solves the problem

- **How is it different from existing ideas?** Enterprise search returns passages. KnowBridge **types** evidence (baseline / forecast / commitment / approved decision), preserves each document's recorded date, and surfaces conflicts across files instead of flattening them into one answer.
- **How does it solve the problem?** One question replaces file archaeology: grounded retrieval → literal citation verification → temporal and conflict analysis → a decision brief with explicit unknowns. Grounding gates run **before and after** the model; if they fail, the answer is withheld (fail-closed).
- **USP of the proposed solution** Temporally aware, explainable decision support: a revised forecast does not erase a customer commitment, "pending" is never shown as "approved", and every quoted excerpt must literally exist in an authorized source — verified server-side, not just prompted.

Market framing is stated as a testable hypothesis (Southeast Asian services SMEs on Google Workspace) — not a validated market claim.

Opportunities

Why not just ask ChatGPT, Claude or Gemini?

Different job, not a better chatbot: what a team may commit to, from its own records — with verification a chat answer does not enforce.

	General AI assistants	KnowBridge
Evidence	Web pages and uploaded files, summarized	Only authorized Docs / Sheets; stable source IDs, owners and recorded dates kept
Citations	Helpful links and quotes, not checked against the source	Every quoted excerpt must literally exist in the stored original; fabricated citations fail the answer closed
Conflicting dates	The newest statement usually wins the summary	Baseline / forecast / commitment / approved decision typed; effective date stays distinct from the Drive updated timestamp
Missing evidence	Usually still answers	Answers "insufficient evidence" — abstention is product behavior
Access	Depends on chat and connector permissions	Retrieval restricted to the requesting tenant / user before any context reaches the model
Output	Chat transcript	Saved Decision Brief with a deliberate human review acknowledgement

General assistants are better at broad knowledge, open-web research, writing and code. KnowBridge runs Gemini on Vertex AI — the differentiator is the enforced grounding and decision semantics around the model, not the model itself. Design comparison of typical general-assistant behavior (2026), not a measured head-to-head benchmark.

List of features offered by the solution

What KnowBridge offers

- **Bounded Workspace import** — Google Picker + OAuth; registered fictional files only; Sheets import first tab.
- **Source catalog** — every record with stable ID, owner, recorded date and full original text.
- **Grounded Ask** — answers with literal, click-through citations to exact excerpts.
- **Abstention** — absent evidence is reported as "insufficient evidence", never invented.
- **Temporal & conflict analysis** — baseline vs forecast vs commitment vs approved decision, typed.
- **Decision Brief** — options, risks, unknowns, conditional next steps for human review.
- **Save & review briefs** — authorized member sessions; revocation-checked Firebase ID tokens on mutations.
- **Effective-date discipline** — document effective date is distinguished from any Drive updated timestamp.
- **Tenant isolation** — retrieval is restricted to authorized tenant/user documents before the LLM is called.
- **Fail-closed integrity gates** — fabricated excerpts, missing citations or coverage gaps block the answer.

Process flow diagram or Use-case diagram

Use-case flow: connect → investigate → reconcile → decide

1 · Connect

Member selects registered files via Google Picker (OAuth). Only authorized, tenant-pinned sources are imported and indexed.

▸

2 · Investigate

Ask a question. Tenant-scoped retrieval + grounded answer with literal excerpts and source links. Absent evidence → abstain.

▸

3 · Reconcile

Temporal & conflict analysis across sources: what is baseline, forecast, commitment, approved decision — and since when.

▸

4 · Decide

Generate a Decision Brief (options, risks, unknowns) for human review. Saved for review; never auto-approved.

Grounding gates on every answer: tenant-scoped retrieval → literal citation verification → decision-coverage check → semantic review → fail closed (502/503) if any gate fails.

Actors: SME project lead / delivery owner (asker) · authorized Workspace member (imports, reviews briefs) · human decision-maker (approves — the app never does).

Wireframes/Mock diagrams of the proposed solution (optional)

Interface structure — wireframe

Hero · tagline + corpus status

Ask panel — question input

Answer: verdict + typed evidence timeline + literal citations (click-through)

Abstain state: "insufficient evidence"

Google Workspace panel

Picker: select registered files

Import status + disconnect / delete copies

Disclosure: processing regions, fictional data

Decision Brief panel

Decision question → Create brief

Options · risks · unknowns · conditional next steps

Saved briefs list (review)

Below the panels: **Source catalog** — list of imported records on the left, full record view on the right (stable ID, owner, recorded date, original source text).

Wireframes are structural sketches; the following slides show the actual deployed prototype.

Architecture diagram of the proposed solution

Google Cloud architecture — fail-closed grounding

Google Workspace

Docs / Sheets (fictional). Google Picker + OAuth for selected-file import. Document effective dates travel with the content.

▸

Cloud Run · asia-southeast1

Next.js / Node 22 API. Non-root container, Secret Manager, CSP. Grounding gates; revocation-checked Firebase ID tokens on mutations; fail-closed 502/503.

▸

Gemini + Firestore

gemini-3.8-flash (global endpoint) for answers & briefs; **gemini-embedding-001** 768-d vectors (us-central1); Firestore vector retrieval, tenant-scoped.

Answer pipeline

Tenant-scoped retrieval → model call → literal citation verification → decision-coverage check → semantic review → ship or fail closed.

Security basics

Non-root container · Secret Manager secrets · revocation-checked tokens on writes · CSP · synthetic-tenant pinning · cross-tenant chunks never reach the LLM.

Honest disclosure: model processing is not Singapore-only (Gemini global endpoint; embeddings US). Real-data import is prohibited.

Technologies to be used in the solution

Stack

Application

Next.js 15 · React 19 | TypeScript | Node 22 | Zod validation

Single deployable web app + API routes; strict schema validation at the boundaries.

Google AI & data

Gemini (gemini-3.8-flash) | gemini-embedding-001 | Firestore vector search

Grounded generation with literal-citation verification; 768-d embeddings for retrieval.

Google Cloud & Workspace

Cloud Run (asia-southeast1) | Secret Manager | Docker | Google Picker + OAuth | Firebase Auth (ID tokens)

Service identity over hard-coded keys; revocation-checked tokens on mutations.

Quality & evaluation

Vitest | Playwright | axe-core accessibility | Python seed generator

279 unit & integration tests across 38 files, e2e flows, 11 live adversarial semantic regressions (incl. prompt injection), deterministic synthetic dataset.

Estimated implementation cost (optional)


Running cost — rough order-of-magnitude estimates

Component	Basis	Estimated monthly cost (hackathon / demo scale)
Cloud Run (asia-southeast1)	1 vCPU · scale-to-zero · demo + evaluation traffic	≈ S$5 – 15
Gemini API (flash + embeddings)	Usage-based; demo queries + 12-case benchmark runs are the main driver	≈ S$10 – 25
Firestore (vector retrieval)	Small synthetic corpus (168 docs / 24 sheets); mostly free tier	≈ S$0 – 5
Secret Manager · Artifact Registry	Secret versions + container images	≈ S$1 – 3
Frontend hosting	Served from the same Cloud Run service	≈ S$0
Total		**≈ S$20 – 50 / month**


Rough estimates only — all components are usage-based and actual cost scales with query volume. Development uses free-tier / trial credits where available. No commitment or quote is implied.

Snapshots of the prototype

Deployed prototype — landing & Ask panel




Landing: evidence-first hero, corpus status, decision-brief preview




Ask panel with the prefilled Project Harbour question · grounded answer via gemini-3.8-flash

Snapshots of the prototype

Deployed prototype — grounded answer & source catalog




Literal citations: every quote with source ID, recorded date and effective date




Source catalog + record view (HBR-DOC-02): stable ID, owner, recorded date, original text

Snapshots of the prototype

Deployed prototype — Workspace import & decision brief



Google Workspace panel: bounded registered-file import; disconnect deletes every copy



Decision brief panel: judge session; a recommendation for a human decision-maker

Captured 18 October 2026 from the deployed Cloud Run release. All records shown are fictional synthetic data. See it run end-to-end in the product demo video (3:30).

Prototype Performance report/Benchmarking

Measured results — including failures

168 / 24 / 1,904
fictional Docs / Sheets / rows · 8 projects · 12 gold cases — seed verifier PASS

279 / 279
unit & integration tests (38 files) PASS · lint, typecheck, build PASS · 11/11 live adversarial semantic regressions (incl. prompt injection) PASS · verified 18 Oct

2 / 12
both latest recorded complete deployed benchmark runs (before/after the reliability fix): every failure was a provider-side service error (HTTP 503), **never an evidence-quality failure**; every pass had fully valid literal citations

9 / 10 / 11 of 12
earlier complete runs (revision knowbridge-00009-7j5; 11/12 local CLI). Totals are never aggregated across runs

Median latency of the pre-fix deployed run including failures: 49,509.5 ms. Full-suite reliability under intermittent provider-side model failures remains an open issue and is reported as such. Artifacts: deployed-evaluation-prefix / deployed-evaluation-postfix (2026-10-17).

Additional Details/Future Development (if any)

What's next — and what we will not claim

Roadmap

- **Now:** grounded search, conflict/temporal evidence, decision briefs, save/review, Cloud Run deployment.
- **P1:** Picker selected-file import (built) · lightweight entity linking across records.
- **P2 (post-hackathon):** Gmail / Chat / Calendar connectors, SSO, organization-wide sync.
- **Reliability:** queueing and retries for intermittent model-call 503s — the main open issue.

Honest boundaries

- No productivity guarantee or customer claim — all data is fictional synthetic data.
- Recommendations are conditional; a human verifies every high-impact call.
- Not production-compliant, enterprise-certified or legally approved.
- Model processing is not Singapore-only; real-data import is prohibited.

KnowBridge — Know what your sources actually say.

Provide links to your:

GitHub public repository · demo video (3 minutes) · final product

GITHUB PUBLIC REPOSITORY	https://github.com/alfianhid/knowbridge
DEMO VIDEO (3 MINUTES)	https://youtu.be/KihSKFj2nCw **(3:30 product walkthrough · 1080p · YouTube)**
FINAL PRODUCT LINK	https://knowbridge-208529907910.asia-southeast1.run.app

Repository includes the reproducible synthetic dataset (Python seed generator + verifier), architecture notes, evaluation artifacts and run instructions.

All demo companies, people, emails and records are fictional. Theme: Future of Work & Enterprise Productivity. Team KARAKA · AI Builder Cup 2026.

Google Cloud H2S

AI Builder Cup

Build in JAPAC.
Build for the world.

Thank you

