Class Bank

```
★ File Edit Selection View Go ···
                                                                                                                   J Bank.java X ≡ Settings
      MODUL 1 > TPMODUL 1_ALFIRA > src > J Bank.java > ♣ Bank > ♠ removeAccount(String)
96
            public class Bank {
₹
               accounts = new ArrayList<>();
}
               public void addAccount(Account account) {
                public void removeAccount(String accountNumber) {
                   Iterator<Account> iterator = accounts.iterator();
                   while (iterator.hasNext()) {
                       account account - Terror.lext();
if (account.getAccountNumber().equals(accountNumber)) {
    System.out.println("Akun " + account.getName() + " berhasil dihapus!");
}
                           iterator.remove();
(8)
                    System.out.println("Akun dengan nomor akun " + accountNumber + " tidak ditemukan.");
£653
🟥 🔎 Type here to search
                                                                                                           DJI ∧ @ ♣ Φ) № € 2:18 PM 10/21/2023 ₩
X File Edit Selection View Go ···
                                                                   PRAKTIKUM OOP
                                                                                                                   ▷ ~ □ …
                                     J Bank.java × ≣ Settings
þ
      MODUL 1 > TPMODUL 1_ALFIRA > src > J Bankjava > $ Bank > $ removeAccount(String)
                          (account.geoccountnumber(),equals(accountnumber)) ["]

System.out.println("Akun " + account.getName() + " berhasil dihapus!");
Q
90
₹
                    System.out.println("Akun dengan nomor akun " + accountNumber + " tidak ditemukan.");
                public Account getAccount(String accountNumber) {
   for (Account account : accounts) {
                       if (account.getAccountNumber().equals(accountNumber)) {
                public List<Account> getAllAccounts() {
                   return accounts;
(8)
£653
```

Class Account

```
★ File Edit Selection View Go ···
                                                                                        J Account.java × J Main.java
     Q
        public class Account {
            private String name;
            private String accountNumber;
96
            public Account(String name, String accountNumber, double balance) {
<4€
               this.name = name;
this.accountNumber = accountNumber;
            public String getName() {
    return name;
            public String getAccountNumber() {
              return accountNumber;
            public double getBalance() {
    return balance;
(8)
               balance += amount;
               System.out.println("Saldo akun " + name + " setelah menyetor: " + balance);
£653
DJI -0.86% ∧ ⊕ ♣ Φ) № // 10/21/2023 ₩
X File Edit Selection View Go ...
                                                   PRAKTIKUM OOP
                                                                                        ▷ ~ □ …
     J Account.java X J Main.java
(C)
     Q
            public String getAccountNumber() {
               return accountNumber:
64
            public double getBalance() {
$
            public void deposit(double amount) {
               System.out.println("Saldo akun " + name + " setelah menyetor: " + balance);
            public void withdraw(double amount) {
               | System.out.println[["Saldo akun " + name + "| setelah menarik uang: " + balance];
} else {
£653
```


Class Main

```
ズ File Edit Selection View Go ⋯
                                                                                                                                                                                                                                                             J Main.java 🗙 J Bank.java
               MODUL 1 > TPMODUL 1_ALFIRA > src > J Main.java > ♦ Main > ♠ main(String[])
  Q
                           import java.util.Scanner:
 96
                                           Bank bank = new Bank();
 ₫
                                            Scanner scanner = new Scanner(System.in);
                                            System.out.print(s:"Masukkan nama akun : ");
                                            String namaAkun1 = scanner.nextLine();
                                           System.out.print(s:"Masukkan saldo awal : ");
double saldoAkun1 = scanner.nextDouble();
                                            Account akun1 = new Account(namaAkun1, nomorAkun1,saldoAkun1);
                                           String namaAkun2 = scanner.nextLine();
                                            System.out.print(s:"Masukkan nomor akun : ");
                                           String nomorAkun2 = scanner.nextLine();
System.out.print(s:"Masukkan saldo awal : ");
                                            double saldoAkun2 = scanner.nextDouble();
                                            Account akun2 = new Account(namaAkun2, nomorAkun2,saldoAkun2);
 (8)
£653
                                           String namaAkun3 = scanner.nextLine();
System.out.print(s:"Masukkan nomor akun : ");
                                                                                                                                                                                                                                           # arrho Type here to search arrho # 
ズ File Edit Selection View Go ···
                                                                                                                                                    PRAKTIKUM OOP
                                                                                                                                                                                                                                                             ▷ ~ □ …
                                                 J Main.java × J Bank.java
 þ
               MODUL 1 > TPMODUL 1_ALFIRA > src > J Main.java > ♦ Main > ♠ main(String[])
  Q
                                           String nomorAkun3 = scanner.nextLine();
System.out.print(s:"Masukkan saldo awal
 64
                                           scanner.nextLine();
Account akun3 = new Account(namaAkun3, nomorAkun3,saldoAkun3);
₽
                                           bank.addAccount(akun1);
for (Account account : bank.getAllAccounts()) {
    System.out.println("Saldo akun " + account.getName() + " = " + account.getBalance());
                                           akun2.withdraw(amount:20000.0);
                                            for (Account account : bank.getAllAccounts()) {
                                                   System.out.println("Nama: " + account.getName() + ", Nomor akun: " + account.getAccountNumber() + ", Saldo: " + acco
 £%}
```

DJI -0.86% ∧ @ ↓ Φ) № € 10/21/2023 ₹10

otag Type here to search otag otag

Push ke github



Penamaan di vscode

