

Upload Dataset

Upload the healthcare dataset that will be analyzed, repaired, and evaluated by the framework.



DATA SOURCE

Uploaded CSV Dataset

SUPPORTED FORMAT

CSV

STATUS

Waiting for Upload

Dataset Upload

Select a CSV file to initialize the data-quality assessment workflow.

Click to select a CSV file

Only CSV files are supported.

omr.csv

Upload Dataset

WORKSPACE

 Dashboard

LAYER 1 - Upload Dataset

 Upload Dataset

LAYER 2 - Column Selection

 Column Selection

LAYER 3 - Quality Assessment

 Quality Assessment

LAYER 4 - Execution Mode

 Execution Mode

LAYER 5 - Hybrid Repair

 Hybrid Repair

LAYER 6 - Explainability

 Explainability

LAYER 7 - Audit

 Audit

LAYER 8 - Reports

 Reports

LAYER 9 - Download

 Download

Upload Dataset

Upload the healthcare dataset that will be analyzed, repaired, and evaluated by the framework.





DATA SOURCE

Uploaded CSV Dataset



SUPPORTED FORMAT

CSV



STATUS

Dataset Uploaded

Dataset Upload

Select a CSV file to initialize the data-quality assessment workflow.



Dataset Uploaded Successfully

Your dataset is now ready for column selection and quality assessment.

 omr.csv

UPLOADED DATASET

omr.csv

Successfully loaded and ready for the next layer.

Continue to Column Selection →

WORKSPACE

Dashboard

LAYER 1 - Upload Dataset

Upload Dataset

LAYER 2 - Column Selection

Column Selection

LAYER 3 - Quality Assessment

Quality Assessment

LAYER 4 - Execution Mode

Execution Mode

LAYER 5 - Hybrid Repair

Hybrid Repair

LAYER 6 - Explainability

Explainability

LAYER 7 - Audit

Audit

LAYER 8 - Reports

Reports

LAYER 9 - Download

Download

Column Selection

Select a primary column, choose the error taxonomy you want to investigate, and provide related columns when the selected taxonomy requires comparison.

Upload

2

Column

Assessment

Execution

Repair

Explainability

Audit

Reports

Download

DATASET

omr.csv

TOTAL COLUMNS

5

REPAIRED COLUMNS

3

Repair Session In Progress

3 columns have already been successfully processed. Select another available column to continue the repair session.

✓ value

✓ medication

✓ length_of_stay

Available Columns

Choose the primary column for the quality assessment.

Search columns by name...

All Types

Sort by Name

chartdate

Datetime

result_name

Categorical

result_value

Categorical

seq_num

Integer

subject_id

Integer

Selected Column

Review your selection before starting the assessment.

result_value

Categorical

Select Error Taxonomy

Choose the type of quality issue you want the system to investigate for the selected column.

Placeholder Values

Detect placeholder values such as N/A or Unknown.

Duplicate Records

Identify duplicate records.

Statistical Anomalies

Unusual numerical values of non medical data.

Implausible Values

Unusual numerical values of medical data.

Temporal Inconsistencies

Conflicting dates and time relationships.

Unit Inconsistencies

Inconsistent measurement units.

Semantic & Contextual Inconsistencies

Unusual textual values of medical data.

Ready for Quality Assessment

The system will process the selected taxonomy instead of automatically guessing the error type.

Continue to Error Assessment →

WORKSPACE

 Dashboard

LAYER 1 - Upload Dataset

 Upload Dataset

LAYER 2 - Column Selection

 Column Selection

LAYER 3 - Quality Assessment

 Quality Assessment

LAYER 4 - Execution Mode

 Execution Mode

LAYER 5 - Hybrid Repair

 Hybrid Repair

LAYER 6 - Explainability

 Explainability

LAYER 7 - Audit

 Audit

LAYER 8 - Reports

 Reports

LAYER 9 - Download

 Download

Quality Assessment

Assess the column and error taxonomy explicitly selected by the user and present the resulting data-quality evidence and metadata.



Assessment Configuration

These are the exact selections provided by the user in Column Selection and used as the assessment target.



DATASET
omr.csv



SELECTED COLUMN
result_value



COLUMN TYPE
Categorical



SELECTED TAXONOMY
Implausible Values

Run Quality Assessment

Run the assessment against the exact column and error taxonomy selected by the user.

Run Quality Assessment

WORKSPACE

 Dashboard

LAYER 1 - Upload Dataset

 Upload Dataset

LAYER 2 - Column Selection

 Column Selection

LAYER 3 - Quality Assessment

 Quality Assessment

LAYER 4 - Execution Mode

 Execution Mode

LAYER 5 - Hybrid Repair

 Hybrid Repair

LAYER 6 - Explainability

 Explainability

LAYER 7 - Audit

 Audit

LAYER 8 - Reports

 Reports

LAYER 9 - Download

 Download

Quality Assessment

Assess the column and error taxonomy explicitly selected by the user and present the resulting data-quality evidence and metadata.



Assessment Configuration

These are the exact selections provided by the user in Column Selection and used as the assessment target.

 DATASET
omr.csv

 SELECTED COLUMN
result_value

 COLUMN TYPE
Categorical

 SELECTED TAXONOMY
Implausible Values

Quality Assessment Complete

The selected column and taxonomy have been assessed. The findings and affected records are shown below.

Assessment Result

Results for **result_value** using **Implausible Values**.

Issues Found

Assessment Findings

Implausible Values

Findings identified for the selected taxonomy.

394 Affected Rows

TOTAL ROWS	AFFECTED ROWS	AFFECTED RATE
2,964	394	13.29%

View Affected Records

394 affected records returned by the assessment.



Continue to Execution Mode →

Assessment Result

Results for result_value using Implausible Values.

Issues Found

⚠️ Assessment Findings

Implausible Values

Findings identified for the selected taxonomy.

394 Affected Rows

TOTAL ROWS

2,964

AFFECTED ROWS

394

AFFECTED RATE

13.29%

View Affected Records

394 affected records returned by the assessment.



ROW	SUBJECT_ID	CHARTDATE	SEQ_NUM	RESULT_NAME	RESULT_VALUE
1	10011398	2147-01-22	1	Weight (Lbs)	1000
4	10011398	2147-03-26	1	Weight (Lbs)	700
6	10011398	2146-06-02	1	Weight (Lbs)	5
10	10011398	2147-07-24	1	BMI (kg/m2)	80.0
11	10011398	2147-03-26	1	BMI (kg/m2)	100.0
17	10011398	2147-07-24	1	Blood Pressure	300/200
19	10011398	2147-06-25	1	Blood Pressure	30/15
28	10014729	2125-03-16	1	Weight (Lbs)	8
31	10014729	2125-02-22	1	Weight (Lbs)	8
38	10014729	2126-01-24	1	BMI (kg/m2)	80.0
41	10014729	2125-04-19	1	Blood Pressure	30/15

Continue to Execution Mode →

WORKSPACE

Dashboard

LAYER 1 - Upload Dataset

Upload Dataset

LAYER 2 - Column Selection

Column Selection

LAYER 3 - Quality Assessment

Quality Assessment

LAYER 4 - Execution Mode

Execution Mode

LAYER 5 - Hybrid Repair

Hybrid Repair

LAYER 6 - Explainability

Explainability

LAYER 7 - Audit

Audit

LAYER 8 - Reports


Reports

LAYER 9 - Download

Download

Repair Execution Mode

Choose how the repair process should be executed for the assessed data.



DATASET

omr.csv

SELECTED COLUMN

result_value

SELECTED TAXONOMY

Implausible Values

AFFECTED ROWS

394

Choose Execution Mode

Select how the repair should be handled after quality assessment.

Human-in-the-Loop

Review and approve the repair before it is applied.

Review each proposed repair

Approve, modify, or reject

Changes require user confirmation

Recommended for medical data review

Fully Automatic

Execute the repair automatically without manual approval.

Executes automatically

No user interaction

Fast execution

Suitable for trusted repair strategies

Direct Automated Resolution

Resolve simple, low-impact errors directly before download.

Available only for Placeholder Values and Duplicate Records.



What Happens Next

The repair layer will generate and execute repair proposals automatically for the affected records without requiring manual approval for each proposal.

Continue to Hybrid Repair →

WORKSPACE

 Dashboard

LAYER 1 - Upload Dataset

 Upload Dataset

LAYER 2 - Column Selection

 Column Selection

LAYER 3 - Quality Assessment

 Quality Assessment

LAYER 4 - Execution Mode

 Execution Mode

LAYER 5 - Hybrid Repair

 Hybrid Repair

LAYER 6 - Explainability

 Explainability

LAYER 7 - Audit

 Audit

LAYER 8 - Reports

 Reports

LAYER 9 - Download

 Download

Hybrid Repair

Execute the recommended repair strategy and review the repair outcome.



 Dataset
omr.csv

 Selected Column
result_value

 Detected Issue
Implausible Values

 Repair Method
LLM-Based Repair

Execute Hybrid Repair

Generate the evidence-based LLM proposals without changing the dataset until the user reviews them.

 Generating...

 Generating evidence-based suggestion...

WORKSPACE

 Dashboard

LAYER 1 - Upload Dataset

 Upload Dataset

LAYER 2 - Column Selection

 Column Selection

LAYER 3 - Quality Assessment

 Quality Assessment

LAYER 4 - Execution Mode

 Execution Mode

LAYER 5 - Hybrid Repair

 Hybrid Repair

LAYER 6 - Explainability

 Explainability

LAYER 7 - Audit

 Audit

LAYER 8 - Reports

 Reports

LAYER 9 - Download

 Download

Hybrid Repair

Execute the recommended repair strategy and review the repair outcome.



 Dataset
omr.csv

 Selected Column
result_value

 Detected Issue
Implausible Values

 Repair Method
LLM-Based Repair

Execute Hybrid Repair

Generate the evidence-based LLM proposals without changing the dataset until the user reviews them.

Generate / Refresh Proposal

✓

Repair Completed Successfully

The selected repair was validated and applied to the dataset.

Affected Rows Preview					Total: 310
Row-level context behind the generated LLM suggestions.					Showing 1–10 of 310
Row Index	Original Value	Final Value	Why This Value?	Supporting Evidence	
1	1000	135	💡 The original weight value is implausibly high for the recorded pounds unit. 💡 A same-patient weight measurement of 135 pounds is the strongest compatible replacement available.	✓ The target record is Weight (Lbs) with value 1000 on 2147-01-22. ✓ A same-patient weight measurement of 135 pounds appears on 2146-12-01. ✓ Other same-patient values are weights, not alternative measurement types.	
4	700	135	💡 The original weight value is clinically implausible for this patient record. 💡 A same-patient weight of 135 pounds provides the strongest compatible replacement evidence.	✓ Target measurement is Weight (Lbs) with an implausible value of 700. ✓ Same-patient records include another Weight (Lbs) value of 135. ✓ Patient height is also recorded, supporting weight as the intended measurement.	
6	5	141	💡 The original weight of 5 pounds is clinically implausible for this adult measurement. 💡 A nearby same-patient weight of 141 pounds supports the most defensible replacement.	✓ The target record is Weight (Lbs) with an original value of 5. ✓ A same-patient weight of 141 pounds was recorded five days earlier. ✓ Other related anthropometric records show adult height and BMI values.	
10	80.0	23.6	💡 The original BMI value is clinically implausible relative to the recorded height and weight. 💡 Same-patient height and weight measurements support the existing BMI of 23.6 as the best replacement.	✓ Height and weight values on the same patient support a low twenties BMI. ✓ A same-patient BMI of 23.6 is already documented earlier. ✓ The target value of 80.0 is incompatible with the surrounding anthropometric context.	

Affected Rows Preview					Total: 310
Row-level context behind the generated LLM suggestions.					Showing 1–10 of 310
Row Index	Original Value	Final Value	Why This Value?	Supporting Evidence	
1	1000	135	🔍 The original weight value is implausibly high for the recorded pounds unit. 🔍 A same-patient weight measurement of 135 pounds is the strongest compatible replacement available.	✅ The target record is Weight (Lbs) with value 1000 on 2147-01-22. ✅ A same-patient weight measurement of 135 pounds appears on 2146-12-01. ✅ Other same-patient values are weights, not alternative measurement types.	
4	700	135	🔍 The original weight value is clinically implausible for this patient record. 🔍 A same-patient weight of 135 pounds provides the strongest compatible replacement evidence.	✅ Target measurement is Weight (Lbs) with an implausible value of 700. ✅ Same-patient records include another Weight (Lbs) value of 135. ✅ Patient height is also recorded, supporting weight as the intended measurement.	
6	5	141	🔍 The original weight of 5 pounds is clinically implausible for this adult measurement. 🔍 A nearby same-patient weight of 141 pounds supports the most defensible replacement.	✅ The target record is Weight (Lbs) with an original value of 5. ✅ A same-patient weight of 141 pounds was recorded five days earlier. ✅ Other related anthropometric records show adult height and BMI values.	
10	80.0	23.6	🔍 The original BMI value is clinically implausible relative to the recorded height and weight. 🔍 Same-patient height and weight measurements support the existing BMI of 23.6 as the best replacement.	✅ Height and weight values on the same patient support a low twenties BMI. ✅ A same-patient BMI of 23.6 is already documented earlier. ✅ The target value of 80.0 is incompatible with the surrounding anthropometric context.	
11	100.0	23.9	🔍 The recorded BMI of 100.0 is clinically implausible given the patient's body measurements. 🔍 The closest same-patient BMI record on the same date is 23.9, supporting that replacement.	✅ Same-patient height and weight values are recorded for this patient. ✅ A same-date BMI value of 23.9 is present in the supplied context. ✅ BMI 100.0 is inconsistent with the surrounding anthropometric records.	
28	8	150	🔍 The original value is an implausible adult body weight and conflicts with nearby measurements. 🔍 Same-patient weight records near this date repeatedly show 146 to 151 pounds, supporting 150 pounds.	✅ Weight is recorded as 8 pounds on the same patient. ✅ Nearby weight measurements are 146, 150, and 151 pounds. ✅ The target record is explicitly labeled Weight (Lbs).	
31	8	160	🔍 The original weight value is implausibly low compared with surrounding weight entries. 🔍 Same-patient weight records near this date show 160 pounds, which best fits the context.	✅ Weight (Lbs) is 160 on 2125-02-13 for the same patient. ✅ Weight (Lbs) is 150 to 151 in nearby 2125 records. ✅ The target record is a weight measurement on 2125-02-22.	
38	80.0	24.2	🔍 The recorded BMI of 80.0 is clinically implausible given the paired height and weight. 🔍 The same-day height of 66 inches and weight of 160 pounds support BMI 24.2.	✅ Same-day height was 66 inches on the target date. ✅ Same-day weight was 160 pounds on the target date. ✅ A BMI of 24.2 is recorded for the same date and patient.	
56	100.0	31.9	🔍 The recorded BMI of 100.0 is implausibly high for this patient's height and weight context. 🔍 A later BMI measurement for the same patient is 31.9, which is the strongest supported BMI value.	✅ Same patient later has BMI 31.9 on 2196-08-03. ✅ Height 72 inches and weight 235.5 to 255 pounds support a much lower BMI. ✅ The target result is explicitly labeled BMI (kg/m2).	
59	8	255	🔍 The original weight of 8 pounds is clinically implausible for an adult measurement. 🔍 Same-patient weight records near the target date show 255 pounds, matching the measurement type.	✅ Target record is weight in pounds on the same patient. ✅ Nearby weight records show 255 and 253.7 pounds. ✅ The target value 8 is far outside the surrounding weight pattern.	
Previous 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 Next					

Affected Rows Preview

Row-level context behind the generated LLM suggestions.

Row Index	Original Value	Final Value	Why This Value?	Supporting Evidence
1870	850	162	The original weight is far outside a plausible range for the surrounding clinical measurements. A prior weight of 162 pounds aligns with the patient’s recorded height and BMI context.	Height is recorded as 64 inches in nearby measurements. BMI values around the target period are consistent with weights near 162 pounds. A same-patient weight of 162 pounds is explicitly documented.
1872	8	162	The original weight is far below the patient's other documented adult weights. A same-patient weight measurement of 162 pounds is the strongest compatible replacement.	Same-patient weights include 143.00, 149.8, 152.01, and 162 pounds. The target record is explicitly labeled Weight (Lbs). An 8-pound adult weight is clinically implausible in this context.
1876	4649.4	27.8	The original BMI of 4649.4 is far outside a clinically plausible range. The patient has multiple weight and height records supporting BMI interpretation.	The target result is BMI (kg/m2) with an extreme value. Height and weight records exist for the same patient. A later BMI measurement is recorded as 27.8.
1895	80.0	22.8	The recorded BMI of 80.0 is clinically implausible for the documented body size. Height 65 inches and weight 130 pounds on the same date support BMI 22.8.	Same-day height is 65 inches and weight is 130 pounds. A nearby BMI measurement on 2176-12-17 is 22.8. The target result is BMI (kg/m2), making 80.0 implausible.
1896	80.0	21.7	The recorded BMI of 80.0 is physiologically implausible for the surrounding measurements. Height 65 inches and weight 115–130 pounds best support the nearby BMI value 21.7.	BMI 80.0 is inconsistent with the patient's height and weight records. Height was repeatedly recorded as 65 inches around this date. Nearby BMI record on 2176-11-14 is 21.7.
1904	24	65	The original height value is implausibly low for an adult measurement. Repeated patient height records consistently document 65 inches, supporting this replacement.	Patient height is repeatedly recorded as 65 inches across multiple dates. The target record labels the value as Height (Inches). A height of 24 inches is clinically implausible for an adult.
1910	20/10	130	The original value is not a plausible blood pressure measurement in this context. A same-day blood pressure-related record shows 130, supporting that replacement.	Blood pressure is the identified measurement on the target date. Same-day contextual record shows a blood pressure value of 130. Nearby measurements include weight and BMI, supporting routine vital-sign documentation.
1916	24	63	The original height of 24 inches is clinically implausible for this patient record. Repeated height measurements for the same patient consistently show 63 inches, so it is the best-supported replacement.	Height is repeatedly recorded as 63 inches for this patient. One nearby height entry is 62 inches, close to 63. The target value of 24 inches is inconsistent with the surrounding records.
1922	110	63	The original height of 110 inches is clinically implausible and inconsistent with the record. Multiple nearby measurements for the same patient consistently document a height of 63 inches.	Height is recorded as 63 inches on multiple surrounding dates. The patient has one inconsistent outlier of 24 inches, supporting a data-entry error. The target record is for Height (Inches), matching the proposed replacement.
1925	18	63	The original height value of 18 inches is clinically implausible for an adult record. Multiple height measurements for this patient repeatedly document 63 inches, supporting that replacement.	Repeated height measurements for this patient are 63 inches. One nearby height entry is 62 inches, close to 63. The target result is labeled Height (Inches), making 63 compatible.

Affected Rows Preview				Total: 310
Row-level context behind the generated LLM suggestions.				Showing 301–310 of 310
Row Index	Original Value	Final Value	Why This Value?	Supporting Evidence
2858	1000	152	💡 The original weight of 1000 pounds is far outside the surrounding patient measurements. 💡 A nearby same-patient weight of 152 pounds is the strongest supported replacement.	✔️ Nearby weight measurements are 142.4, 145.6, and 152 pounds. ✔️ The target record is explicitly labeled Weight (Lbs). ✔️ A same-patient weight of 152 pounds appears nine days later.
2866	30/15	164	💡 The original blood pressure value is physiologically implausible as recorded. 💡 A same-patient, same-date measurement for the related vital-sign context supports 164.	✔️ Same patient has a measurement on the same date, 2137-07-10. ✔️ That same-date record is a weight measurement of 164 pounds. ✔️ No compatible blood pressure candidate is supplied, so the closest supported value is used.
2872	100.0	33.2	💡 The BMI value of 100.0 is clinically implausible for this patient. 💡 Nearby records show 67 inches height and 212 pounds weight, supporting BMI 33.2.	✔️ BMI 100.0 is inconsistent with the patient's recorded body measurements. ✔️ Height was 67 inches on a nearby date. ✔️ Weight was 212 pounds on a nearby date.
2886	110	88.9	💡 The original height value of 110 inches is implausible for an adult measurement. 💡 Same-day anthropometric records show weight 88.9 pounds with BMI 17.4, supporting a plausible adult context.	✔️ Same-day records show weight 88.9 pounds and BMI 17.4. ✔️ The target record is labeled Height (Inches). ✔️ inches is far outside the supplied height context.
2896	8	100	💡 The original weight is implausible for an adult outpatient measurement. 💡 A same-patient weight of 100 pounds is recorded on the same date and is the strongest supported replacement.	✔️ Weight (Lbs) is also recorded as 100 on the same chartdate. ✔️ Same-patient weight measurements around this date are near 100 pounds. ✔️ The target value of 8 pounds is incompatible with the surrounding weight history.
2914	80.0	20.0	💡 The recorded BMI of 80.0 is physiologically implausible for this patient context. 💡 Same-patient records show BMI 20.0 on the same date, matching the surrounding anthropometric data.	✔️ BMI 20.0 is recorded for the same patient on that date. ✔️ Weight 101 lbs is recorded on the same date. ✔️ Height values and nearby BMIs support a normal BMI range.
2919	3.0	21.1	💡 The original BMI value is clinically implausible for the available height and weight context. 💡 A same-patient BMI of 21.1 is recorded 35 days later and fits the anthropometric profile.	✔️ BMI is the target measurement, recorded as 3.0 kg/m2. ✔️ Same-patient BMI 21.1 appears on 2155-04-18. ✔️ Nearby weight and height records support a normal-range BMI.
2928	8	88	💡 The original weight of 8 pounds is clinically implausible for an adult outpatient measurement. 💡 A same-date weight entry records 88 pounds, which best fits the target weight context.	✔️ Target record is weight, not a different measurement type. ✔️ Same-date record documents weight as 88 pounds. ✔️ Nearby weights are all near 90 to 103 pounds.
2942	300/200	101	💡 The recorded blood pressure 300/200 is clinically implausible and likely erroneous. 💡 Same-date contextual evidence includes a blood-pressure-related compatible candidate of 101.	✔️ Same-day context includes a blood-pressure-related record on 2154-09-04. ✔️ The target value 300/200 is implausible for routine blood pressure recording. ✔️ A compatible candidate value of 101 is directly supported in context.
2943	300/200	101	💡 The original blood pressure value is physiologically implausible and likely erroneous. 💡 A directly matched same-patient blood pressure candidate of 101 is the strongest compatible replacement.	✔️ Same patient blood pressure context includes a directly matched value of 101. ✔️ The target record is labeled Blood Pressure with an implausible 300/200 result. ✔️ Compatible candidate values are limited to blood pressure-like measurement matches.
Previous 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 Next				

Affected Rows Preview					Total: 310
Row-level context behind the generated LLM suggestions.					Showing 301–310 of 310
Row Index	Original Value	Final Value	Why This Value?	Supporting Evidence	
2858	1000	152	💡 The original weight of 1000 pounds is far outside the surrounding patient measurements. 💡 A nearby same-patient weight of 152 pounds is the strongest supported replacement.	✅ Nearby weight measurements are 142.4, 145.6, and 152 pounds. ✅ The target record is explicitly labeled Weight (Lbs). ✅ A same-patient weight of 152 pounds appears nine days later.	
2866	30/15	164	💡 The original blood pressure value is physiologically implausible as recorded. 💡 A same-patient, same-date measurement for the related vital-sign context supports 164.	✅ Same patient has a measurement on the same date, 2137-07-10. ✅ That same-date record is a weight measurement of 164 pounds. ✅ No compatible blood pressure candidate is supplied, so the closest supported value is used.	
2872	100.0	33.2	💡 The BMI value of 100.0 is clinically implausible for this patient. 💡 Nearby records show 67 inches height and 212 pounds weight, supporting BMI 33.2.	✅ BMI 100.0 is inconsistent with the patient’s recorded body measurements. ✅ Height was 67 inches on a nearby date. ✅ Weight was 212 pounds on a nearby date.	
2886	110	88.9	💡 The original height value of 110 inches is implausible for an adult measurement. 💡 Same-day anthropometric records show weight 88.9 pounds with BMI 17.4, supporting a plausible adult context.	✅ Same-day records show weight 88.9 pounds and BMI 17.4. ✅ The target record is labeled Height (Inches). ✅ inches is far outside the supplied height context.	
2896	8	100	💡 The original weight is implausible for an adult outpatient measurement. 💡 A same-patient weight of 100 pounds is recorded on the same date and is the strongest supported replacement.	✅ Weight (Lbs) is also recorded as 100 on the same chartdate. ✅ Same-patient weight measurements around this date are near 100 pounds. ✅ The target value of 8 pounds is incompatible with the surrounding weight history.	
2914	80.0	20.0	💡 The recorded BMI of 80.0 is physiologically implausible for this patient context. 💡 Same-patient records show BMI 20.0 on the same date, matching the surrounding anthropometric data.	✅ BMI 20.0 is recorded for the same patient on that date. ✅ Weight 101 lbs is recorded on the same date. ✅ Height values and nearby BMIs support a normal BMI range.	
2919	3.0	21.1	💡 The original BMI value is clinically implausible for the available height and weight context. 💡 A same-patient BMI of 21.1 is recorded 35 days later and fits the anthropometric profile.	✅ BMI is the target measurement, recorded as 3.0 kg/m2. ✅ Same-patient BMI 21.1 appears on 2155-04-18. ✅ Nearby weight and height records support a normal-range BMI.	
2928	8	88	💡 The original weight of 8 pounds is clinically implausible for an adult outpatient measurement. 💡 A same-date weight entry records 88 pounds, which best fits the target weight context.	✅ Target record is weight, not a different measurement type. ✅ Same-date record documents weight as 88 pounds. ✅ Nearby weights are all near 90 to 103 pounds.	
2942	300/200	101	💡 The recorded blood pressure 300/200 is clinically implausible and likely erroneous. 💡 Same-date contextual evidence includes a blood-pressure-related compatible candidate of 101.	✅ Same-day context includes a blood-pressure-related record on 2154-09-04. ✅ The target value 300/200 is implausible for routine blood pressure recording. ✅ A compatible candidate value of 101 is directly supported in context.	
2943	300/200	101	💡 The original blood pressure value is physiologically implausible and likely erroneous. 💡 A directly matched same-patient blood pressure candidate of 101 is the strongest compatible replacement.	✅ Same patient blood pressure context includes a directly matched value of 101. ✅ The target record is labeled Blood Pressure with an implausible 300/200 result. ✅ Compatible candidate values are limited to blood pressure-like measurement matches.	
Previous 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 Next					

🔧 Repair Method

LLM-Based Repair

📄 Rows Repaired

310

🛡️ Confidence Score

89%

🛡️ Repair Status

Successful

🔧

Continue Repair Process

Review the detailed reasoning in the next layer, or return to the column selection step to repair another column.

🔧 Repair Another Column

Continue to Explainability →

WORKSPACE

Dashboard

LAYER 1 - Upload Dataset

Upload Dataset

LAYER 2 - Column Selection

Column Selection

LAYER 3 - Quality Assessment

Quality Assessment

LAYER 4 - Execution Mode

Execution Mode

LAYER 5 - Hybrid Repair

Hybrid Repair

LAYER 6 - Explainability

Explainability

LAYER 7 - Audit

Audit

LAYER 8 - Reports

Reports

LAYER 9 - Download

Download

Explainability

Understand how each detected data-quality issue was classified, routed, repaired, and resolved.



Dataset
omr.csv

Columns Processed

1

Repairs Completed

1

Rows Repaired

585

Repair Session Explainability

Each operation below represents one independent column-level repair decision within the same unified repair session.

#	Column	Repair Method	Execution Mode	Rows Repaired	Status
1	result_value	LLM-Based Repair	Fully Automatic	310	Successful

Affected Records & Repair Evidence

Every affected record from the complete repair session is explained independently. The recorded repaired value is shown together with its supporting evidence.

Records

585

Row 0	Original Value 1000	Repaired Value 135	> View Evidence
REPAIR REASON The supplied evidence supports replacing the implausible weight with a compatible same-patient weight value.			
Row 1	Original Value 700	Repaired Value 135	> View Evidence
REPAIR REASON The recorded weight is implausible for a pounds measurement and best matches a supported same-patient weight value.			
Row 2	Original Value 5	Repaired Value 141	> View Evidence
REPAIR REASON The supplied evidence supports replacing the implausible weight with a compatible same-patient weight value.			
Row 3	Original Value 80.0	Repaired Value 23.6	> View Evidence
REPAIR REASON The supplied evidence supports replacing the implausible weight with a compatible same-patient weight value.			

Row	Original Value	Repaired Value	View Evidence
4	100.0	23.9	

REPAIR REASON

The recorded weight of 700 pounds is implausible and inconsistent with nearby body measurements. Another weight entry for the same patient shows 135 pounds, which is the safest compatible repair available.

Row	Original Value	Repaired Value	View Evidence
5	8	150	

REPAIR REASON

The supplied evidence supports replacing the implausible weight with a compatible same-patient weight value.

Row	Original Value	Repaired Value	View Evidence
6	8	160	

REPAIR REASON

The recorded weight is implausibly low for an adult and conflicts with surrounding anthropometric measurements. A nearby same-patient weight of 141 pounds is the strongest compatible evidence for this weight entry.

Row	Original Value	Repaired Value	View Evidence
7	80.0	24.2	

REPAIR REASON

The supplied evidence supports replacing the implausible weight with a compatible same-patient weight value.

Row	Original Value	Repaired Value	View Evidence
8	100.0	31.9	

REPAIR REASON

The supplied evidence supports replacing the implausible weight with a compatible same-patient weight value.

Row	Original Value	Repaired Value	View Evidence
9	8	255	

REPAIR REASON

The supplied evidence supports replacing the implausible weight with a compatible same-patient weight value.

Showing 1 – 10 of 585 records

Repair Outcome

Successful — 585 rows repaired across the complete repair session.

WORKSPACE

Dashboard

LAYER 1 - Upload Dataset

Upload Dataset

LAYER 2 - Column Selection

Column Selection

LAYER 3 - Quality Assessment

Quality Assessment

LAYER 4 - Execution Mode

Execution Mode

LAYER 5 - Hybrid Repair

Hybrid Repair

LAYER 6 - Explainability

Explainability

LAYER 7 - Audit

Audit

LAYER 8 - Reports

Reports

LAYER 9 - Download

Download

Audit

Chronological trace of every repair operation and its recorded repair evidence.



Operation Timeline

Chronological record of the repair operations actually executed during this session, with compact statistical-repair evidence where applicable.

1

>

result_value
Implausible Values → LLM-Based Repair

✔ Successful

EXECUTION	ROWS REPAIRED	TIME	TIMESTAMP
Fully Automatic	394	0.01s	9/25/2026, 10:11:18 PM

1 operation recorded for **omr.csv**. Identical backend/session representations of the same repair are consolidated into one audit record. Different column-level repairs remain separate. Statistical Anomalies are shown as a compact before-and-after summary, while other taxonomies retain row-level repair values.

← Back to Explainability

Continue to Reports →



Operation Timeline

Chronological record of the repair operations actually executed during this session, with compact statistical-repair evidence where applicable.

1



result_value

Implausible Values → LLM-Based Repair



Successful

EXECUTION

Fully Automatic

ROWS REPAIRED

394

TIME

0.01s

TIMESTAMP

9/25/2026, 10:11:18 PM

Repair Values

Every before-and-after value returned for this operation.

394 values

Row	Before Repair	After Repair
1	1000	135
4	700	135
6	5	141
10	80.0	23.6
11	100.0	23.9
17	NULL	NULL
19	NULL	NULL
28	8	150
31	8	160
38	80.0	24.2
41	NULL	NULL
56	100.0	31.9
59	8	255
71	1000	176
73	850	176

WORKSPACE

 Dashboard

LAYER 1 - Upload Dataset

 Upload Dataset

LAYER 2 - Column Selection

 Column Selection

LAYER 3 - Quality Assessment

 Quality Assessment

LAYER 4 - Execution Mode

 Execution Mode

LAYER 5 - Hybrid Repair

 Hybrid Repair

LAYER 6 - Explainability

 Explainability

LAYER 7 - Audit

 Audit

LAYER 8 - Reports

 Reports

LAYER 9 - Download

 Download

Audit

Chronological trace of every repair operation and its recorded repair evidence.



Operation Timeline

Chronological record of the repair operations actually executed during this session, with compact statistical-repair evidence where applicable.

1

>

result_value
Implausible Values → LLM-Based Repair

 Successful

EXECUTION	ROWS REPAIRED	TIME	TIMESTAMP
Fully Automatic	394	0.01s	9/25/2026, 10:11:18 PM

 1 operation recorded for **omr.csv**. Identical backend/session representations of the same repair are consolidated into one audit record. Different column-level repairs remain separate. Statistical Anomalies are shown as a compact before-and-after summary, while other taxonomies retain row-level repair values.

[← Back to Explainability](#)

[Continue to Reports →](#)

WORKSPACE

 Dashboard

LAYER 1 - Upload Dataset

 Upload Dataset

LAYER 2 - Column Selection

 Column Selection

LAYER 3 - Quality Assessment

 Quality Assessment

LAYER 4 - Execution Mode

 Execution Mode

LAYER 5 - Hybrid Repair

 Hybrid Repair

LAYER 6 - Explainability

 Explainability

LAYER 7 - Audit

 Audit

LAYER 8 - Reports

 Reports

LAYER 9 - Download

 Download

Reports

Final deliverables generated from the completed EHR data-quality repair session.



Final Repair Summary

Compact overview of the completed repair session.

 DATASET omr.csv	 TOTAL ROWS —	 COLUMNS PROCESSED 1	 ROWS REPAIRED 310	 SUCCESSFUL OPERATIONS 1
---	--	---	---	---

Generated Deliverables

Final files produced by the framework and available for download.

 Repaired Dataset omr_repaired.csv Ready	 Audit Log repair_audit_log.csv Ready								
<table><tr><th>FILE TYPE</th><th>STATUS</th></tr><tr><td>CSV</td><td> Available</td></tr></table> Contains the final repaired dataset after all selected column-level repair operations have been applied.  Final records  All dataset columns preserved  1 column processed  310 rows repaired  Download Repaired Dataset	FILE TYPE	STATUS	CSV	 Available	<table><tr><th>FILE TYPE</th><th>STATUS</th></tr><tr><td>CSV</td><td> Available</td></tr></table> Contains the complete operation-level audit history recorded during the repair session.  1 repair operation recorded  Column and detected issue information  Repair method and execution mode  Repair status and operation metadata  Download Audit Log	FILE TYPE	STATUS	CSV	 Available
FILE TYPE	STATUS								
CSV	 Available								
FILE TYPE	STATUS								
CSV	 Available								

 Final Output Files The repaired dataset contains the final repaired data, while the audit log preserves the complete repair-operation history. Both files are available directly from this Reports layer.

[← Back to Audit](#)

[Finish Workflow](#)