

WORKSPACE

 Dashboard

LAYER 1 - Upload Dataset

 Upload Dataset

LAYER 2 - Column Selection

 Column Selection

LAYER 3 - Quality Assessment

 Quality Assessment

LAYER 4 - Execution Mode

 Execution Mode

LAYER 5 - Hybrid Repair

 Hybrid Repair

LAYER 6 - Explainability

 Explainability

LAYER 7 - Audit

 Audit

LAYER 8 - Reports

 Reports

LAYER 9 - Download

 Download

Step 1 of 9 · [Data Quality Workflow](#)

Upload Dataset

Upload the healthcare dataset that will be analyzed, repaired, and evaluated by the framework.



 DATA SOURCE

Uploaded CSV Dataset

 SUPPORTED FORMAT

CSV

 STATUS

Waiting for Upload

Dataset Upload

Select a CSV file to initialize the data-quality assessment workflow.



Click to select a CSV file

Only CSV files are supported.

 emar.csv

Upload Dataset

WORKSPACE

Dashboard

LAYER 1 - Upload Dataset

Upload Dataset

LAYER 2 - Column Selection

Column Selection

LAYER 3 - Quality Assessment

Quality Assessment

LAYER 4 - Execution Mode

Execution Mode

LAYER 5 - Hybrid Repair

Hybrid Repair

LAYER 6 - Explainability

Explainability

LAYER 7 - Audit

Audit

LAYER 8 - Reports

Reports

LAYER 9 - Download

Download

Upload Dataset

Upload the healthcare dataset that will be analyzed, repaired, and evaluated by the framework.





DATA SOURCE

Uploaded CSV Dataset



SUPPORTED FORMAT

CSV



STATUS

Dataset Uploaded

Dataset Upload

Select a CSV file to initialize the data-quality assessment workflow.



Dataset Uploaded Successfully

Your dataset is now ready for column selection and quality assessment.

 emar.csv

UPLOADED DATASET

emar.csv

Successfully loaded and ready for the next layer.

Continue to Column Selection

→

Column Selection

Select a primary column, choose the error taxonomy you want to investigate, and provide related columns when the selected taxonomy requires comparison.



DATASET
emar.csv

TOTAL COLUMNS
12

REPAIRED COLUMNS
0

Available Columns
Choose the primary column for the quality assessment.

12 Columns

All Types

Sort by Name

charttime Datetime	emar_id Categorical	emar_seq Integer
enter_provider_id Categorical	event_txt Categorical	hadm_id Integer
medication Categorical	pharmacy_id Integer	poe_id Categorical
scheduletime Datetime	storetime Datetime	subject_id Integer

Selected Column
Review your selection before starting the assessment.

medication
Categorical

Select Error Taxonomy
Choose the type of quality issue you want the system to investigate for the selected column.

Placeholder Values
Detect placeholder values such as N/A or Unknown.

Duplicate Records
Identify duplicate records.

Statistical Anomalies
Unusual numerical values of non medical data.

Implausible Values
Unusual numerical values of medical data.

Temporal Inconsistencies
Conflicting dates and time relationships.

Unit Inconsistencies
Inconsistent measurement units.

Semantic & Contextual Inconsistencies
Unusual textual values of medical data.

Ready for Quality Assessment
The system will process the selected taxonomy instead of automatically guessing the error type.

Available Columns

Choose the primary column for the quality assessment.

12 Columns

🔍 Search columns by name...

☰ All Types

⬆️⬆️ Sort by Name



charttime

Datetime



emar_id

Categorical



emar_seq

Integer



enter_provider_id

Categorical



event_txt

Categorical



hadm_id

Integer



medication

Categorical



pharmacy_id

Integer



poe_id

Categorical



scheduletime

Datetime



storetime

Datetime



subject_id

Integer

Selected Column

Review your selection before starting the assessment.



medication ✓

Categorical

Select Error Taxonomy

Choose the type of quality issue you want the system to investigate for the selected column.



Placeholder Values

Detect placeholder values such as N/A or Unknown.



Duplicate Records

Identify duplicate records.



Statistical Anomalies

Unusual numerical values of non medical data.



Implausible Values

Unusual numerical values of medical data.



Temporal Inconsistencies

Conflicting dates and time relationships.



Unit Inconsistencies

Inconsistent measurement units.



Semantic & Contextual Inconsistencies

Unusual textual values of medical data.



Ready for Quality Assessment

The system will process the selected taxonomy instead of automatically guessing the error type.

Continue to Error Assessment →

WORKSPACE

Dashboard

LAYER 1 - Upload Dataset

Upload Dataset

LAYER 2 - Column Selection

Column Selection

LAYER 3 - Quality Assessment

Quality Assessment

LAYER 4 - Execution Mode

Execution Mode

LAYER 5 - Hybrid Repair

Hybrid Repair

LAYER 6 - Explainability

Explainability

LAYER 7 - Audit

Audit

LAYER 8 - Reports

Reports

LAYER 9 - Download

Download

Step 3 of 9 • Data Quality Workflow

Quality Assessment

Assess the column and error taxonomy explicitly selected by the user and present the resulting data-quality evidence and metadata.



Upload



Column

3

Assessment



Execution



Repair



Explainability



Audit



Reports



Download

Assessment Configuration

These are the exact selections provided by the user in Column Selection and used as the assessment target.



DATASET
emar.csv



SELECTED COLUMN
medication



COLUMN TYPE
Categorical



SELECTED TAXONOMY
Semantic & Contextual Inconsistencies

Quality Assessment Complete

The selected column and taxonomy have been assessed. The findings and affected records are shown below.

Assessment Result

Results for medication using Semantic & Contextual Inconsistencies.

Issues Found

Assessment Findings

Semantic & Contextual Inconsistencies

Findings identified for the selected taxonomy.

270 Affected Rows

TOTAL ROWS

2,250

AFFECTED ROWS

270

AFFECTED RATE

12.00%

View Affected Records

270 affected records returned by the assessment.



Continue to Execution Mode →

Assessment Result

Results for medication using Semantic & Contextual Inconsistencies.

Issues Found

⚠️ Assessment Findings

Semantic & Contextual Inconsistencies

Findings identified for the selected taxonomy.

270 Affected Rows

TOTAL ROWS	AFFECTED ROWS	AFFECTED RATE
2,250	270	12.00%

View Affected Records

270 affected records returned by the assessment.

↓

ROW	SUBJECT_ID	HADM_ID	EMAR_ID	EMAR_SEQ	POE_ID	PHARMACY_ID	ENTER_PROVIDER_ID	CHARTTIME	MEDICATION	EVENT_TXT	SCHEDULETIME	STORETIME
4	10003400	29483621	10003400-132	132	10003400-391	50919595	—	2136-11-08 09:52:00	—	Administered	2136-11-08 09:52:00	2136-11-08 09:52:00
23	10018328	23786647	10018328-159	159	10018328-261	—	—	2154-04-27 08:00:00	—	Not Given	2154-04-27 08:00:00	2154-04-27 09:19:00
38	10012853	22539296	10012853-121	121	10012853-121	57607388	—	2176-06-08 02:34:00	—	Flushed	2176-06-08 02:34:00	2176-06-08 02:35:00
49	10040025	25933959	10040025-2262	2262	10040025-1098	76169126	—	2148-01-07 09:20:00	—	Administered	2148-01-07 08:00:00	2148-01-07 09:20:00
50	10023117	21133938	10023117-559	559	10023117-1159	94737750	—	2175-03-29 08:46:00	—	Administered	2175-03-29 08:00:00	2175-03-29 08:52:00
54	10004235	22187210	10004235-199	199	10004235-639	4532756	—	2196-06-21 21:04:00	—	Administered	2196-06-21 20:00:00	2196-06-21 21:05:00
57	10014354	23132022	10014354-1133	1133	10014354-1075	69803512	—	2148-06-25 08:05:00	—	Administered	2148-06-25 08:00:00	2148-06-25 08:08:00
64	10014354	27487226	10014354-1503	1503	10014354-1375	19690297	—	2148-07-04 08:22:00	—	Administered	2148-07-04 08:00:00	2148-07-04 08:37:00
66	10039708	—	10039708-2600	2600	10039708-2352	99595969	—	2144-03-01 08:27:00	—	Administered	2144-03-01 08:00:00	2144-03-01 08:27:00
79	10014354	29757856	10014354-3320	3320	10014354-2945	85896797	—	2150-04-10 09:50:00	—	Applied	2150-04-10 09:50:00	2150-04-10 09:54:00
100	10023117	21133938	10023117-559	559	10023117-1151	28257456	—	2175-03-29 08:46:00	—	Administered	2175-03-29 08:00:00	2175-03-29 08:52:00

WORKSPACE

Dashboard

LAYER 1 - Upload Dataset

Upload Dataset

LAYER 2 - Column Selection

Column Selection

LAYER 3 - Quality Assessment

Quality Assessment

LAYER 4 - Execution Mode

Execution Mode

LAYER 5 - Hybrid Repair

Hybrid Repair

LAYER 6 - Explainability

Explainability

LAYER 7 - Audit

Audit

LAYER 8 - Reports

Reports

LAYER 9 - Download

Download

Repair Execution Mode

Choose how the repair process should be executed for the assessed data.



DATASET

emar.csv

SELECTED COLUMN

medication

SELECTED TAXONOMY

Semantic & Contextual Inconsistencies

AFFECTED ROWS

270

Choose Execution Mode

Select how the repair should be handled after quality assessment.

Human-in-the-Loop
Review and approve the repair before it is applied.

☐

Review each proposed repair

Approve, modify, or reject

Changes require user confirmation

Recommended for medical data review

Fully Automatic
Execute the repair automatically without manual approval.

☒

Executes automatically

No user interaction

Fast execution

Suitable for trusted repair strategies

Direct Automated Resolution
Resolve simple, low-impact errors directly before download.

☐

Available only for Placeholder Values and Duplicate Records.

What Happens Next
The repair layer will generate and execute repair proposals automatically for the affected records without requiring manual approval for each proposal.

WORKSPACE

Dashboard

LAYER 1 - Upload Dataset

Upload Dataset

LAYER 2 - Column Selection

Column Selection

LAYER 3 - Quality Assessment

Quality Assessment

LAYER 4 - Execution Mode

Execution Mode

LAYER 5 - Hybrid Repair

Hybrid Repair

LAYER 6 - Explainability

Explainability

LAYER 7 - Audit

Audit

LAYER 8 - Reports

Reports

LAYER 9 - Download

Download

Step 6 of 9 · Data Quality Workflow

Hybrid Repair

Execute the recommended repair strategy and review the repair outcome.



Dataset
emar.csv

Selected Column
medication

Detected Issue
Semantic & Contextual Inconsistencies


Repair Method
LLM-Based Repair

Execute Hybrid Repair

Generate the evidence-based LLM proposals without changing the dataset until the user reviews them.

Generating...

Generating evidence-based suggestion...



Affected Rows Preview					Total: 270
Row-level context behind the generated LLM suggestions.					Showing 1–10 of 270
ROW INDEX	ORIGINAL VALUE	FINAL VALUE	WHY THIS VALUE?	SUPPORTING EVIDENCE	
4	null	Potassium Chloride	A directly linked record with the same poe_id and pharmacy_id identifies this medication as Potassium Chloride, indicating the... Target record has poe_id 10003400-391 and pharmacy_id 50919595.0 Potassium Chloride was selected as the most compatible replacement supported by the available evidence.	Target record has poe_id 10003400-391 and pharmacy_id 50919595.0 Linked row 463 with the same poe_id 10003400-391 and pharmacy_id 50919595.0 has medication Potassium Chloride Both records are administration events on 2136-11-08	
23	null	Aspirin	The target record shares the exact same poe_id (10018328-261) as other medication administration records for this admission, and... Target row has poe_id 10018328-261 Aspirin was selected as the most compatible replacement supported by the available evidence.	Target row has poe_id 10018328-261 Rows 1052 and 1765 with the same poe_id 10018328-261 list medication as Aspirin Target scheduleTime 2154-04-27 08:00:00 matches the daily 08:00 Aspirin schedule pattern	
38	null	Sodium Chloride 0.9% Flush	This record matches multiple same-patient, same-admission, and same-order records with identical poe_id, pharmacy_id, and event_bdt='Flushed', all documenting Sodium... poe_id = 10012853-121 matches linked records whose medication is Sodium Chloride 0.9% Flush Sodium Chloride 0.9% Flush was selected as the most...	poe_id = 10012853-121 matches linked records whose medication is Sodium Chloride 0.9% Flush pharmacy_id = 57607388.0 matches the same linked flush records event_txt = Flushed is identical to the supporting records	
49	null	HydrALAZINE	The target record shares the same poe_id (10040025-1098) and pharmacy_id (76169126.0) with multiple administered records whose medication is... Target record poe_id = 10040025-1098 HydrALAZINE was selected as the most compatible replacement supported by the available evidence.	Target record poe_id = 10040025-1098 Target record pharmacy_id = 76169126.0 Linked records with the same poe_id 10040025-1098 repeatedly list medication = HydrALAZINE	
50	null	HydrALAZINE	The target record matches multiple existing records with the same poe_id 10023117-1159, pharmacy_id 94737750.0, and event_txt 'Administered', all... Target record has poe_id 10023117-1159 HydrALAZINE was selected as the most compatible replacement supported by the available evidence.	Target record has poe_id 10023117-1159 Target record has pharmacy_id 94737750.0 Linked records for the same poe_id consistently show medication HydrALAZINE	
54	null	Docusate Sodium	A highly similar existing case is present for the same patient, same admission, same order (poe_id 10004235-639), same... same patient and same admission: subject_id 10004235, hadm_id 22187210.0 Docusate Sodium was selected as the most compatible replacement supported by the available...	same patient and same admission: subject_id 10004235, hadm_id 22187210.0 exact order link match: poe_id 10004235-639 same pharmacy_id: 4532756.0	
57	null	Magnesium Oxide	The target record matches a repeated existing medication-administration pattern for the same patient, admission, order (poe_id 10014354-1075), and... Target record has poe_id 10014354-1075 and pharmacy_id 69803512.0 Magnesium Oxide was selected as the most compatible replacement supported by the available evidence.	Target record has poe_id 10014354-1075 and pharmacy_id 69803512.0 Multiple linked records with the same poe_id 10014354-1075 have medication Magnesium Oxide Those linked records are Administered events in the same admission with scheduled 08:00 or 20:00 times...	
64	null	CelePIME	The target record shares the exact same poe_id and pharmacy_id with another administered medication record, indicating the same... Target record poe_id = 10014354-1375 CelePIME was selected as the most compatible replacement supported by the available evidence.	Target record poe_id = 10014354-1375 Target record pharmacy_id = 19690297.0 Linked record row 650 with poe_id = 10014354-1375 and pharmacy_id = 19690297.0 has medication CelePIME	
66	null	riIAXiMin	The target record shares the same poe_id (10039708-2352) and pharmacy_id (99595969.0) with multiple linked records whose medication is... Target row has poe_id 10039708-2352 and pharmacy_id 99595969.0 riIAXiMin was selected as the most compatible replacement supported by the available evidence.	Target row has poe_id 10039708-2352 and pharmacy_id 99595969.0 Linked row 1122 with poe_id 10039708-2352 and pharmacy_id 99595969.0 has medication riIAXiMin Linked rows 1172 and 1313 with the same poe_id 10039708-2352 also have medication riIAXiMin	
79	null	Lidocaine 5% Patch	The target record shares the same poe_id (10014354-2945) with another record for this patient/admission where the medication is... Target row has poe_id 10014354-2945 and event_txt 'Applied' at 2150-04-10 09:50:00 Lidocaine 5% Patch was selected as the most compatible replacement supported...	Target row has poe_id 10014354-2945 and event_txt 'Applied' at 2150-04-10 09:50:00 Linked row 1116 with the same poe_id 10014354-2945 documents medication 'Lidocaine 5% Patch' Row 1116 has event_txt 'Removed' at 2150-04-10 10:11:00, consistent with prior application of a patch	
Previous 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 Next					

Repair Method LLM-Based Repair	Rows Repaired 270	Confidence Score 99%	Repair Status Successful
---	--	---	---

WORKSPACE

Dashboard

LAYER 1 - Upload Dataset

Upload Dataset

LAYER 2 - Column Selection

Column Selection

LAYER 3 - Quality Assessment

Quality Assessment

LAYER 4 - Execution Mode

Execution Mode

LAYER 5 - Hybrid Repair

Hybrid Repair

LAYER 6 - Explainability

Explainability

LAYER 7 - Audit

Audit

LAYER 8 - Reports

Reports

LAYER 9 - Download

Download

Explainability

Understand how each detected data-quality issue was classified, routed, repaired, and resolved.



Dataset
emar.csv

Columns Processed
1

Repairs Completed
1

Rows Repaired
503

Repair Session Explainability

Each operation below represents one independent column-level repair decision within the same unified repair session.

#	Column	Repair Method	Execution Mode	Rows Repaired	Status
1	medication	LLM-Based Repair	Fully Automatic	270	Successful

Affected Records & Repair Evidence

Every affected record from the complete repair session is explained independently. The recorded repaired value is shown together with its supporting evidence.

Records
503

Row
0

Original Value
NULL

Repaired Value
Potassium Chloride

> View Evidence

REPAIR REASON
The best repair is taken from a highly similar existing case: row 463 matches the target on the strongest identifiers available, including the same poe_id and pharmacy_id, and clearly names the medication as Potassium Chloride.

Row
1

Original Value
NULL

Repaired Value
Aspirin

> View Evidence

REPAIR REASON
The best repair is taken from a highly similar existing case: row 463 matches the target on the strongest identifiers available, including the same poe_id and pharmacy_id, and clearly names the medication as Potassium Chloride.

Row
2

Original Value
NULL

Repaired Value
Sodium Chloride 0.9% Flush

> View Evidence

REPAIR REASON
The best repair is taken from a highly similar existing case: row 463 matches the target on the strongest identifiers available, including the same poe_id and pharmacy_id, and clearly names the medication as Potassium Chloride.

Row
3

Original Value
NULL

Repaired Value
HydrALAZINE

> View Evidence

REPAIR REASON
The best repair is taken from a highly similar existing case: row 463 matches the target on the strongest identifiers available, including the same poe_id and pharmacy_id, and clearly names the medication as Potassium Chloride.

Row
4

Original Value
NULL

Repaired Value
HydrALAZINE

> View Evidence

REPAIR REASON

WORKSPACE

Dashboard

LAYER 1 • Upload Dataset

Upload Dataset

LAYER 2 • Column Selection

Column Selection

LAYER 3 • Quality Assessment

Quality Assessment

LAYER 4 • Execution Mode

Execution Mode

LAYER 5 • Hybrid Repair

Hybrid Repair

LAYER 6 • Explainability

Explainability

LAYER 7 • Audit

Audit

LAYER 8 • Reports

Reports

LAYER 9 • Download

Download

Step 7 of 9 • Data Quality Workflow

Explainability

Understand how each detected data-quality issue was classified, routed, repaired, and resolved.



Repair Session Explainability				
Each operation below represents one independent outlier-level repair decision within the same unified repair session.				
#	Column	Repair Method	Execution Mode	Rows Repaired
1	medication	LLM-Based Repair	Fully Automatic	279

Affected Records & Repair Evidence			Records: 923
Every affected record from the complete repair session is explained independently. The recorded repair value is shown together with its supporting evidence.			
Row #	Original Value	Repaired Value	View Evidence
0	NULL	Potassium Chloride	
REPAIR REASON The best repair is taken from a highly similar existing case: row #60 matches the target on the strongest identifiers available, including the same pos_id and pharmacy_id, and clearly names the medication as Potassium Chloride.			
Row #	Original Value	Repaired Value	View Evidence
1	NULL	Aspirin	
REPAIR REASON The best repair is taken from a highly similar existing case: row #60 matches the target on the strongest identifiers available, including the same pos_id and pharmacy_id, and clearly names the medication as Potassium Chloride.			
Row #	Original Value	Repaired Value	View Evidence
2	NULL	Sodium Chloride 0.9% Flush	
REPAIR REASON The best repair is taken from a highly similar existing case: row #60 matches the target on the strongest identifiers available, including the same pos_id and pharmacy_id, and clearly names the medication as Potassium Chloride.			
Row #	Original Value	Repaired Value	View Evidence
3	NULL	HydRALAZINE	
REPAIR REASON The best repair is taken from a highly similar existing case: row #60 matches the target on the strongest identifiers available, including the same pos_id and pharmacy_id, and clearly names the medication as Potassium Chloride.			
Row #	Original Value	Repaired Value	View Evidence
4	NULL	HydRALAZINE	
REPAIR REASON Already linked record with the same pos_id and pharmacy_id identifies this medication as Potassium Chloride, indicating the same medication order/event series.			
Row #	Original Value	Repaired Value	View Evidence
5	NULL	Docusate Sodium	
REPAIR REASON The best repair is taken from a highly similar existing case: row #60 matches the target on the strongest identifiers available, including the same pos_id and pharmacy_id, and clearly names the medication as Potassium Chloride.			
Row #	Original Value	Repaired Value	View Evidence
6	NULL	Magnesium Oxide	
REPAIR REASON The best repair is taken from a highly similar existing case: row #60 matches the target on the strongest identifiers available, including the same pos_id and pharmacy_id, and clearly names the medication as Potassium Chloride.			
Row #	Original Value	Repaired Value	View Evidence
7	NULL	CefixIME	
REPAIR REASON The best repair is taken from a highly similar existing case: row #60 matches the target on the strongest identifiers available, including the same pos_id and pharmacy_id, and clearly names the medication as Potassium Chloride.			
Row #	Original Value	Repaired Value	View Evidence
8	NULL	rHAXIMin	
REPAIR REASON The best repair is taken from a highly similar existing case: row #60 matches the target on the strongest identifiers available, including the same pos_id and pharmacy_id, and clearly names the medication as Potassium Chloride.			
Row #	Original Value	Repaired Value	View Evidence
9	NULL	Lidocaine 5% Patch	
REPAIR REASON The best repair is taken from a highly similar existing case: row #60 matches the target on the strongest identifiers available, including the same pos_id and pharmacy_id, and clearly names the medication as Potassium Chloride.			
Showing 1 - 10 of 923 records			
Previous12...81Next			

Repair Outcome

Successful — 923 rows repaired across the complete repair session.

Continue to Audit

WORKSPACE

Dashboard

LAYER 1 - Upload Dataset

Upload Dataset

LAYER 2 - Column Selection

Column Selection

LAYER 3 - Quality Assessment

Quality Assessment

LAYER 4 - Execution Mode

Execution Mode

LAYER 5 - Hybrid Repair

Hybrid Repair

LAYER 6 - Explainability

Explainability

LAYER 7 - Audit

Audit

LAYER 8 - Reports

Reports

LAYER 9 - Download

Download

Audit

Chronological trace of every repair operation and its recorded repair evidence.



⌚

Operation Timeline

Chronological record of the repair operations actually executed during this session, with compact statistical-repair evidence where applicable.

1

>

medication

Semantic & Contextual Inconsistencies → LLM-Based Repair

Successful

EXECUTION	ROWS REPAIRED	TIME	TIMESTAMP
Fully Automatic	270	0.01s	9/26/2026, 5:51:56 PM

ⓘ

1 operation recorded for **emar.csv**. Identical backend/session representations of the same repair are consolidated into one audit record. Different column-level repairs remain separate. Statistical Anomalies are shown as a compact before-and-after summary, while other taxonomies retain row-level repair values.

WORKSPACE

Dashboard

LAYER 1 - Upload Dataset

Upload Dataset

LAYER 2 - Column Selection

Column Selection

LAYER 3 - Quality Assessment

Quality Assessment

LAYER 4 - Execution Mode

Execution Mode

LAYER 5 - Hybrid Repair

Hybrid Repair

LAYER 6 - Explainability

Explainability

LAYER 7 - Audit

Audit

LAYER 8 - Reports

Reports

LAYER 9 - Download

Download

Audit

Chronological trace of every repair operation and its recorded repair evidence.



Operation Timeline

Chronological record of the repair operations actually executed during this session, with compact statistical-repair evidence where applicable.

1

▼

medication
Semantic & Contextual Inconsistencies → LLM-Based Repair

🕒 Successful

EXECUTION	ROWS REPAIRED	TIME	TIMESTAMP
Fully Automatic	270	0.01s	9/26/2026, 5:51:56 PM

Repair Values			270 values
Every before-and-after value returned for this operation.			
Row 4	Before Repair NULL	After Repair Potassium Chloride	
Row 23	Before Repair NULL	After Repair Aspirin	
Row 38	Before Repair NULL	After Repair Sodium Chloride 0.9% Flush	
Row 49	Before Repair NULL	After Repair HydrALAZINE	
Row 50	Before Repair NULL	After Repair HydrALAZINE	
Row 54	Before Repair NULL	After Repair Docusate Sodium	
Row 57	Before Repair NULL	After Repair Magnesium Oxide	
Row 64	Before Repair NULL	After Repair CefePIME	

WORKSPACE

Dashboard

LAYER 1 - Upload Dataset

Upload Dataset

LAYER 2 - Column Selection

Column Selection

LAYER 3 - Quality Assessment

Quality Assessment

LAYER 4 - Execution Mode

Execution Mode

LAYER 5 - Hybrid Repair

Hybrid Repair

LAYER 6 - Explainability

Explainability

LAYER 7 - Audit

Audit

LAYER 8 - Reports

Reports

LAYER 9 - Download

Download

Reports

Final deliverables generated from the completed EHR data-quality repair session.



Final Repair Summary

Compact overview of the completed repair session.

 DATASET emar.csv	 TOTAL ROWS —	 COLUMNS PROCESSED 1	 ROWS REPAIRED 270	 SUCCESSFUL OPERATIONS 1
--	--	---	--	--

Generated Deliverables

Final files produced by the framework and available for download.

 Repaired Dataset emar_repaired.csv Ready <table><tr><th>FILE TYPE</th><th>STATUS</th></tr><tr><td>CSV</td><td> Available</td></tr></table> Contains the final repaired dataset after all selected column-level repair operations have been applied.  Final records  All dataset columns preserved  1 column processed  270 rows repaired  Download Repaired Dataset	FILE TYPE	STATUS	CSV	 Available	 Audit Log repair_audit_log.csv Ready <table><tr><th>FILE TYPE</th><th>STATUS</th></tr><tr><td>CSV</td><td> Available</td></tr></table> Contains the complete operation-level audit history recorded during the repair session.  1 repair operation recorded  Column and detected issue information  Repair method and execution mode  Repair status and operation metadata  Download Audit Log	FILE TYPE	STATUS	CSV	 Available
FILE TYPE	STATUS								
CSV	 Available								
FILE TYPE	STATUS								
CSV	 Available								

 Final Output Files The repaired dataset contains the final repaired data, while the audit log preserves the complete repair-operation history. Both files are available directly from this Reports layer.
--

← Back to Audit

Finish Workflow