Figure 10. Access and Quality

Rank (highest to lowest)	1	2	3	4	5	6	7	8	9	10	11	Mean
Access, %												
Able to get same- or next-day appointment[a]	NLD 50	Germany 49	CHE 43	UK 42	Australia 41	US 37	France 35	Sweden 30	Canada 24	Denmark NA	Japan NA	39 (n = 9)
2-mo Wait time to see specialist[a]	Canada 46	France 46	UK 42	Sweden 33	Australia 31	Germany 23	US 16	NLD 15	CHE 13	Denmark NA	Japan NA	29 (n = 9)
Adequate time with regular (primary) physician[b]	NLD 94	Australia 87	Germany 87	CHE 86	US 84	France 84	UK 73	Sweden 69	Canada 63	Denmark NA	Japan NA	81 (n = 9)
Perceptions, %												
System works well[c]	US NA	UK NA	Germany NA	Sweden NA	France NA	NLD NA	CHE NA	Denmark NA	Canada NA	Japan NA	Australia NA	NA
Fundamental changes needed	US NA	UK NA	Germany NA	Sweden NA	France NA	NLD NA	CHE NA	Denmark NA	Canada NA	Japan NA	Australia NA	NA
Complete rebuild of health system needed	US NA	UK NA	Germany NA	Sweden NA	France NA	NLD NA	CHE NA	Denmark NA	Canada NA	Japan NA	Australia NA	NA
Prevention												
Measles immunization, % of children	Japan 95	US 95	Denmark 94	France 93	Sweden 92	CHE 92	Germany 92	Australia 91	UK 84	NLD 81	Canada 79	90
Breast cancer screening, % of women aged 50-69 y	Denmark 82	Sweden 82	US 80	Canada 79	UK 70	NLD 66	Germany 66	Australia 52	CHE 50	France 47	Japan 45	65
Clinical outcomes												
30-d Stroke mortality per 100 admissions[d]	UK 8.5	CHE 7.9	Canada 7.6	France 7.3	Germany 7.0	Sweden 4.9	NLD 4.9	Denmark 4.9	US 4.5	Australia 4.1	Japan 2.1	5.8
30-d Mortality per 100 admissions with acute myocardial infarction	Germany 7.9	UK 6.4	CHE 6.2	France 5.5	US 5.2	Japan 4.9	Denmark 4.5	Canada 4.5	Sweden 3.4	Australia 3.3	NLD 2.9	5.0
Foreign body left per 100 000 discharges[e]	US NA	UK NA	Germany NA	Sweden NA	France NA	NLD NA	CHE NA	Denmark NA	Canada NA	Japan NA	Australia NA	NA
Obstetric trauma without instrument per 100 deliveries	Canada 4.0	Denmark 3.0	NLD 2.7	UK 2.3	CHE 1.9	US 1.7	Sweden 1.7	Australia 1.6	Germany 1.5	France NA	Japan NA	2.3 (n = 9)
Avoidable hospitalizations												
Diabetes hospitalizations per 100 000 population[f]	US 223.4	Germany 179.5	France 155.6	Australia 140.6	Canada 93.3	Denmark 86.2	CHE 82.6	UK 82.1	Sweden 60.4	NLD 42.3	Japan NA	114.6 (n = 10)
Diabetes hospitalizations as a ratio of population with diabetes[g]	France 2.39	Germany 2.30	Australia 1.90	US 1.63	CHE 1.56	Denmark 1.35	Canada 1.21	UK 1.11	Sweden 1.04	NLD 0.85	Japan NA	1.53 (n = 10)
Asthma hospitalizations per 100 000 population	UK 60.5	Denmark 59.0	Australia 52.0	France 29.8	Germany 27.2	NLD 25.1	CHE 23.0	US 22.4	Sweden 11.6	Canada 11.4	Japan NA	32.2 (n = 10)
Asthma hospitalizations as a ratio of population with asthma[h]	US NA	UK NA	Germany NA	Sweden NA	France NA	NLD NA	CHE NA	Denmark NA	Canada NA	Japan NA	Australia NA	NA

NA indicates not available (no comparable modern observation). CHE indicates Switzerland; NLD, the Netherlands. Countries are ranked from highest to lowest value within each row; NA cells are placed at the right.

Mean is the unweighted arithmetic mean of the countries with data; (n = x) under a mean gives the number of countries contributing when data were not available (NA) for all 11.

[a] Commonwealth Fund 2023 survey (Japan and Denmark not surveyed), computed from published response distributions on the 2016 base (same- or next-day appointment excluding those who did not need care; waited ≥2 months among those who saw or needed a specialist). Mode shifted toward online interviews in 2023.

[b] Mostly Commonwealth Fund 2020 survey data as published by OECD; Netherlands, national survey.

[c] Not updated: the health-system views question has not been asked in Commonwealth Fund general population surveys since 2016.

[d] Thirty-day in-hospital mortality per 100 admissions (unlinked data, age-sex standardized, ages ≥45 y), ischemic stroke and acute myocardial infarction. The 2018 labels read per 1000; values are per 100.

[e] Not updated: OECD discontinued the foreign-body-left-in indicator.

[f] Admissions with a primary diagnosis, persons aged ≥15 y, age-sex standardized.

[g] Admissions per 100 000 divided by diabetes prevalence (IDF Diabetes Atlas 2024, age-standardized, ages 20-79 y), shown per 100 persons with diabetes.

[h] Not updated: no official cross-national asthma prevalence series is available.

2026 update. Each value is the most recent comparable observation for that country (observation years 2015–2025; most values 2020–2024); data retrieved October 7, 2026. The year and source of every cell are listed in the accompanying workbook (Master_Data sheet). Sources: Commonwealth Fund International Health Policy Survey 2023 (respondent-level distributions published by the Canadian Institute for Health Information); OECD Data Explorer (Health Care Quality and Outcomes, immunisation, screening); IDF Diabetes Atlas 11th edition (diabetes prevalence).