Figure 4. Population Health

Rank (highest to lowest)	1	2	3	4	5	6	7	8	9	10	11	Mean
Determinants of health												
Smoking, % of population aged ≥15 y who smoke daily	France 18.2	CHE 16.1	Japan 14.8	Germany 14.0	NLD 12.0	Denmark 11.0	UK 9.1	Australia 8.5	Sweden 8.4	Canada 8.2	US 7.4	11.6
Alcohol consumption, L per capita in population aged ≥15 y	Germany 10.2	France 9.8	Australia 9.8	US 9.4	Denmark 9.1	UK 8.8	Canada 8.1	CHE 7.6	Sweden 7.3	NLD 7.3	Japan 6.7	8.6
Obese or overweight, % of population aged ≥15 y	US 72.2	UK 64.2	Australia 64.0	Canada 59.8	Germany 53.4[b]	Sweden 53.0[a]	Denmark 52.9[a]	NLD 48.7[a]	France 46.4	CHE 42.9[a]	Japan 25.3	53.0
Life expectancy												
Life expectancy in total population at birth, mean, y	CHE 84.2	Japan 84.1	Sweden 83.8	France 83.0	Australia 83.0	Canada 82.2	Denmark 82.0	NLD 81.9	UK 81.3	Germany 81.2	US 79.0	82.3
Health-adjusted life expectancy, mean, y[c]	Japan 73.4	CHE 71.2	Sweden 71.1	Australia 70.6	France 70.1	Denmark 70.1	NLD 70.0	Canada 69.8	Germany 68.9	UK 68.6	US 63.9	69.8
Life expectancy for women aged ≥40 y, mean, y	Japan 47.9	France 46.6	CHE 46.6	Sweden 45.9	Australia 45.9	Canada 45.4	Denmark 44.6	UK 44.2	Germany 44.2	NLD 44.0	US 42.9	45.3
Life expectancy for men aged ≥40 y, mean, y	CHE 43.4	Sweden 43.2	Australia 42.4	Japan 42.0	Canada 41.8	France 41.6	NLD 41.5	Denmark 41.2	UK 40.7	Germany 39.9	US 39.0	41.5
Maternal and infant health												
Maternal mortality, deaths per 100 000 live births[d]	US 17.9	Canada 12.6	UK 8.3	France 8.2	Australia 8.1	CHE 7.7	Sweden 5.2	Germany 4.4	Japan 4.4	NLD 3.6	Denmark 0.0	7.3
Infant mortality, deaths per 1000 live births	US 5.5	Canada 4.5	UK 4.2	France 4.0	Germany 3.3	NLD 3.3	CHE 3.3	Australia 3.3	Denmark 2.3	Sweden 2.0	Japan 1.8	3.4
Neonatal mortality, deaths per 1000 live births	US 3.7	Canada 3.3	UK 3.1	France 2.9	CHE 2.7	NLD 2.6	Germany 2.4	Australia 2.4	Denmark 1.9	Sweden 1.4	Japan 0.9	2.5
Neonatal mortality, deaths per 1000 live births excluding <1000 g[e]	US NA	UK NA	Germany NA	Sweden NA	France NA	NLD NA	CHE NA	Denmark NA	Canada NA	Japan NA	Australia NA	NA
Low birth weight, % of total live births	Japan 9.8	US 8.5	France 7.5	UK 7.2	Canada 7.2	Germany 6.6	Australia 6.6	CHE 6.0	NLD 5.6	Denmark 4.6	Sweden 4.1	6.7

NA indicates not available (no comparable modern observation). CHE indicates Switzerland; NLD, the Netherlands. Countries are ranked from highest to lowest value within each row; NA cells are placed at the right.

[a] Patient self-reported data.

[b] Self-reported; the latest measured value for Germany is from 2012.

[c] WHO estimates for 2021 (current revision, which places levels about 2 to 3 years below the estimates published in 2017; includes COVID-19 mortality).

[d] OECD registry-based rates for all countries, including Canada (the 2018 paper used Global Burden of Disease estimates for Canada and model-based values for several countries). Small numbers make annual rates volatile.

[e] No current source reports neonatal mortality excluding births under 1000 g for these countries (the 2018 values came from a 2012 study of 2004 data); not updated.

2026 update. Each value is the most recent comparable observation for that country (observation years 2013–2025; most values 2023–2024); data retrieved October 7, 2026. The year and source of every cell are listed in the accompanying workbook (Master_Data sheet). Sources: OECD Data Explorer (Health Statistics: risk factors, life expectancy, maternal and infant mortality, low birth weight); WHO Global Health Observatory (health-adjusted life expectancy).