Figure 7. Utilization

Rank (highest to lowest)	1	2	3	4	5	6	7	8	9	10	11	Mean
Discharges per 100 000 population												
Acute myocardial infarction[a]	Germany 244	US 192	Australia 189	Sweden 186	CHE 180	NLD 168	UK 165	France 162	Canada 155	Denmark 104	Japan 57	164
Mental and behavioral[b]	Germany 1553	CHE 1190	France 1051	Australia 965	Denmark 962	Sweden 882	US 678	Canada 642	UK 286	Japan 277	NLD 42	775
Pneumonia	Germany 492	UK 486	Denmark 445	Australia 400	Sweden 379	US 364	CHE 360	France 331	Japan 320	Canada 210	NLD 183	361
Chronic obstructive pulmonary disease	Germany 302	Australia 257	UK 254	US 230	Canada 210	Denmark 196	NLD 157	CHE 151	France 141	Sweden 121	Japan 40	187
Examinations per 1000 population												
Magnetic resonance imaging[c]	Germany 167	France 163	Japan 112	US 108	CHE 91	Denmark 89	UK 75	NLD 60	Canada 57	Australia 56	Sweden NA	98 (n = 10)
Computed tomography	US 254	France 241	Japan 231	Denmark 204	Australia 188	Germany 176	Canada 164	CHE 140	NLD 138	UK 133	Sweden NA	187 (n = 10)
Surgical procedures												
Total hip replacement per 100 000 population	Germany 359	CHE 358	Denmark 297	Sweden 280	France 273	NLD 268	UK 224	Australia 211	US 204	Canada 192	Japan NA	267 (n = 10)
Total knee replacement per 100 000 population	CHE 328	Germany 288	Denmark 264	Australia 259	Canada 231	US 226	France 210	Sweden 175	UK 170	NLD 164	Japan NA	232 (n = 10)
Hysterectomy per 100 000 women[d]	CHE 264	Australia 240	Germany 226	Canada 220	France 169	UK 142	Sweden 138	Denmark 129	NLD 96	US NA	Japan NA	180 (n = 9)
Cesarean delivery per 100 live births	Australia 41	UK 40	CHE 34	Canada 33	US 32	Germany 32	France 22	Denmark 20	Sweden 19	NLD 16	Japan NA	29 (n = 10)
Cataract surgery per 100 000 population	France 1639	Denmark 1435	NLD 1306	Australia 1284	Germany 1276	Sweden 1261	UK 1246	Canada 1088	CHE 470	US NA	Japan NA	1223 (n = 9)
Cardiovascular procedures per 100 000 population												
Coronary artery bypass graft surgery	US 79	Canada 47	Germany 45	Australia 45	NLD 44	CHE 37	France 26	Sweden 23	Denmark 23	UK 20	Japan NA	39 (n = 10)
Coronary angioplasty	Germany 392	CHE 325	France 299	NLD 210	Australia 177	Sweden 162	Denmark 148	Canada 126	UK 123	US NA	Japan NA	218 (n = 9)
Length of stay per capita, mean, d												
Normal delivery	France 3.9	Germany 2.9	CHE 2.7	Australia 2.4	Sweden 2.3	Denmark 2.2	US 2.0	NLD 1.6	UK 1.5	Canada 1.5	Japan NA	2.3 (n = 10)
Acute myocardial infarction	Germany 8.8	UK 7.7	CHE 6.4	US 5.4	Canada 5.3	France 5.1	Australia 4.5	NLD 4.2	Denmark 4.2	Sweden 3.8	Japan NA	5.5 (n = 10)

NA indicates not available (no comparable modern observation). CHE indicates Switzerland; NLD, the Netherlands. Countries are ranked from highest to lowest value within each row; NA cells are placed at the right.

Mean is the unweighted arithmetic mean of the countries with data; (n = x) under a mean gives the number of countries contributing when data were not available (NA) for all 11.

[a] The latest OECD data for the United States are from 2009 to 2010 for discharges, surgical and cardiovascular procedures, and length of stay (the 2018 paper also used 2010). Japan no longer reports surgical procedures or length of stay by diagnosis.

[b] France includes psychiatric hospital stays from 2016 onward; the Netherlands still excludes psychiatric hospitals. Denmark's discharge and length-of-stay data follow a 2019 registry change.

[c] United Kingdom and Switzerland include hospital examinations only; Australia includes only examinations eligible for public reimbursement.

[d] US hysterectomy and coronary angioplasty are NA because OECD US data cover inpatient cases only (2010) and exclude the large share performed as outpatient procedures; the 2018 paper used HCUP data including outpatient angioplasty.

2026 update. Each value is the most recent comparable observation for that country (observation years 2009–2025; most values 2022–2024); data retrieved October 7, 2026. The year and source of every cell are listed in the accompanying workbook (Master_Data sheet). Source: OECD Data Explorer (Health Statistics: hospital discharges, diagnostic exams, surgical procedures, average length of stay).