Figure 7. Utilization

Rank (highest to lowest)	1	2	3	4	5	6	7	8	9	10	11	Mean
Discharges per 100 000 population												
Acute myocardial infarction	Germany 287	Sweden 273	CHE 223	Australia 196	Canada 193	US 192	NLD 175	Denmark 174	UK 160	France 124	Japan 89	190
Mental and behavioral	Germany 1719	CHE 1182	Sweden 1068	Denmark 892	Australia 856	US 679	Canada 629	France 368	Japan 319	UK 269	NLD 119	736
Pneumonia	Denmark 567	UK 459	Sweden 432	Germany 380	Japan 378	US 365	Australia 338	France 271	CHE 269	NLD 224	Canada 187	352
Chronic obstructive pulmonary disease	Germany 352	Australia 286	UK 251	Canada 241	Denmark 234	US 230	Sweden 186	NLD 161	CHE 142	France 138	Japan 45	206
Examinations per 1000 population												
Magnetic resonance imaging	Germany 131	US 118	Japan 112	France 105	Denmark 82	CHE 70	Canada 56	UK 53	NLD 52	Australia 41	Sweden NA	82 (n = 10)
Computed tomography	US 245	Japan 231	France 197	Denmark 162	Canada 153	Germany 144	Australia 120	CHE 100	NLD 81	UK 79	Sweden NA	151 (n = 10)
Surgical procedures												
Total hip replacement per 100 000 population	CHE 292	Germany 283	Denmark 237	France 236	Sweden 234	NLD 216	US 204	UK 183	Australia 171	Canada 136	Japan 90	207
Total knee replacement per 100 000 population	US 226	Germany 190	Australia 180	CHE 176	Denmark 168	Canada 166	France 145	UK 141	Sweden 124	NLD 118	Japan NA	163 (n = 10)
Hysterectomy per 100 000 women	Germany 301	CHE 291	US 266	Australia 262	Canada 232	Denmark 197	Sweden 186	France 182	NLD 167	UK 161	Japan NA	225 (n = 10)
Cesarean delivery per 100 live births	US 33	CHE 33	Australia 32	Germany 31	Canada 26	UK 23	France 21	Denmark 21	Japan 18	Sweden 17	NLD 16	25
Cataract surgery per 100 000 population	France 1207	US 1110	Canada 1060	Australia 1060	Denmark 1037	Sweden 1029	Germany 1027	NLD 1005	UK 736	CHE 438	Japan NA	971 (n = 10)
Cardiovascular procedures per 100 000 population												
Coronary artery bypass graft surgery	US 79	Denmark 73	NLD 69	Germany 64	Canada 58	Australia 54	Sweden 31	France 29	UK 26	CHE NA	Japan NA	54 (n = 9)
Coronary angioplasty	Germany 393	US 248	NLD 248	France 237	Sweden 205	Japan 193	Denmark 190	Australia 172	Canada 157	UK 128	CHE NA	217 (n = 10)
Length of stay per capita, mean, d												
Normal delivery	Japan 5.7	France 4.1	CHE 3.6	Germany 2.9	Denmark 2.7	Australia 2.7	Sweden 2.3	US 2.0	NLD 1.9	Canada 1.6	UK 1.5	2.8
Acute myocardial infarction	Germany 10.3	CHE 7.3	UK 7.1	France 6.0	NLD 5.6	Canada 5.5	US 5.4	Australia 5.4	Sweden 4.7	Denmark 3.9	Japan NA	6.1 (n = 10)

NA indicates not applicable. CHE indicates Switzerland; NLD, the Netherlands. See eTable 4 in Supplement 2 for data ordered by country.

Mean is the unweighted arithmetic mean of the countries with data; (n = x) under a mean gives the number of countries contributing when data were not available (NA) for all 11.