




SBA BROMO - EXPLODED VIEW






Note :
- Cabinet packaging not shown
- All dimensions are before painting

NO.	DESCRIPTION	QTY.
1	6in SB17CAC35-4	1
2	SB26CDC-C000-4	1
3	BROMO CROSSOVER	1
4	BROMO CABINET	1
5	DA-DACRON-(700 x 170)mm (Bromo D)	1
6	DA-DACRON-(160 x 170)mm (Bromo C)	1
7	DA-DACRON-(700 x 120)mm (Bromo B)	1
8	DA-DACRON-(270 x 150)mm (Bromo A)	3
9	SB6 Magnetic Grill	1
10	SB TW26 Magnetic Grill	1
11	PE FOAM GASKET 240x4x1t	1
12	MAGNET N35-6x3t	4
13	MAGNET N35-10x3t	4
14	SB ACOUSTICS NAME PLATE	1
15	INSERT NUT M4	12
16	TERMINAL PLATE SBA	1
17	WOOD SCREW 4x16	6
18	HEXHEAD SCREW 4x20	8
19	COUNTERSUNK SCREW 4x20	4
20	BINDING POST HD-520-A	1
21	PORT TUBE (OD54x160x2t)mm	1
22	PORT FLARE 2in	2


PORT - SBA - BROMO




PORT FLARE





CABINET DIMENSION





SECTION B-B
SCALE 1 : 4





DETAIL C
SCALE 2 : 3





SECTION A-A
SCALE 1 : 4




V-CUT PROCESS



SECTION A-A
SCALE 1 : 6





8 7 6 5 4 3 2 1

F

E

D

C

B

A

8 7 6 5 4 3 2 1

REAR BOARD

The drawing includes the following views and dimensions:

- Front View:** A rectangular plate with overall dimensions of 200.0 mm width and 360.0 mm height. It features a central circular hole with a diameter of 73.0 mm. Below the circle is a rectangular cutout with a width of 70.0 mm and a height of 55.0 mm, with rounded corners of 8-R6.0. The cutout is positioned 100.0 mm from the top edge and 155.0 mm from the bottom edge. There are four mounting holes, each with a diameter of 7.0 mm, arranged in a 2x2 pattern within the cutout. Section lines A-A and B-B are indicated.
- SECTION A-A (SCALE 1 : 3):** A cross-sectional view showing the thickness of the board as 18.0 mm. It details the 44.5° chamfer on the top edge, a 2.0 mm thick top flange, and a 5.5 mm wide central slot. The bottom edge also has a 44.5° chamfer and a 2.0 mm thick base. The central hole has an outer diameter of 73.0 mm and an inner diameter of 79.5 mm.
- SECTION B-B (SCALE 1 : 3):** A cross-sectional view showing the board's profile. It has a total height of 144.5 mm, with a 19.0 mm thick top flange. The central hole has a diameter of 73.0 mm. The bottom flange is 196.5 mm high and contains four mounting holes, each with a diameter of 7.0 mm.
- Isometric Views:** Two isometric drawings of the rear board, one showing the front face and the other showing the back face with the mounting holes.

