What statistical analysis should I use? Statistical analyses using R

Version info: Code for this page was tested in R 2.15.2.

Introduction

This page shows how to perform a number of statistical tests using R. Each section gives a brief description of the aim of the statistical test, when it is used, an example showing the R commands and R output with a brief interpretation of the output. You can see the page Choosing the Correct Statistical Test for a table that shows an overview of when each test is appropriate to use. In deciding which test is appropriate to use, it is important to consider the type of variables that you have (i.e., whether your variables are categorical, ordinal or interval and whether they are normally distributed), see What is the difference between categorical, ordinal and interval variables? for more information on this.

Setup

```
hsb2 <- within(read.csv("http://www.ats.ucla.edu/stat/data/hsb2.csv"), {
    race <- as.factor(race)
    schtyp <- as.factor(schtyp)
    prog <- as.factor(prog)
})

attach(hsb2)
```

One sample t-test

```
t.test(write, mu = 50)
```

```
##
##      One Sample t-test
##
## data:  write
## t = 4.14, df = 199, p-value = 5.121e-05
## alternative hypothesis: true mean is not equal to 50
## 95 percent confidence interval:
##  51.5 54.1
## sample estimates:
## mean of x
##      52.8
```

One sample median test

```
wilcox.test(write, mu = 50)
```

```
##
##      Wilcoxon signed rank test with continuity correction
##
## data:  write
## V = 13177, p-value = 3.702e-05
## alternative hypothesis: true location is not equal to 50
```

Binomial test

```
prop.test(sum(female), length(female), p = 0.5)
```

```
##
##      1-sample proportions test with continuity correction
##
## data:  sum(female) out of length(female), null probability 0.5
## X-squared = 1.45, df = 1, p-value = 0.2293
## alternative hypothesis: true p is not equal to 0.5
## 95 percent confidence interval:
##  0.473 0.615
## sample estimates:
##     p
## 0.545
```

Chi-square goodness of fit

```
chisq.test(table(race), p = c(10, 10, 10, 70)/100)
```

```
##
##      Chi-squared test for given probabilities
##
## data:  table(race)
## X-squared = 5.03, df = 3, p-value = 0.1697
```

Two independent samples t-test

```
t.test(write ~ female)
```

```
##
##      Welch Two Sample t-test
##
## data:  write by female
## t = -3.66, df = 170, p-value = 0.0003409
## alternative hypothesis: true difference in means is not equal to 0
## 95 percent confidence interval:
##  -7.50 -2.24
## sample estimates:
## mean in group 0 mean in group 1
##            50.1            55.0
```

Wilcoxon-Mann-Whitney test

```
wilcox.test(write ~ female)
```

```
##
##      Wilcoxon rank sum test with continuity correction
##
## data:  write by female
## W = 3606, p-value = 0.0008749
## alternative hypothesis: true location shift is not equal to 0
```

Chi-square test

```
chisq.test(table(female, schtyp))
```

```
##
##      Pearson's Chi-squared test with Yates' continuity correction
##
```

```
## data:  table(female, schtyp)
## X-squared = 5e-04, df = 1, p-value = 0.9815
```

Fisher's exact test

```
fisher.test(table(race, schtyp))
```

```
##
##      Fisher's Exact Test for Count Data
##
## data:  table(race, schtyp)
## p-value = 0.5975
## alternative hypothesis: two.sided
```

One-way ANOVA

```
summary(aov(write ~ prog))
```

```
##              Df Sum Sq Mean Sq F value  Pr(>F)
## prog          2   3176    1588    21.3 4.3e-09 ***
## Residuals   197  14703      75
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

Kruskal Wallis test

```
kruskal.test(write, prog)
```

```
##
##      Kruskal-Wallis rank sum test
##
## data:  write and prog
## Kruskal-Wallis chi-squared = 34, df = 2, p-value = 4.047e-08
```

Paired t-test

```
t.test(write, read, paired = TRUE)
```

```
##
##      Paired t-test
##
## data:  write and read
## t = 0.867, df = 199, p-value = 0.3868
## alternative hypothesis: true difference in means is not equal to 0
## 95 percent confidence interval:
##  -0.694  1.784
## sample estimates:
## mean of the differences
##                   0.545
```

Wilcoxon signed rank sum test

```
wilcox.test(write, read, paired = TRUE)
```

```
##
##      Wilcoxon signed rank test with continuity correction
##
```

```
## data:  write and read
## V = 9261, p-value = 0.3666
## alternative hypothesis: true location shift is not equal to 0
```

McNemar test

```
X <- matrix(c(172, 7, 6, 15), 2, 2)
mcnemar.test(X)
```

```
##
##      McNemar's Chi-squared test with continuity correction
##
## data:  X
## McNemar's chi-squared = 0, df = 1, p-value = 1
```

One-way repeated measures ANOVA

```
require(car)
```

```
## Loading required package: car
```

```
## Loading required package: MASS
```

```
## Loading required package: nnet
```

```
## Loading required package: survival
```

```
## Loading required package: splines
```

```
require(foreign)
```

```
## Loading required package: foreign
```

```
kirk <- within(read.dta("http://www.ats.ucla.edu/stat/stata/examples/kirk/rb4.dta"),
    {
        s <- as.factor(s)
        a <- as.factor(a)
    })

model <- lm(y ~ a + s, data = kirk)
analysis <- Anova(model, idata = kirk, idesign = ~s)
print(analysis)
```

```
## Anova Table (Type II tests)
##
## Response: y
##           Sum Sq Df F value  Pr(>F)
## a           49.0  3    11.6 0.00011 ***
## s           31.5  7     3.2 0.01802 *
## Residuals   29.5 21
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

Repeated measures logistic regression

```
require(lme4)
```

```
## Loading required package: lme4
```

```
## Loading required package: Matrix
```

```
## Loading required package: lattice
```

```
## Attaching package: 'lme4'
```

```
## The following object(s) are masked from 'package:stats':
##
## AIC, BIC
```

```
exercise <- within(read.dta("http://www.ats.ucla.edu/stat/stata/whatstat/exercise.dta"),
    {
        id <- as.factor(id)
        diet <- as.factor(diet)
    })
glmer(highpulse ~ diet + (1 | id), data = exercise, family = binomial)
```

```
## Generalized linear mixed model fit by the Laplace approximation
## Formula: highpulse ~ diet + (1 | id)
##    Data: exercise
##  AIC BIC logLik deviance
##  105 113  -49.7     99.5
## Random effects:
##  Groups Name        Variance Std.Dev.
##  id     (Intercept) 3.32     1.82
## Number of obs: 90, groups: id, 30
##
## Fixed effects:
##             Estimate Std. Error z value Pr(>|z|)
## (Intercept)   -2.004      0.663   -3.02   0.0025 **
## diet2          1.145      0.898    1.27   0.2022
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Correlation of Fixed Effects:
##       (Intr)
## diet2 -0.738
```

Factorial ANOVA

```
anova(lm(write ~ female * ses, data = hsb2))
```

```
## Analysis of Variance Table
##
## Response: write
##             Df Sum Sq Mean Sq F value  Pr(>F)
## female       1   1176    1176    14.7 0.00017 ***
## ses          1   1042    1042    13.1 0.00039 ***
## female:ses   1      0       0     0.0 0.98276
## Residuals  196  15660      80
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

Friedman test

```
friedman.test(cbind(read, write, math))
```

```
##
##      Friedman rank sum test
##
## data:  cbind(read, write, math)
## Friedman chi-squared = 0.645, df = 2, p-value = 0.7244
```

Ordered logistic regression

Factorial logistic regression

```
summary(glm(female ~ prog * schtyp, data = hsb2, family = binomial))
```

```
##
## Call:
## glm(formula = female ~ prog * schtyp, family = binomial, data = hsb2)
##
## Deviance Residuals:
##    Min      1Q  Median      3Q     Max
##  -1.89   -1.25    1.06    1.11    1.20
##
## Coefficients:
##               Estimate Std. Error z value Pr(>|z|)
## (Intercept)    -0.0513     0.3204   -0.16     0.87
## prog2           0.3246     0.3911    0.83     0.41
## prog3           0.2183     0.4319    0.51     0.61
## schtyp2         1.6607     1.1413    1.46     0.15
## prog2:schtyp2  -1.9340     1.2327   -1.57     0.12
## prog3:schtyp2  -1.8278     1.8402   -0.99     0.32
##
## (Dispersion parameter for binomial family taken to be 1)
##
##     Null deviance: 275.64  on 199  degrees of freedom
## Residual deviance: 272.49  on 194  degrees of freedom
## AIC: 284.5
##
## Number of Fisher Scoring iterations: 3
```

Correlation

```
cor(read, write)
```

```
## [1] 0.597
```

```
cor.test(read, write)
```

```
##
##      Pearson's product-moment correlation
##
## data:  read and write
## t = 10.5, df = 198, p-value < 2.2e-16
## alternative hypothesis: true correlation is not equal to 0
## 95 percent confidence interval:
##  0.499 0.679
## sample estimates:
##   cor
## 0.597
```

Simple linear regression

```
lm(write ~ read)
```

```
##
## Call:
## lm(formula = write ~ read)
##
## Coefficients:
## (Intercept)         read
##      23.959        0.552
```

Non-parametric correlation

```
cor.test(write, read, method = "spearman")
```

```
## Warning: Cannot compute exact p-values with ties
```

```
##
##      Spearman's rank correlation rho
##
## data:  write and read
## S = 510993, p-value < 2.2e-16
## alternative hypothesis: true rho is not equal to 0
## sample estimates:
##   rho
## 0.617
```

Simple logistic regression

```
glm(female ~ read, family = binomial)
```

```
##
## Call:  glm(formula = female ~ read, family = binomial)
##
## Coefficients:
## (Intercept)         read
##      0.7261      -0.0104
##
## Degrees of Freedom: 199 Total (i.e. Null);  198 Residual
## Null Deviance:           276
## Residual Deviance: 275       AIC: 279
```

Multiple regression

```
lm(write ~ female + read + math + science + socst)
```

```
##
## Call:
## lm(formula = write ~ female + read + math + science + socst)
##
## Coefficients:
## (Intercept)       female         read         math      science
##       6.139        5.493        0.125        0.238        0.242
##       socst
##       0.229
```

Analysis of covariance

```
summary(aov(write ~ prog + read))
```

```
##              Df Sum Sq Mean Sq F value  Pr(>F)
## prog          2   3176    1588    28.6 1.2e-11 ***
## read          1   3842    3842    69.3 1.4e-14 ***
## Residuals   196  10861      55
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

Multiple logistic regression

```
glm(female ~ read + write, family = binomial)
```

```
##
## Call:  glm(formula = female ~ read + write, family = binomial)
##
## Coefficients:
## (Intercept)         read        write
##      -1.706       -0.071        0.106
##
## Degrees of Freedom: 199 Total (i.e. Null);  197 Residual
## Null Deviance:           276
## Residual Deviance: 248       AIC: 254
```

Discriminant analysis

One-way MANOVA

```
summary(manova(cbind(read, write, math) ~ prog))
```

```
##            Df Pillai approx F num Df den Df  Pr(>F)
## prog        2  0.267     10.1      6    392 2.3e-10 ***
## Residuals 197
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

Multivariate multiple regression

```
M1 <- lm(cbind(write, read) ~ female + math + science + socst, data = hsb2)

require(car)
summary(Anova(M1))
```

```
##
## Type II MANOVA Tests:
##
## Sum of squares and products for error:
##       write read
## write  7259 1091
## read   1091 8700
##
## ------------------------------------------
##
## Term: female
##
## Sum of squares and products for the hypothesis:
##       write   read
## write  1414 -133.5
## read   -133   12.6
##
```

```
## Multivariate Tests: female
##                  Df test stat approx F num Df den Df  Pr(>F)
## Pillai            1     0.170     19.9      2    194 1.4e-08 ***
## Wilks             1     0.830     19.9      2    194 1.4e-08 ***
## Hotelling-Lawley  1     0.205     19.9      2    194 1.4e-08 ***
## Roy               1     0.205     19.9      2    194 1.4e-08 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## ------------------------------------------
##
## Term: math
##
## Sum of squares and products for the hypothesis:
##       write read
## write   715  856
## read    856 1026
##
## Multivariate Tests: math
##                  Df test stat approx F num Df den Df  Pr(>F)
## Pillai            1      0.16     18.5      2    194 4.6e-08 ***
## Wilks             1      0.84     18.5      2    194 4.6e-08 ***
## Hotelling-Lawley  1      0.19     18.5      2    194 4.6e-08 ***
## Roy               1      0.19     18.5      2    194 4.6e-08 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## ------------------------------------------
##
## Term: science
##
## Sum of squares and products for the hypothesis:
##       write read
## write   858  901
## read    901  947
##
## Multivariate Tests: science
##                  Df test stat approx F num Df den Df  Pr(>F)
## Pillai            1     0.166     19.4      2    194 2.1e-08 ***
## Wilks             1     0.834     19.4      2    194 2.1e-08 ***
## Hotelling-Lawley  1     0.200     19.4      2    194 2.1e-08 ***
## Roy               1     0.200     19.4      2    194 2.1e-08 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## ------------------------------------------
##
## Term: socst
##
## Sum of squares and products for the hypothesis:
##       write read
## write  1106 1277
## read   1277 1476
##
## Multivariate Tests: socst
##                  Df test stat approx F num Df den Df  Pr(>F)
## Pillai            1     0.221     27.5      2    194 3.1e-11 ***
## Wilks             1     0.779     27.5      2    194 3.1e-11 ***
## Hotelling-Lawley  1     0.283     27.5      2    194 3.1e-11 ***
## Roy               1     0.283     27.5      2    194 3.1e-11 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

Canonical correlation

```
require(CCA)
```

```
## Loading required package: CCA
```

```
## Loading required package: fda
```

```
## Loading required package: zoo
```

```
## Attaching package: 'zoo'
```

```
## The following object(s) are masked from 'package:base':
##
## as.Date, as.Date.numeric
```

```
## Attaching package: 'fda'
```

```
## The following object(s) are masked from 'package:graphics':
##
## matplot
```

```
## Loading required package: fields
```

```
## Loading required package: spam
```

```
## Spam version 0.29-3 (2013-04-23) is loaded. Type 'help( Spam)' or 'demo(
## spam)' for a short introduction and overview of this package. Help for
## individual functions is also obtained by adding the suffix '.spam' to the
## function name, e.g. 'help( chol.spam)'.
```

```
## Attaching package: 'spam'
```

```
## The following object(s) are masked from 'package:base':
##
## backsolve, forwardsolve
```

```
## Loading required package: maps
```

```
cc(cbind(read, write), cbind(math, science))
```

```
## $cor
## [1] 0.7728 0.0235
##
## $names
## $names$Xnames
## [1] "read"  "write"
##
## $names$Ynames
## [1] "math"    "science"
##
## $names$ind.names
## NULL
##
##
## $xcoef
##          [,1]   [,2]
## read  -0.0633 -0.104
## write -0.0492  0.122
##
## $ycoef
##            [,1]   [,2]
```

```
## math    -0.0670  0.120
## science -0.0482 -0.121
##
## $scores
## $scores$xscores
##           [,1]     [,2]
##   [1,] -0.2636 -0.58956
##   [2,] -1.3042 -0.87790
##   [3,]  1.4945 -1.55654
##   [4,] -0.2492 -2.18757
##   [5,]  0.3690  0.44835
##   [6,]  0.5588  0.75972
##   [7,] -0.1655  0.99033
##   [8,]  1.4869  1.06618
##   [9,] -0.8894 -0.60276
##  [10,] -0.4113 -0.22384
##  [11,] -0.1579 -1.63238
##  [12,] -0.9038  0.99525
##  [13,] -1.6698 -1.27495
##  [14,] -0.6155  1.06280
##  [15,]  0.2493  1.26547
##  [16,]  0.8331  0.60158
##  [17,]  0.3690  0.44835
##  [18,] -0.5098  0.01998
##  [19,] -1.5997 -0.14645
##  [20,]  0.5032 -1.96679
##  [21,] -0.4954 -1.57803
##  [22,] -1.1849  0.12869
##  [23,]  0.7702 -1.32593
##  [24,] -0.4534 -0.90093
##  [25,]  1.3956  0.51099
##  [26,]  1.9302 -0.03100
##  [27,] -1.4099  0.16492
##  [28,]  0.1228  1.05789
##  [29,]  1.2483 -0.94700
##  [30,]  0.4467 -1.04587
##  [31,]  1.7196 -1.59277
##  [32,] -1.4656 -2.56159
##  [33,] -1.5084  0.40874
##  [34,]  1.2271 -0.37369
##  [35,] -0.2920  0.78275
##  [36,] -1.0936  0.68388
##  [37,] -1.0580 -1.48744
##  [38,] -1.2622 -0.20080
##  [39,]  1.4033 -2.11173
##  [40,]  1.9093 -1.28140
##  [41,]  0.6153 -0.16119
##  [42,] -0.4818  0.47138
##  [43,] -0.0458  0.17321
##  [44,]  1.2271 -0.37369
##  [45,] -1.4099  0.16492
##  [46,] -0.4818  0.47138
##  [47,]  0.7702 -1.32593
##  [48,] -1.1144 -0.56653
##  [49,]  0.0243  1.30171
##  [50,] -0.3621 -0.34574
##  [51,] -0.4538  0.92278
##  [52,]  1.8108 -1.03759
##  [53,]  0.9528 -0.21555
##  [54,] -0.9879 -0.35895
##  [55,] -1.7683 -1.03113
##  [56,]  1.5154 -0.30614
##  [57,]  1.7404 -0.34237
##  [58,]  1.3256 -0.61751
##  [59,] -0.8894 -0.60276
##  [60,]  0.4535 -0.02117
##  [61,]  0.4747 -0.59448
##  [62,] -0.1235  1.66743
##  [63,]  0.9528 -0.21555
```

```
##  [64,]  2.1272 -0.51863
##  [65,]  0.6717 -1.08211
##  [66,]  1.1005 -0.58127
##  [67,] -0.5519 -0.65712
##  [68,]  1.0093 -1.13646
##  [69,] -0.1999 -2.30948
##  [70,]  1.1150 -2.17928
##  [71,]  0.9528 -0.21555
##  [72,] -0.5519 -0.65712
##  [73,] -2.0145 -0.42159
##  [74,] -1.3042 -0.87790
##  [75,]  0.2077 -1.23534
##  [76,]  0.9600 -1.01455
##  [77,] -0.5803  0.71520
##  [78,] -1.3042 -0.87790
##  [79,]  2.1692  0.15847
##  [80,]  0.9108 -0.89265
##  [81,] -0.9879 -0.35895
##  [82,]  1.2126  1.22432
##  [83,] -1.3042 -0.87790
##  [84,] -1.2834  0.37250
##  [85,]  0.4047 -1.72297
##  [86,] -0.6296  0.83710
##  [87,]  0.5945 -1.41160
##  [88,]  1.3392  1.43190
##  [89,]  1.2135 -2.42310
##  [90,]  0.0107 -0.74770
##  [91,] -0.4398  1.14848
##  [92,] -0.4954 -1.57803
##  [93,] -1.4520 -0.51218
##  [94,]  1.2691  0.30341
##  [95,]  0.9528 -0.21555
##  [96,] -0.3133  1.35606
##  [97,] -1.7895 -0.45782
##  [98,] -1.2834  0.37250
##  [99,]  1.5854  0.82236
## [100,] -1.1849  0.12869
## [101,] -1.3535 -0.75599
## [102,]  0.0243  1.30171
## [103,]  0.6645 -0.28310
## [104,] -0.6432 -1.21231
## [105,] -0.2920  0.78275
## [106,] -0.2356 -0.13816
## [107,] -0.9459  0.31815
## [108,]  1.9654 -0.37861
## [109,]  0.2705  0.69216
## [110,] -1.7895 -0.45782
## [111,] -0.2636 -0.58956
## [112,]  0.6573  0.51590
## [113,] -1.1144 -0.56653
## [114,] -1.5997 -0.14645
## [115,] -1.7190 -1.15304
## [116,]  1.4589  0.61478
## [117,]  0.5236  1.10733
## [118,] -2.0145 -0.42159
## [119,] -0.1935  0.53893
## [120,]  0.9948  0.46155
## [121,] -0.5519 -0.65712
## [122,]  0.1792  0.13697
## [123,]  0.1792  0.13697
## [124,]  0.6645 -0.28310
## [125,] -0.1235  1.66743
## [126,] -0.3833  0.22756
## [127,]  0.7210 -1.20402
## [128,]  0.8259  1.40058
## [129,]  0.3270 -0.22875
## [130,]  2.0287 -0.27481
## [131,] -0.6083  0.26380
## [132,] -0.9038  0.99525
```

```
## [133,] -1.4520 -0.51218
## [134,]  0.5868  1.21112
## [135,] -0.8614 -0.15137
## [136,] -2.0073 -1.22059
## [137,]  0.0243  1.30171
## [138,]  0.4323  0.55214
## [139,]  1.4169 -0.06232
## [140,]  0.2005 -0.43633
## [141,]  1.8665  1.68892
## [142,]  0.5868  1.21112
## [143,]  0.8615 -0.77074
## [144,]  0.1228  1.05789
## [145,] -0.2920  0.78275
## [146,]  0.3690  0.44835
## [147,] -0.3133  1.35606
## [148,]  0.5588  0.75972
## [149,]  0.9108 -0.89265
## [150,]  0.3478  1.02165
## [151,]  1.1078 -1.38028
## [152,] -0.8682 -1.17607
## [153,]  0.3758  1.47305
## [154,]  0.2705  0.69216
## [155,] -0.7561  0.62952
## [156,] -1.3042 -0.87790
## [157,] -0.0950  0.29512
## [158,]  0.4391  1.57684
## [159,]  1.3256 -0.61751
## [160,] -1.5717  0.30495
## [161,] -0.1235  1.66743
## [162,] -0.1651 -0.83338
## [163,] -0.0742  1.54552
## [164,] -0.7561  0.62952
## [165,] -0.2920  0.78275
## [166,]  0.9528 -0.21555
## [167,] -0.1655  0.99033
## [168,]  0.7766  1.52249
## [169,] -0.7561  0.62952
## [170,] -0.6576  0.38571
## [171,]  0.4391  1.57684
## [172,]  0.6645 -0.28310
## [173,]  1.4733 -0.98323
## [174,] -0.7981 -0.04757
## [175,]  0.7066  0.39399
## [176,] -1.0371 -0.23704
## [177,] -1.5084  0.40874
## [178,]  0.7766  1.52249
## [179,]  0.1792  0.13697
## [180,] -0.5875  1.51420
## [181,] -0.9459  0.31815
## [182,]  0.7066  0.39399
## [183,] -0.6860  1.75802
## [184,] -0.7773  1.20283
## [185,] -0.5595  1.96560
## [186,] -1.4099  0.16492
## [187,] -0.0458  0.17321
## [188,]  0.7630 -0.52692
## [189,] -1.1356  0.00678
## [190,]  0.4747 -0.59448
## [191,]  0.5868  1.21112
## [192,]  0.8187  2.19959
## [193,]  0.1792  0.13697
## [194,]  0.4038  1.92445
## [195,] -0.2712  2.03316
## [196,] -0.4818  0.47138
## [197,]  0.9808  0.23585
## [198,]  0.2782 -1.93055
## [199,] -0.6296  0.83710
## [200,] -1.2834  0.37250
##
```

```
## $scores$yscores
##            [,1]    [,2]
##   [1,]  1.01398 -0.8128
##   [2,] -0.56166 -1.3052
##   [3,] -0.38744 -0.5807
##   [4,]  0.32264 -0.8172
##   [5,] -0.34719  0.3842
##   [6,] -0.42770 -1.5455
##   [7,]  0.65755 -1.4179
##   [8,]  1.13197  0.6349
##   [9,] -0.38744 -0.5807
##  [10,]  0.13245  0.1461
##  [11,]  0.05471 -0.3367
##  [12,] -0.42770 -1.5455
##  [13,] -1.67087  1.0991
##  [14,] -0.44367  0.1424
##  [15,]  1.18299  2.2027
##  [16,]  0.73529 -0.9351
##  [17,]  0.19943  0.0260
##  [18,] -0.78934  0.1402
##  [19,] -0.77858  0.7431
##  [20,] -0.34719  0.3842
##  [21,]  0.49930 -3.8305
##  [22,] -2.46945  0.2499
##  [23,]  0.36012 -1.2993
##  [24,] -0.73311 -0.5829
##  [25,]  1.13197  0.6349
##  [26,]  1.06499  0.7550
##  [27,] -1.33596  0.4984
##  [28,] -0.58839 -0.2202
##  [29,]  0.86404  1.1155
##  [30,]  0.09219 -0.8187
##  [31,] -0.05774  1.1095
##  [32,] -1.34671 -0.1045
##  [33,] -1.37621 -0.4665
##  [34,] -1.26376 -1.9126
##  [35,] -0.26423 -1.4239
##  [36,] -0.80009 -0.4627
##  [37,] -2.18000  0.9752
##  [38,] -1.71112  0.1343
##  [39,]  1.34368  0.8774
##  [40,]  1.46689  0.0342
##  [41,]  1.25518 -0.2083
##  [42,] -0.92330  0.3805
##  [43,] -0.44367  0.1424
##  [44,]  0.73529 -0.9351
##  [45,] -0.22675 -1.9059
##  [46,] -1.52093 -0.8291
##  [47,]  1.05146 -1.2948
##  [48,] -1.70037  0.7372
##  [49,] -0.74908  1.1051
##  [50,] -0.19171  1.3498
##  [51,] -0.80808  0.3812
##  [52,]  1.21493 -1.1732
##  [53,] -0.47040  1.2274
##  [54,]  0.09219 -0.8187
##  [55,] -2.19076  0.3723
##  [56,]  1.82609  2.0863
##  [57,]  1.62237  0.9998
##  [58,]  0.71378 -2.1410
##  [59,] -0.45442 -0.4605
##  [60,]  0.42189  0.8715
##  [61,]  0.21540 -1.6619
##  [62,] -1.38697 -1.0694
##  [63,]  1.77507  0.5185
##  [64,]  1.54463  0.5170
##  [65,]  0.94178  1.5983
##  [66,]  0.93624 -1.2956
##  [67,] -0.64462  0.5029
```

```
##  [68,]  0.85329  0.5125
##  [69,] -1.06004 -0.8261
##  [70,]  0.62284  0.5110
##  [71,]  1.06499  0.7550
##  [72,] -0.65537 -0.1001
##  [73,] -1.76735  0.8573
##  [74,] -1.42722 -2.0343
##  [75,]  0.14842 -1.5418
##  [76,]  0.97650 -0.3307
##  [77,]  0.04672  0.5073
##  [78,] -0.76261 -0.9448
##  [79,]  1.06499  0.7550
##  [80,]  0.38441  1.3535
##  [81,] -0.44367  0.1424
##  [82,] -0.53216 -0.9433
##  [83,] -1.91207  0.4947
##  [84,] -0.22675 -1.9059
##  [85,]  1.22568 -0.5702
##  [86,] -1.29847  0.0163
##  [87,]  0.05471 -0.3367
##  [88,]  1.38915 -0.4486
##  [89,]  1.70809  0.6386
##  [90,] -1.00104 -0.1023
##  [91,] -0.66059  2.1908
##  [92,] -0.43845 -2.1485
##  [93,] -1.65490 -0.5888
##  [94,]  0.42189  0.8715
##  [95,]  0.67907 -0.2120
##  [96,] -1.09752 -0.3441
##  [97,] -1.97905  0.6148
##  [98,] -2.05679  0.1320
##  [99,]  1.46689  0.0342
## [100,] -1.53690  0.8588
## [101,] -1.58792 -0.7090
## [102,] -0.90733 -1.3075
## [103,]  1.15349  1.8408
## [104,] -0.00152  0.3864
## [105,] -0.46518 -1.0635
## [106,] -0.41938  2.7952
## [107,] -0.87229  1.9483
## [108,]  0.88800 -1.4164
## [109,]  0.53435 -0.5747
## [110,] -1.39218  1.2215
## [111,]  0.40559 -2.6253
## [112,]  1.39991  0.1543
## [113,] -0.00950  1.2304
## [114,] -0.70361 -0.2210
## [115,] -0.44367  0.1424
## [116,]  1.52311 -0.6889
## [117,] -0.30970 -0.0979
## [118,] -0.92330  0.3805
## [119,] -1.05727  0.6208
## [120,]  1.46689  0.0342
## [121,]  0.26641 -0.0941
## [122,]  0.53435 -0.5747
## [123,]  0.59611  1.5960
## [124,]  0.22893  0.3879
## [125,]  1.37318  1.2393
## [126,] -0.52141 -0.3404
## [127,]  0.89077  0.0305
## [128,] -0.00152  0.3864
## [129,]  0.00924  0.9894
## [130,]  1.88231  1.3632
## [131,] -0.00152  0.3864
## [132,] -1.40017  2.0655
## [133,] -0.13548  0.6267
## [134,]  0.61208 -0.0919
## [135,]  0.62284  0.5110
## [136,] -1.22350 -0.9478
```

```
## [137,] -0.38744 -0.5807
## [138,]  0.22094  1.2319
## [139,]  1.79104 -1.1695
## [140,]  0.62284  0.5110
## [141,]  1.02474 -0.2098
## [142,]  0.26641 -0.0941
## [143,]  0.66310  1.4759
## [144,]  0.68982  0.3909
## [145,] -0.41417  0.5043
## [146,]  0.83177 -0.6934
## [147,]  0.62806 -1.7798
## [148,]  1.02474 -0.2098
## [149,]  1.01675  0.6342
## [150,]  1.44016  1.1192
## [151,]  1.12122  0.0320
## [152,] -0.85632  0.2603
## [153,]  0.93624 -1.2956
## [154,]  0.18868 -0.5769
## [155,] -0.52141 -0.3404
## [156,] -0.71160  0.6230
## [157,]  0.07345 -0.5777
## [158,]  0.34415  0.3887
## [159,]  1.18820 -0.0882
## [160,] -1.40294  0.6185
## [161,] -0.07926 -0.0964
## [162,]  0.21817 -0.2150
## [163,] -0.42770 -1.5455
## [164,] -1.73785  1.2193
## [165,]  0.15918 -0.9389
## [166,]  1.41865 -0.0867
## [167,] -0.46518 -1.0635
## [168,]  1.14795 -1.0530
## [169,] -0.84556  0.8633
## [170,]  0.05471 -0.3367
## [171,]  0.60133 -0.6948
## [172,]  1.14795 -1.0530
## [173,]  1.71885  1.2416
## [174,] -1.06802  0.0178
## [175,]  1.39192  0.9983
## [176,] -0.93129  1.2245
## [177,] -0.84556  0.8633
## [178,] -0.14624  0.0238
## [179,]  0.21540 -1.6619
## [180,] -0.69286  0.3820
## [181,]  0.33340 -0.2143
## [182,]  0.93103  0.9953
## [183,] -0.82959 -0.8247
## [184,] -0.06850  0.5066
## [185,] -1.57716 -0.1060
## [186,] -1.05727  0.6208
## [187,] -0.21322  0.1439
## [188,]  1.18820 -0.0882
## [189,] -0.37668  0.0223
## [190,] -0.07926 -0.0964
## [191,]  1.25518 -0.2083
## [192,]  0.80228 -1.0553
## [193,] -0.17574 -0.3381
## [194,]  1.57413  0.8789
## [195,] -0.40341  1.1073
## [196,]  0.51837  1.1132
## [197,]  1.74558  0.1566
## [198,] -0.44367  0.1424
## [199,] -0.65537 -0.1001
## [200,] -0.88305  1.3453
##
## $scores$corr.X.xscores
##         [,1]   [,2]
## read  -0.927 -0.375
## write -0.854  0.520
```

```
##
## $scores$corr.Y.xscores
##           [,1]    [,2]
## math    -0.718  0.0087
## science -0.675 -0.0114
##
## $scores$corr.X.yscores
##         [,1]     [,2]
## read  -0.717 -0.00879
## write -0.660  0.01222
##
## $scores$corr.Y.yscores
##           [,1]   [,2]
## math    -0.929  0.371
## science -0.873 -0.487
```

Factor analysis

```
require(psych)
```

```
## Loading required package: psych
```

```
## Attaching package: 'psych'
```

```
## The following object(s) are masked from 'package:fields':
##
## describe
```

```
## The following object(s) are masked from 'package:car':
##
## logit
```

```
fa(r = cor(model.matrix(~read + write + math + science + socst - 1, data = hsb2)),
    rotate = "none", fm = "pa", 5)
```

```
## In fa, too many factors requested for this number of variables to use SMC
## for communality estimates, 1s are used instead
```

```
## Factor Analysis using method =  pa
## Call: fa(r = cor(model.matrix(~read + write + math + science + socst -
##     1, data = hsb2)), nfactors = 5, rotate = "none", fm = "pa")
## Standardized loadings (pattern matrix) based upon correlation matrix
##          PA1   PA2   PA3   PA4   PA5 h2       u2
## read    0.86 -0.02 -0.34 -0.01 -0.39  1 -8.9e-16
## write   0.82  0.15  0.51  0.03 -0.17  1  5.6e-16
## math    0.84 -0.19  0.00 -0.47  0.18  1  1.1e-16
## science 0.80 -0.46  0.00  0.35  0.16  1  0.0e+00
## socst   0.78  0.54 -0.17  0.12  0.24  1  3.3e-16
##
##                        PA1  PA2  PA3  PA4  PA5
## SS loadings           3.38 0.56 0.41 0.36 0.30
## Proportion Var        0.68 0.11 0.08 0.07 0.06
## Cumulative Var        0.68 0.79 0.87 0.94 1.00
## Proportion Explained  0.68 0.11 0.08 0.07 0.06
## Cumulative Proportion 0.68 0.79 0.87 0.94 1.00
##
## Test of the hypothesis that 5 factors are sufficient.
##
## The degrees of freedom for the null model are  10  and the objective function was  2.51
## The degrees of freedom for the model are -5  and the objective function was  0
##
## The root mean square of the residuals (RMSR) is  0
```

```
## The df corrected root mean square of the residuals is  NA
##
## Fit based upon off diagonal values = 1
## Measures of factor score adequacy
##                                                 PA1 PA2 PA3 PA4 PA5
## Correlation of scores with factors                 1   1   1   1   1
## Multiple R square of scores with factors           1   1   1   1   1
## Minimum correlation of possible factor scores      1   1   1   1   1
```

```
princomp(~read + write + math + science + socst, data = hsb2)
```

```
## Call:
## princomp(formula = ~read + write + math + science + socst, data = hsb2)
##
## Standard deviations:
## Comp.1 Comp.2 Comp.3 Comp.4 Comp.5
##  18.25   7.68   6.21   5.77   5.43
##
##  5  variables and  200 observations.
```