

```
rOn@DESKTOP-60453M9 MINGW64 ~/Desktop
$ cat > ron.txt
exit
$ node
|
```

cat > ron.txt = created text file  
cd = to change directory

```
rOn@DESKTOP-60453M9 MINGW64 /c/repositories/FlappyCoinApp (main)
$ clear|
```

clear = to clear view in cli window


```
rOn@DESKTOP-60453M9 MINGW64 /e/Git
$ mkdir Mich
```

Mkdir = created folder Mich

```
rOn@DESKTOP-60453M9 MINGW64 /e/git
$ dir
1 Directory FolderList.txt ron.txt
```

dir = to show files in the directory

```
rOn@DESKTOP-60453M9 MINGW64 ~/Desktop
$ type nul > ron.txt
bash: type: nul: not found
rOn@DESKTOP-60453M9 MINGW64 ~
$ dxdiag
```



dxdiag = To open DirectX Diagnostic Tool

```
PS C:\repositories\FlappyCoinApp> git branch
* main
```

Git branch = to check current branch.

```
PS C:\repositories\FlappyCoinApp> git branch -c version
PS C:\repositories\FlappyCoinApp> git branch
* main
  version
```

Git branch -c = To create new branch.

```
act
a B rOn@DESKTOP-60453M9 MINGW64 /e/Git
:ac $ node version
eer node:internal/modules/cjs/loader:958
c   throw err;
c   ^
```

Node version = to check node version

```
Boots
e rOn@DESKTOP-60453M9 MINGW64 ~/Desktop
n com $ start chrome
n built
```

Start chrome = to open google chrome browser

```
version
PS C:\repositories\FlappyCoinApp> git commit -m "created new branch"
```

Git commit -m = to commit

```
Git CMD

C:\Users\r0n>ping google.com

Pinging google.com [142.250.204.110] with 32 bytes of data:
Reply from 142.250.204.110: bytes=32 time=38ms TTL=56
Reply from 142.250.204.110: bytes=32 time=33ms TTL=56
Reply from 142.250.204.110: bytes=32 time=33ms TTL=56
Reply from 142.250.204.110: bytes=32 time=35ms TTL=56

Ping statistics for 142.250.204.110:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 33ms, Maximum = 38ms, Average = 34ms

C:\Users\r0n>
```

Ping = google.com

```
For more information on tools see the command-line reference in the online help.

C:\Users\r0n>help
```

Help = Help information and tools.

```
Command is used when subdirectories are to be created

Administrator: Command Prompt - chkdsk

Microsoft Windows [Version 10.0.19044.2251]
(c) Microsoft Corporation. All rights reserved.

C:\WINDOWS\system32>chkdsk

The type of the file system is NTFS.
Volume label is OS.

WARNING! /F parameter not specified.
Running CHKDSK in read-only mode.

Stage 1: Examining basic file system structure ...
Progress: 1445801 of 2315776 done; Stage: 62%; Total: 21%; ETA: 0:01:51 ...
```

Chkdsk

```
C:\Users\r0n>ipconfig

Windows IP Configuration

Wireless LAN adapter Local Area Connection* 2:
```

Run Ip config