

V3

ALFRZHB.

PROJECT BLUEPRINT / 2026

Portfolio Development Plan

Desktop refinement. Deeper project stories.
Multi-page architecture. Purposeful motion.

A practical execution reference for the portfolio owner and AI coding agents — preserving the original mobile-first, illustrated editorial identity while expanding it into a credible engineering portfolio.

08

MILESTONES

29

TRACKED TICKETS

04

RELEASE SLICES

1. Executive summary

The current mobile-oriented single-page portfolio remains the visual foundation. V3 adds a deliberate desktop layout, multiple public routes, substantial project and journey pages, and restrained interactions. The homepage remains a continuous overview; deeper content lives on dedicated URLs.

Success outcomes

- Desktop quality:** each homepage section is intentionally composed at desktop widths, not simply stretched from 390px.
- Discoverable depth:** visitors can browse `/projects`, open individual project case studies, explore education/experience on `/journey`, and read articles under `/writing`.
- Credibility:** project pages explain the problem, role, scope, architecture, technical decisions, constraints, verifiable outcomes, and repository/demo availability.
- Visual continuity:** existing illustrated character files, paper/crayon personality, and mobile experience are preserved.
- Production readiness:** direct URLs and refreshes work on Cloudflare; public content has correct SEO output; motion respects user preferences; tests and preview deployments pass.

Non-goals

- Replacing the established visual identity with generic startup, glassmorphism, or dashboard aesthetics.
- Embedding reference mockups as flattened page screenshots or redrawing the original illustrated character assets.
- Adding scroll hijacking, excessive parallax, autoplay audio, or decorative motion without interaction value.
- Inventing project metrics, testimonials, credentials, timelines, screenshots, or claimed production impact.
- Introducing a CMS, database, user accounts, or server infrastructure before a demonstrated requirement exists.

2. Baseline assumptions and decision checkpoints

These are **planning assumptions**, not claims about the latest repository state. Ticket ALF-001 must verify them before implementation.

Area	Working assumption	Validation / decision
Frontend	React + Vite + TypeScript	Check package versions, dependencies, scripts, and current component boundaries.
Hosting	Cloudflare Pages	Verify build output, redirects, custom domain, and preview/production environments.

Area	Working assumption	Validation / decision
Layout	Mobile-first, ~390px reference	Capture baseline and preserve mobile section geometry.
Main navigation	One continuous homepage with section anchors	Preserve overview while allowing links to detail routes.
Content	Project and learning content already exists in some form	Audit source-of-truth and avoid duplicating conflicting records.
Routing	New detail routes are required	Choose routing/rendering based on deployment and SEO tests, not library preference.
Illustrations	Original head and full-body assets exist	Reference original files; never redraw/recreate them.
SEO	Existing metadata may be present	Audit it; extend rather than overwrite blindly.

Architecture gate (before ALF-008): Decide between client routing + build-time prerendering and another Cloudflare-compatible rendering approach. Route-specific metadata must be present in **initial served HTML** for public detail pages if search/share indexing is required. Client-side title changes alone are not sufficient evidence. Record the decision in an ADR.

3. Master milestone plan

Priority convention: P0 = release-critical foundation/quality; P1 = important experience/content; P2 = optional later expansion.

Size convention: S = bounded; M = moderate; L = multi-component or content-heavy. Sizes represent **relative complexity, not promised durations**.

Milestone	Focus	Tickets	Priority	Exit gate
M0	Audit & design foundation	ALF-001-003 (3)	P0	Approved audit, UI baseline, IA/design tokens.
M1	Desktop refinement	ALF-004-007 (4)	P0	Homepage quality at desktop/tablet; mobile regression clean.
M2	Multi-page architecture	ALF-008-011 (4)	P0	Route shell, navigation, typed data, deep-link refresh.
M3	Projects & case studies	ALF-012-015 (4)	P0/P1	Project listing and credible detailed pages.
M4	Academic & journey	ALF-016-019 (4)	P1	Journey listing and substantial individual stories.
M5	Writing & archive	ALF-020-021 (2)	P2	Article routes and coherent archive links.
M6	Motion & interactions	ALF-022-024 (3)	P1	Purposeful motion, reduced-motion fallback, no regressions.
M7	SEO, QA & deployment	ALF-025-029 (5)	P0	Tested preview, indexable public routes, production sign-off.
TOTAL		29 tickets		

Recommended delivery order: M0 → M1 → M2 → M3; start M4/M5 after reusable route/data patterns stabilize; M6 can incrementally follow stable components; M7 tests should run continuously with final release sign-off at the end. This is a dependency graph, not a rigid one-PR-per-milestone rule.

4. Proposed information architecture

```

/
├── Homepage (continuous overview + section anchors)
│   ├── Hero / About
│   ├── Selected Work → /projects or /projects/:slug
│   ├── Experience / Learning → /journey or /journey/:slug
│   ├── Writing → /writing or /writing/:slug
│   ├── Archive
│   └── Contact / Footer
├── /projects
│   └── /projects/:slug
├── /journey
│   └── /journey/:slug
├── /writing
│   └── /writing/:slug
└── /* → Not Found

```

Content model (illustrative; exact shapes decided in M2)

- **Project:** slug, title, summary, role, period, status, category, stack, cover, problem, constraints, approach, architecture, tradeoffs, outcomes, evidence, links.
- **Journey entry:** slug, kind (education / bootcamp / work / organization / award / certification), organization, period, role, highlights, skills, artifacts, verification.
- **Writing:** slug, title, summary, publishedAt, updatedAt, tags, body, relatedProjects, status.

Content publication rule: draft-only or unverified items may appear in internal data, but must not present as finished public case studies/articles. Private client data and confidential screenshots must not be published.

5. Ticket register and acceptance criteria

M0 — Audit & Design Foundation

Ticket	Work item	Pri.	Size	Depends on
ALF-001	Repository, components, dependencies, content, and technical-debt audit	P0	M	—
ALF-002	Desktop visual audit at 1024/1440/1920px + mobile screenshot baseline	P0	M	001
ALF-003	Responsive design system, IA, content taxonomy, and route plan	P0	M	001-002

ALF-001 — Repository audit

Deliverables: dependency inventory, current directory/component map, build/test/deploy commands, a risk register, and a list of features already implemented.

Acceptance: agent can reproduce a clean install/build; findings distinguish confirmed facts from assumptions; no source changes during audit.

ALF-002 — Visual baseline

Deliverables: screenshots of all existing homepage sections at 390, 768, 1024, 1440, and 1920px (extend if necessary), plus noted issues and overflow checks.

Acceptance: mobile baseline is retained; desktop issues are documented with section, viewport, and expected correction; design references are used as specifications, not embedded images.

ALF-003 — Design/IA specification

Deliverables: responsive grid and container widths, fluid typography rules, spacing/palette/motion tokens, navigation map, and page templates.

Acceptance: explicit mobile/tablet/desktop behavior; original assets are inventoried; reusable patterns are defined before divergent page implementations.

M1 — Desktop UI Refinement

Ticket	Work item	Pri.	Size	Depends on
ALF-004	Desktop Header, Navigation, Hero, and About	P0	L	003
ALF-005	Desktop Selected Work and Archive	P0	M	003
ALF-006	Desktop Experience, Learning, Writing, Contact, Footer	P0	L	003
ALF-007	Tablet/responsive polish + mobile visual regression	P0	M	004–006

ALF-004 — Above-the-fold desktop

Deliverables: intentional desktop hero composition, legible text measure, positioned original illustration, consistent navigation and About proportions.

Acceptance: no stretched-mobile appearance or horizontal scrolling; original character files remain untouched; nav is keyboard accessible; 390px baseline remains recognizable.

ALF-005 — Project/Archive desktop composition

Deliverables: stronger work-preview hierarchy, responsive project grid/rows, readable metadata, and deliberate archive density.

Acceptance: card text has sufficient contrast; click targets are unambiguous; all cards retain meaningful fallback where imagery is unavailable.

ALF-006 — Remaining sections desktop

Deliverables: responsive editorial timelines/rows, coherent vertical rhythm, usable contact interactions, and aligned footer.

Acceptance: long labels and dates wrap without clipping; links are clear; headings preserve meaningful document order; no excessive whitespace gaps.

ALF-007 — Responsive QA

Deliverables: screenshot comparison matrix, fixes for tablet and extreme widths, documented exceptions.

Acceptance: tested at 320/390/768/1024/1440/1920px; no unintended overflow; original mobile interactions and layout pass a targeted regression checklist.

M2 — Multi-page Architecture

Ticket	Work item	Pri.	Size	Depends on
ALF-008	Router + shared layouts + rendering decision record	P0	M	003, 007

Ticket	Work item	Pri.	Size	Depends on
ALF-009	Cross-page navigation, active state, focus, scroll restoration	P0	M	008
ALF-010	Typed content models + reusable page primitives	P0	L	008
ALF-011	404, slug handling, and Cloudflare deep-link behavior	P0	M	008-010

ALF-008 — Route foundation

Deliverables: route shell for `/`, `/projects`, `/projects/:slug`, `/journey`, `/journey/:slug`, `/writing`, `/writing/:slug`; layout boundaries; ADR on routing/rendering and SEO.

Acceptance: shared header/footer are not copied across pages; direct navigation is possible; no homepage section or anchor is lost.

ALF-009 — Navigation behavior

Deliverables: active route treatment, semantic links, mobile navigation behavior, page-title/focus handling and scroll restoration.

Acceptance: browser Back/Forward works; keyboard users maintain orientation; deep-links into homepage sections remain valid; no jarring scroll-to-top on normal anchor navigation.

ALF-010 — Content architecture

Deliverables: typed schemas/content registries, consistent slug/URL generation, shared card/detail components, content validation.

Acceptance: no duplicated project text in multiple components; missing links/images render gracefully; malformed content and duplicate slugs are flagged by checks.

ALF-011 — Route resilience

Deliverables: Not Found page, invalid-slug handling, Cloudflare Pages route/fallback configuration, smoke tests for refresh/direct URL.

Acceptance: valid nested URLs render on direct visit and reload; unknown URLs return a user-friendly 404 experience; routing behavior is verified on a Cloudflare preview deployment (not just Vite dev server).

M3 — Projects & Case Studies

Ticket	Work item	Pri.	Size	Depends on
ALF-012	<code>/projects</code> browsing page with filters/tags	P0	L	010-011
ALF-013	Reusable <code>/projects/:slug</code> case-study template	P0	L	010-011
ALF-014	Verified case studies: DDL Thesis, Ratama Tracker, ACM	P0	L	013
ALF-015	Additional projects: Harumnesia, UsStuck, CRM, QRGen, etc.	P1	L	013-014

ALF-012 — Project index

Deliverables: browsable catalog with accessible filter/category controls, clear project state, cover/summary/stack, and direct detail links.

Acceptance: filters work with keyboard and mobile; empty states are clear; no broken project links; homepage Selected Work links to the relevant routes.

ALF-013 — Case-study template

Deliverables: title/overview, role, timeframe, problem, scope, architecture, key decisions/tradeoffs, implementation, challenges, outcomes, media/captions, links, and related projects.

Acceptance: readable long-form desktop/mobile layout; headings and images are accessible; absent metrics are stated qualitatively rather than invented; works for multiple distinct projects.

ALF-014 — Three flagship case studies

Deliverables: content for (1) DDL Optimization Thesis, (2) Ratama Project & Finance Tracker, (3) ACM monitoring project.

Acceptance: each states individual contribution and technology accurately; outcomes supported by real evidence; confidential customer/company material is excluded or approved; link availability validated.

ALF-015 — Extended case-study catalog

Deliverables: prioritized stories for Harumnesia V2, UsStuck, CRM, QRCGen, MyDicodingEvent, and other worthwhile projects.

Acceptance: distinguish full case studies from short project summaries where evidence is limited; no fabricated screenshots or project metrics; no dead-end navigation.

M4 — Academic & Journey

Ticket	Work item	Pri.	Size	Depends on
ALF-016	/journey overview: education, work, bootcamps, organization, awards	P1	L	010–011
ALF-017	Reusable /journey/:slug detailed experience template	P1	M	016
ALF-018	UIN Sunan Kalijaga, Bangkit, DBS detailed stories	P1	L	017
ALF-019	Internships, organizations, achievements, verified certifications	P1	M	017–018

ALF-016 — Journey overview

Deliverables: scannable chronological or grouped history with filters/categories as justified, plus honest dates and statuses.

Acceptance: distinguish education vs employment vs training; no misleading certificate equivalence; important entries have direct detail links.

ALF-017 — Journey detail template

Deliverables: organization/program, role, dates, objectives, learning or responsibilities, activities/projects, tools/skills, notable outcomes, evidence/credential links if public.

Acceptance: flexible enough for degree, bootcamp, internship, or organizational role without forcing irrelevant fields.

ALF-018 — Academic and bootcamp content

Deliverables: education page for UIN Sunan Kalijaga Informatics, Bangkit Academy 2024 Android track, DBS Coding Camp and its Harumnesia capstone.

Acceptance: exact credentials, attendance period, degree/status, learning scope, and public artifacts are verified before publication; content emphasizes substance over decorative certificate thumbnails.

ALF-019 — Professional/community history

Deliverables: selected internship experience, student organization roles, award/hackathon results, and useful certifications.

Acceptance: private or unverifiable claims are omitted or clearly marked; entries indicate responsibility and impact where demonstrable; links work.

M5 — Writing & Archive

Ticket	Work item	Pri.	Size	Depends on
ALF-020	/writing index and /writing/:slug article template	P2	L	010–011
ALF-021	Archive integration and cross-linking	P2	M	012, 016, 020

ALF-020 — Articles

Deliverables: article registry, status handling, readable article typography, code blocks, accessible headings, related-project links, and publication dates.

Acceptance: only published/verified articles are exposed; articles remain legible on 390px and desktop; direct URLs and metadata are correct.

ALF-021 — Archive as discovery system

Deliverables: curated link-outs from homepage/archive to projects, journey stories, articles, GitHub repos, or other verified materials.

Acceptance: no duplicative disconnected archive cards; clearly distinguish internal and external navigation; verify outbound URLs.

M6 — Motion & Interactions

Ticket	Work item	Pri.	Size	Depends on
ALF-022	Motion tokens and reusable animation primitives	P1	M	003, 008
ALF-023	Hover/tap feedback, reveal/stagger, sketch accents, character motion	P1	L	022, stable UI
ALF-024	Page transitions, reduced motion, animation performance	P1	M	022–023

ALF-022 — Motion system

Deliverables: duration/easing/distance tokens; animation utility/component APIs; clear policy for what moves and what does not.

Acceptance: reduced-motion behavior is defined from the start; animations are composited where possible; no motion dependency added without documented need.

ALF-023 — Brand interactions

Deliverables: restrained hover/tap states, minimal scroll entrance, subtle crayon/doodle line animations and optional character transforms acting on original image elements.

Acceptance: never replace/redraw original illustrations; pointer-only behaviors have keyboard equivalents; content is visible if JS/motion does not run; animations do not obstruct reading.

ALF-024 — Cross-route polish

Deliverables: short route transitions where valuable, focus/scroll coordination, reduced-motion and low-end-device checks.

Acceptance: no layout thrashing or scroll hijacking; interactive elements remain usable mid-transition; navigation remains correct with motion disabled.

M7 — SEO, QA & Deployment

Ticket	Work item	Pri	Size	Depends on
ALF-025	Per-route metadata, canonical, OG, structured data, sitemap	P0	L	011, public content
ALF-026	Prerendering / initial-HTML indexing verification	P0	M	008, 025
ALF-027	Core Web Vitals, media/font/bundle optimization	P0	M	stable UI/content
ALF-028	E2E, accessibility, cross-browser, responsive visual regression	P0	L	007, 011, feature routes
ALF-029	Cloudflare preview validation, production release, smoke test, rollback plan	P0	M	025–028

ALF-025 — Search/share metadata

Deliverables: unique title/description, correct canonical URLs, Open Graph/Twitter previews, robots and sitemap coverage, appropriate structured data (e.g., Person and relevant CreativeWork).

Acceptance: each public route has its own metadata and valid destination; no draft/private route appears in sitemap; share previews tested against deployed HTML.

ALF-026 — Render strategy validation

Deliverables: prerendering or an equivalent SEO-capable route-render strategy as required by the M2 ADR, plus automated HTML checks.

Acceptance: `curl`/raw HTML of at least three nested public URLs contains appropriate title, description, canonical, and meaningful content where required; JS-only head mutations are not treated as sufficient.

ALF-027 — Performance

Deliverables: baseline vs final Lighthouse/field-informed metrics where available; image dimensions/compression, font loading, code splitting, route and motion profiling.

Acceptance: no material regression to mobile Core Web Vitals; avoid oversize media and needless animation libraries; test a representative slower-device profile.

ALF-028 — Regression and accessibility suite

Deliverables: route E2E tests; keyboard/focus tests; visual snapshots at 320/390/768/1024/1440/1920px; contrast and reduced-motion checks; targeted cross-browser smoke tests.

Acceptance: all critical paths pass; no blocking accessibility defects; comparison report documents acceptable intentional visual changes.

ALF-029 — Release operations

Deliverables: production-readiness checklist, Cloudflare preview link and validation notes, production deployment record, post-release checks, rollback approach.

Acceptance: nested routes resolve after hard reload; mobile/homepage still work; social previews and contact links verified; deploy/rollback steps documented; production changes occur only with user authorization.

6. Dependencies, releases, and verification gates

```

M0 Audit / baseline / tokens
├─ M1 Desktop homepage → Responsive regression
├─ M2 Routing + SEO ADR + content model
│   ├── M3 Project catalog + case studies
│   ├── M4 Journey + detailed experiences
│   └─ M5 Writing + archive
M0/M2 → M6 Motion foundations → interactions & transitions
M1-M6 → M7 SEO / performance / E2E / release
  
```

Suggested release slices

Release	Contents	Minimum gate
R1 — Desktop	M0 + M1	Baselines approved; no 390px regressions.
R2 — Routes + Projects	M2 + M3 P0	Index/detail routes, accurate flagship stories, direct-refresh preview test.
R3 — Journey + Writing	M4 + M5	Credible verified content, navigation complete, no drafts leaked.
R4 — Motion + Hardening	M6 + M7	Reduced motion, route SEO, E2E and production checklist passed.

Critical-path caution: A routing or SEO decision that requires switching rendering architecture must be settled in M2, **before** authoring many detail pages. Avoid building dozens of client-only routes and discovering indexability gaps at M7.

7. Design and technical guardrails

Visual invariants

- Maintain editorial minimalism, open whitespace, careful typography, quiet paper/cream surfaces, sketch/crayon accents, and the established palette.
- Treat uploaded mockups as **visual specifications**, never screenshots to paste as a section.
- Reuse original ALFRZHB head/full-body asset files; CSS transform/position/opacity is allowed, redrawing or AI regenerating them is not.
- Mobile baseline starts at **390px**; desktop receives deliberate compositions, not a wholesale new brand.
- Keep content-first reading order and real semantic headings; avoid fake or distorted statistics for visual interest.

Technical rules

- Keep the existing React/Vite/TypeScript implementation unless audit evidence justifies a change.
- Prefer composable route layouts and typed content data; minimize needless dependencies and abstractions.

- Prefer CSS transitions for simple feedback; introduce Motion for React only when warranted and measured.
- Use real `a`/router links, keyboard operability, visible focus, stable browser history and accessible route changes.
- Serve deep links correctly on Cloudflare; validate **preview deployment** behavior, not only localhost.
- Use source-backed claims. Provide user-friendly unavailable/private project artifact handling.
- Never commit secrets, staging credentials, confidential internal screenshots, or customer records.

Suggested quality targets (provisional, confirm in M0)

- Zero unintentional horizontal overflow at 320–1920px.
- No blocking keyboard, focus, or screen-reader issues on critical flows.
- Respect `prefers-reduced-motion`; content readable without animation.
- No console errors on critical routes; build/lint/typecheck/test passing.
- Lighthouse/Core Web Vitals tracked as **baseline vs final** rather than claiming arbitrary scores; aim for good real-world LCP/INP/CLS where measurable.
- Nested public routes return correct rendered metadata and stable links.

8. Definition of Ready / Definition of Done

Definition of Ready (before coding)

- Problem and observable expected result recorded in the ticket.
- Dependencies resolved and target pages/viewports listed.
- Source assets and content identified, with private/public status checked.
- Acceptance criteria are testable; uncertainty and tradeoffs called out.
- Scope is small enough for a reviewable PR, or explicitly split.

Definition of Done (every ticket)

- Acceptance criteria implemented and demonstrated with screenshots/logs/tests as applicable.
- No regression to current mobile layout and character asset identity.
- Updated component states are usable with keyboard and reduced motion where relevant.
- Build, lint, typecheck, and relevant automated tests pass (or documented existing limitations).
- Responsive review complete at required viewports.
- No invented content, broken links, exposed secrets, or unapproved dependencies.
- Docs/ADR/content records updated where architecture or published facts changed.
- PR references ticket; reviewer-facing summary includes what changed, evidence, and residual risks.
- Production publish/push only within the authorization explicitly granted for the active task.

9. GitHub Issues, labels, branches, and PR policy

Item	Recommended convention
Milestones	M0 – Audit, M1 – Desktop, ... M7 – Release
Issue titles	[ALF-004] Refine Desktop Hero & Navigation
Type labels	type:design, type:feature, type:refactor, type:content, type:testing, type:docs
Priority labels	priority:P0, priority:P1, priority:P2
Status workflow	Backlog → Ready → In Progress → In Review → Done
Branches	feat/alf-013-project-detail, fix/alf-007-responsive
Commits	Conventional Commits, e.g., feat(projects): add case study page template
PR scope	One coherent change, linked to ticket; split oversized work

Important: ALF IDs are **planning IDs**, not GitHub issue numbers. Do not imply they already exist or that any issue/PR was created. Map them to actual issue URLs when tickets are published.

GitHub issue template

```
## Goal
[What user-facing or engineering outcome does this achieve?]

## Scope
- In: ...
- Out: ...

## Dependencies
ALF-XXX

## Acceptance criteria
- [ ] ...
- [ ] ...

## Verification
- Viewports/routes: ...
- Commands/tests: ...
- Screenshot or deployment evidence: ...

## Risks / content approvals
...
```

Pull request checklist

```
Closes: [GitHub issue URL]
Planning ID: ALF-XXX

### Changes
...
```

```

### Evidence
- [ ] Build / typecheck / lint / tests
- [ ] Mobile baseline comparison
- [ ] Desktop/tablet comparison
- [ ] Accessibility / keyboard / reduced motion
- [ ] Cloudflare deep-link test (if routing changes)
- [ ] Initial HTML / SEO test (if public route changes)
### Risk / rollback
...

```

10. AI agent operating instructions

Give the agent this document as its **project execution contract**, while confirming the actual repository state before each change.

1. **Inspect before changing.** Read the repository README, package manifests, relevant source files, deployment configuration, existing docs, and open/merged PR context. Do not assume this plan reflects the latest implementation.
2. **One ticket or one reviewable slice at a time.** State scope, files expected to change, acceptance criteria and verification strategy before edits.
3. **Protect the existing design.** Do not reinterpret the supplied references, redraw character assets, or regress 390px mobile UX to improve desktop.
4. **Evidence-based content.** Verify credentials, project descriptions, statuses, links, screenshots, and results against available source material; request input only for genuinely unavailable facts. Never make up numbers or personal claims.
5. **Use the existing architecture first.** Prefer small, reversible changes. A new framework, animation library, CMS, or major routing strategy must have a documented rationale.
6. **Visual verification is mandatory.** Capture representative screenshots before and after visual tickets; check mobile, tablet, desktop and long-form detail pages.
7. **Route and SEO checks are mandatory.** Test direct URLs, refresh, Back/Forward, 404s, canonical URLs, OG tags, sitemap, raw HTML, and Cloudflare previews for relevant tickets.
8. **Accessibility and performance are functional requirements.** Preserve semantics, focus, contrast, `prefers-reduced-motion`, and page responsiveness.
9. **Never silently push/deploy.** Follow the active user's permissions; share diff/test results and explicit limitations. Do not assume old chat permission extends to current tickets.
10. **Close the loop.** Update issue/PR documentation and record observed results, regressions, decisions, and follow-up tickets. Mark complete only with evidence.

Starter prompt for an AI coding agent

Implement ALFRZHB Portfolio V3 using ALFRZHB_Portfolio_V3_Development_Plan.md as the execution specification. Begin with **ALF-001**, a read-only repository audit. Review existing code, assets, visual references, docs, dependencies, Cloudflare configuration, and tests. Report confirmed architecture, discrepancies against the plan, and a prioritized actionable audit. Do not modify files, redraw original character images, or push/deploy during the audit. After approval, implement tickets sequentially with

small PRs and evidence-based acceptance checks. Preserve the existing 390px mobile identity; build intentional desktop layouts and deeper public routes; verify route-specific SEO and Cloudflare deep links.

11. Release acceptance checklist

- ☐ Desktop at 1024/1440/1920px intentionally designed; 320/390/768px usable.
- ☐ Homepage remains complete and section anchors function.
- ☐ `/projects` + flagship `/projects/:slug` routes finished.
- ☐ `/journey` + approved detailed academic/bootcamp/experience pages finished.
- ☐ Writing/archive destinations behave correctly; drafts excluded from public navigation.
- ☐ Unknown slugs and 404 behavior work.
- ☐ Every public nested route opens directly and reloads successfully on Cloudflare preview.
- ☐ Per-route title/description/canonical/OG/social preview and sitemap verified from served output.
- ☐ Animations are modest and obey reduced motion.
- ☐ No original character asset is replaced; mobile visual regressions reviewed.
- ☐ Build, tests, lint, typecheck, accessibility, and keyboard flows pass or exceptions documented.
- ☐ Media, fonts, bundle costs, and mobile performance reviewed.
- ☐ Private/client data excluded; all public project claims verified.
- ☐ Production deploy, smoke checks, and rollback procedure documented.

12. Immediate next steps

1. Create GitHub milestones **M0–M7** and issues **ALF-001–ALF-029** from this plan if ticket publication is desired.
 2. Execute **ALF-001** read-only; compare repository reality with the plan and note any scope corrections.
 3. Execute **ALF-002/003**: desktop screenshots, mobile baselines, design tokens and route/SEO ADR.
 4. Implement M1 desktop improvements, verify mobile, then advance to M2 and M3.
-

Document ownership: ALFRZHB Portfolio project.

Change control: Update this plan whenever ticket scope, route strategy, acceptance criteria, or release sequence changes. Record the decision and date; do not silently drift from the agreed visual specification.