


Confident Beginner to Intermediate | xs - 3xl

HANBOK TOP & JACKET

MODERNIZED HANBOK JEOGORI



SEWING THERAPY

CONFIDENT BEGINNER TO INTERMEDIATE

US SIZE XS - 3XL | UK SIZE 4 - 30 | EU SIZE 32 - 58

[#SEWINGTHERAPYPATTERN](#) [#SEWINGTHERAPYHANBOK](#)

We have a detailed step-by-step sewalong video available on our YouTube channel, so we have kept photos and illustrations in these instructions to a minimum.

[SEWING THERAPY YOUTUBE](#)

SEWING THERAPY
P A T T E R N S

DIFFICULTY

Confident beginner / Intermediate

GENERAL IDEA ABOUT HANBOK TOP PATTERN

Introducing our Hanbok Top and Jacket pattern—where traditional Hanbok elegance meets modern proportions and ease of wear. This design offers a comfortably oversized wrap silhouette that works beautifully as both a top and a light jacket.

The carefully drafted bodice provides a relaxed yet flattering fit, while the generous sleeves allow for effortless movement and layering. Style it with skirts, pants, or even over dresses—its versatility makes it an easy addition to any wardrobe. Whether worn casually or dressed up, this pattern brings a contemporary twist to a timeless aesthetic.

A NOTE ON CULTURAL APPRECIATION

You might wonder whether wearing a Hanbok could be culturally sensitive.

As a Korean, I'd like to share that Koreans genuinely appreciate and feel grateful when people from other cultures wear Hanbok with respect and curiosity.

It's heartwarming to see this traditional garment being celebrated and enjoyed around the world.

However, there are a few cultural notes to keep in mind:

Avoid wearing all-white or all-black Hanbok for casual or festive occasions, as these colours are traditionally associated with mourning attire worn during funerals.

The white neckband (called dongjeong) is a traditional feature that symbolizes cleanliness and formality, but in modern interpretations, neckbands in other colours are also widely used and beautifully accepted.

SUGGESTED FABRIC

For the Top version: This pattern is best suited for light to medium-weight woven fabrics, including **linen, cotton, silk, and other seasonal woven fabrics**. It's important to avoid fabrics that are excessively stiff or heavy, as they may compromise comfort.

For the Jacket version: We suggest opting for heavier fabrics like **wool, denim, corduroy, Bouclé and tweed**.

PREPARATION

Pre-wash and dry all your fabrics as this will prevent your garment from shrinking.

We recommend you read the instructions thoroughly before sewing.

SIZING (INCHES/CM)

With a relaxed, slightly oversized fit, choose your size based on your bust measurement. The adjustable ties allow you to customize the fit around your waist and body, providing comfort and flexibility without feeling restrictive. If you find yourself between sizes, opt for the bigger size. This pattern includes generous ease, making the top and jacket comfortable to wear and easy to layer.

	XS	S	M	L	XL	2XL	3XL
BUST	30" / 76cm	32" / 81cm	35" / 89cm	38" / 97cm	42" / 107cm	47" / 119cm	52" / 132cm
WAIST	24" / 61cm	26" / 66cm	29" / 74cm	32" / 81cm	36" / 91cm	41" / 104cm	47" / 119cm
HIPS	33" / 84cm	35" / 89cm	38" / 97cm	41" / 104cm	45" / 114cm	50" / 127cm	56" / 142cm

FINISHED GARMENT MEASUREMENTS (INCHES/CM)

The Hanbok Top and Jacket feature a wrap-style design that lets you tailor the fit to your preference. Tie it loosely for an effortless, relaxed look, or pull it tighter to create a neater, more structured silhouette. With just a simple adjustment of the ties, the entire mood of the garment changes—making it incredibly versatile for both casual and dressier occasions.

The length is designed to hit around the upper hip on someone who is 5'4" (163 cm), providing a balanced proportion whether worn on its own or layered. You can easily adjust the length to suit your height or styling preference.

	XS	S	M	L	XL	2XL	3XL
BUST	34 5/8" / 88cm	37 3/4" / 96cm	41" / 104cm	45 5/8" / 116cm	50 1/2" / 128.4cm	55 5/8" / 141.4cm	60 7/8" / 154.6cm
WAIST	26" / 69cm	27 1/2" / 69cm	29 1/2" / 74cm	32 1/2" / 82cm	37 1/2" / 95cm	43 1/2" / 110cm	49 1/2" / 125cm
LENGTH	18 5/8" / 47.4cm	18 3/4" / 47.7 cm	19" / 48.1 cm	19 1/8" / 48.6 cm	19 3/8" / 49.2 cm	19 5/8" / 49.9 cm	20" / 50.7 cm
SLEEVE	14" / 36cm	14" / 36cm	14" / 36cm	14" / 36cm	14" / 36cm	14" / 36cm	14" / 36cm

FABRIC REQUIREMENTS (YARD/METRE)


The fabric requirement calculation is based on the assumption of 56" (142 cm) wide fabric. If your fabric is narrower, you can still use it by **joining panels** to achieve the required width.

	XS	S	M	L	XL	2XL	3XL
56" (142 cm) wide fabric	1.5 yard 1.4 metre	1.5 yard 1.4 metre	1.5 yard 1.4 metre	2 yard 1.8 metre	2 yard 1.8 metre	2 yard 1.8 metre	2 yard 1.8 metre

*** This pattern has been drafted for a 5'4" (163 cm) tall person.**
 The default length of the pattern is designed to sit around the upper hip. Please keep this in mind and adjust the length shorter or longer as needed to suit your style, whether you prefer a cropped look or more coverage.

CUT THE PATTERN

1. Front Bodice - Cut 2 Mirrored
2. Back Bodice - Cut 1 on fold
3. Neckband - Cut 2 + Cut 1 Interfacing (Optional)
4. Front Facing - Cut 2 Mirrored + Cut 2 Interfacing (Optional)
5. Waistband - Cut 2 on fold
- * Lengthen or shorten based on your preferences. Optionally apply interfacing if necessary.
6. Outer Tie - Cut 2
7. Inner Tie - Cut 2 (in case of using fabric or see NOTIONS below)



NOTIONS

1. Lightweight Fusible Interfacing : 0.5 yards
2. Cotton Ribbon for Inner Tie - Cut 2 (12" each / approximately 30.5 cm)

PAPER SAVER MEASUREMENTS

*** This pattern includes 3/8" (1cm) seam allowances.**

These pieces are cut flat, and not on the fold (use width x height measurements).

US SIZE	WAISTBAND CUT 2	OUTER TIE CUT 2	INNER TIE CUT 2
XS	37¾" x 6 ½" 96cm x 16.5cm	16" X 4" 41 cm x 10 cm	12" X 2" 30.5 cm x 5 cm
S	40½" x 6 ½" 103cm x 16.5cm	17" X 4" 43 cm x 10 cm	12" X 2" 30.5 cm x 5 cm
M	43 ½" x 6 ½" 113cm x 16.5cm	17" X 4" 43 cm x 10 cm	12" X 2" 30.5 cm x 5 cm
L	47 ½" x 6 ½" 121cm x 16.5cm	18" X 4" 45.5 cm x 10 cm	12" X 2" 30.5 cm x 5 cm
XL	52" x 6 ½" 132cm x 16.5cm	19" X 4" 48 cm x 10 cm	12" X 2" 30.5 cm x 5 cm
2XL	57" x 6 ½" 145cm x 16.5cm	20" X 4" 51 cm x 10 cm	12" X 2" 30.5 cm x 5 cm
3XL	62" x 6 ½" 158cm x 16.5cm	20" X 4" 51 cm x 10 cm	12" X 2" 30.5 cm x 5 cm

PATTERN PRINTING

At Home (A4 | Letter) Option

For your convenience, layer options for each size are included in the pattern, allowing you to print your specific size only. Please ensure that your printer settings are adjusted to **a scale of 100% or set to 'Actual Size'** for accurate printing.

When printing, set the page orientation to **Automatic or Landscape**. The pattern is drafted in landscape format.


If you're new to printing PDF patterns and need guidance, feel free to check out my video on this topic on my YouTube Channel. It'll walk you through the process step by step.

<https://youtu.be/CT-W4P-cd2w?si=zs99Olu9oW5978Tm>

This pattern includes **24 pages** in total. If you'd like to save both paper and time, you can print only up to page 18 and use the Paper Saver Chart to cut the rectangular pieces—there's no need to print those pages unless you prefer having the full pattern pieces.

Please note: For 2XL and 3XL sizes, you will still need to print pages 23 and 24 separately for the sleeve panel.

Choose the option that best suits your workflow!



A0 (Copy Shop) Option

The A0 pattern file is located in the designated folder. For your convenience, it includes layer options for each size.

The file supports copyshop printing with a **2-page layout** that includes all required pattern pieces.

However, you can save money by printing only Page 1 and following the Paper-Saving Measurement Chart in the instructions for the rectangular pieces. Simply advise your copyshop to print the first page only.

Projector Option

You can find the Projector file in the designated folder with layer options available for each size.

* This pattern includes 3/8" (1cm) seam allowances.
Please use a 3/8" (1cm) seam allowance unless otherwise stated.

PREPARATION

1. Apply fusible interfacing to the wrong side on one NECKBAND piece and FRONT FACING pieces and set aside.
2. Staystitch the necklines of the FRONT BODICE and BACK BODICE. **Don't skip this part!*

OUTER TIES

3. Make the TIES like you would make double fold bias tape, closing one end of each TIE.

If you prefer wider TIES, fold each TIE in half lengthwise with right sides facing, sew one short end and the long end, and turn right side out.


Now you have two TIES, with one-side open and one-side closed.

DART

4. With right sides facing, bring the two dart notches together, and pin so that the guidelines match.
5. Begin sewing from the outside edge, curving slightly as this will prevent you from making a dimple of fabric at the dart apex. When you reach the dart apex, remove the needle without backstitching. Cut the thread leaving enough length to make a small knot at the apex. I made 2 small knots to secure. Then trim the thread to 3/8"(1cm).
6. Sew the darts on the FRONT BODICE and BACK BODICE and press. For vertical darts, press them towards the side seams.

BODICE / INNER TIES - [Video Link](#)

7. Sew the shoulders of the FRONT/BACK BODICE RST. Finish the seam using a serger or zigzag stitch, and press towards the back.
8. With the wrong side of the BACK BODICE facing you, pin the raw edge of one INNER TIE on the middle of left side seam (right side to you) and baste it in place.



9. Pin the raw edge of the other INNER TIE on the middle of front seam on the right side of RIGHT FRONT BODICE and baste.

10. Pin and sew the side seams of the FRONT/BACK BODICE RST and finish the seams.

SLEEVE

11. Fold the SLEEVE in half, sew the underarm seams RST, and finish the seam. Finish the hem, folding by 1" (2.5cm) and sew/topstitch. Repeat for the other SLEEVE.

12. Pin the SLEEVE and armhole RST, matching the underarm seam, shoulder seam and notches. Repeat for the other SLEEVE.

13. The SLEEVE will easily attach to the BACK BODICE, but you may notice that it's slightly larger than the armhole on the FRONT. You can either gather the excess fabric or create a 1-2 small pleats. This adjustment not only ensures a proper fit but also adds a delightful decorative accent to the SLEEVE.

FRONT FACING

14. Align the FRONT FACING with the FRONT BODICE RST, making sure one INNER TIE is between the two layers.


15. Sew and press the FRONT FACING towards the seam, then understitch 1/8" (0.3cm) away from the stitch.

16. Fold the side edge of FRONT FACING and press.

17. Fold the FRONT FACING towards the FRONT BODICE and press.


18. Baste the diagonal edge of the FRONT FACING to the neckline and the bottom edge to the BODICE.

19. You can either topstitch the side of the FRONT FACING or choose to hand-stitch it for an invisible finish.



WAISTBAND / OUTER TIES

20. Fold (slightly smaller than the seam allowance) one long edge of the WAISTBAND, press and set it aside.
21. Sew the BODICE and the unfolded WAISTBAND at the waist RST. Press the WAISTBAND towards the seam.
22. Pin the one OUTER TIE to the left front edge to the centre or slightly higher on the WAISTBAND RST and baste it in place.
23. Pin and sew the raw edge of the other OUTER TIE on the centre or slightly higher on the WAISTBAND, aligning the right side seam, and sew. Flip it over to hide the raw edge and topstitch.
24. Pin the outer edges of the WAISTBANDS RST and sew.
25. Turn the WAISTBAND right side out.
26. Insert the seam between the WAISTBAND layers and press. Hide the stitch line slightly with the folded layer.
27. Pin/tape well and topstitch.




NECKBAND >> [Video Link](#)


28. Fold (slightly smaller than the seam allowance) the notched edge of the interfaced NECKBAND, press and set it aside.
29. Attach your sewing label if you have one! I didn't forget to attach my [SEWING THERAPY LABEL](#)! :D

30. Pin and sew **the right side of notched edge** of uninterfaced NECKBAND piece onto **the wrong side of neckline** of the BODICE.


31. Match the mark (point) on the NECKBAND to the soon-to-be stitch line and pin. And sew.



32. Press the NECKBAND towards the seam.



33. Pin the outer edges of the NECKBANDS RST and sew.



34. Turn the NECKBAND right side out.

35. Insert the seam between the NECKBAND layers and press. Hide the stitch line slightly with the folded layer.

36. Pin/tape well and topstitch.

Give the finished garment a final press and you're done!

Please share your photos with us by tagging [@yoursara_k](#) [#SewingTherapyHanbokJacket](#) [#SewingTherapyPattern](#) for us to celebrate your make with you!

*RST: Right Sides Together / WST: Wrong Sides Together

If you want to suggest any edits to this tutorial, please contact me via hisewingtherapy@gmail.com. Your input is much appreciated!

All illustrations of this tutorial are ©Sewing Therapy 2023-2026