




Collection

Uke11Xtra

Repetisjon: Konstruktør

Konstruktør

Are we calling a method named Duck()? Because it sure *looks* like it.

```
Duck myDuck = new Duck();
```

It looks like we're calling a method named Duck(), because of the parentheses.


No.

We're calling the Duck *constructor*.


```
public class Duck {  
  
    public Duck() {  
        System.out.println("Quack");  
    }  
}
```

Constructor code.

A class is not an object (but it's used to construct them)



»coding-eksempel» mini-RPG



Collection – java docs

java.util

Interface Collection<E>

Type Parameters:



E - the type of elements in this collection

```
public interface Collection<E>  
extends Iterable<E>
```

The root interface in the *collection hierarchy*. A collection represents a group of objects, known as its *elements*. Some collections allow duplicate elements and others do not. Some are ordered and others unordered.




collection

The Collection API (part of it)




Collection –Quiz: Set , map or list

Duplicate




Collection –Quiz: Set , map or list. ---HINT


Duplicates OK.



Duplicate values OK, but NO duplicate keys.




NO duplicates.




Collection –Quiz: Set , map or list


Duplicates OK.



Duplicate values OK, but NO duplicate keys.





NO duplicates.



collection

The Collection API (part of it)



That ´s all folks

...

Feel free to use
my RPG code for
playing around..

weaponize the
characters

