

CONTEXT-AWARE ANOMALY DETECTION

AlgoFactory

Less chasing. More fixing.

Connect on LinkedIn

Maven · Grounding AI with RAG · Shashank Patel

Without context, every alert means a walk.

Too many alarms

About 120 a day per plant, and roughly 4 in 10 turn out to be nothing.

Every check is by hand

Walk out, look at the machine, dig up the schedule: about 8 minutes each.

Alarm fatigue

After the tenth false alarm, the real fault waits in line or gets ignored.

Context is scattered


Schedules, playbooks and history sit in different systems and in veterans' heads.

The sensor sees the reading. Nobody sees the context.

Modeled plant: ~500 machines, ~120 alerts a day, 40% false, 8 min per check.

Every alert rides the same line.

Only real faults reach the floor. The rest leave with an explanation.




Hold ~1 s · Act ~2.6 s · Open-weight models, offline-ready

What the floor sees


Every decision sets the machine’s status: Fault, Watch, Explained, Maintenance or Normal.

Seven plants on one map, each colored by its worst machine.

Workers ask in plain words, and see which tools the agent used.



Less chasing. More fixing.



6 hrs
back to technicians, per plant, every day

~40%
fewer trips to check alarms

$150K
a year per plant, ~$1M across 7 plants

Next: a 30-day pilot on one line

Modeled on a ~500-machine plant. The demo runs 30 machines.