Stress-test results

Nine deployed configurations | final passing/failing gaps <=50 users |07October2026

The capacity search is complete for all nine configurations. Each trial gradually introduces distinct accounts for five minutes, then measures two minutes of sustained activity. A pass requires 90% valid operations within five seconds and 90% of target accounts authenticated.

What the boundary means

The lower endpoint is a measured passing population; the upper endpoint is a measured failing population under this workload. The interval is search resolution, not a confidence interval or a universal production limit. Cached qualified endpoint votes were reused during the 100-to 50-user refinement.

Configuration	Pass	Fail	Gap
Rust	3,656	3,687	31
Go	3,250	3,281	31
Bun	2,937	2,968	31
Node	2,843	2,875	32
Python 3.14	2,375	2,406	31
Java	2,062	2,093	31
Octane	1,718	1,750	32
.NET	1,281	1,312	31
PHP-FPM	300	350	50

Controls and scope

Backend EC2 c7i.large:2 vCPUs, advertised 4 GiB; application capped 3 GiB with no swap. Database connection cap 20; nofile 250000. Independent c7i.8xlarge k6 generator with four source IPs. RDS PostgreSQL 17.6/db.m7i.xlarge. Canonical 50k-user/500k-post fixture is restored before and after each trial.

Scope: the current main and Octane 300/0/120 campaigns, including all 100 trial records, interruptions and search history. Earlier 12-minute and 180/0/240 campaigns are context only and are never pooled with these boundaries. The fixed-user comparison has its own separate PDF.

Passing endpoints: measured performance

Most recent qualified pass vote per endpoint; all confirmation votes remain separately detailed later.

Stack	Users	Operation %	Accounts auth %	Successful ops/s	Latency mean/p99/p99.9 ms	VM CPU mean/peak %	VM RAM mean/peak MiB	RDS CPU avg/max %
Rust	3,656	96.66%	96.72%	561.28	181.54 / 5,001.00 / 5,001.00	99.98 / 100.00	939 / 1,008	23.94 / 25.06
Go	3,250	99.55%	100.00%	495.90	395.54 / 1,835.00 / 5,001.00	38.95 / 100.00	989 / 1,106	18.79 / 19.11
Bun	2,937	94.15%	92.37%	432.53	262.92 / 5,001.00 / 5,001.00	99.96 / 100.00	997 / 1,049	27.12 / 27.15
Node	2,843	94.53%	92.19%	420.50	264.26 / 5,001.00 / 5,001.00	99.97 / 100.00	1,107 / 1,144	25.58 / 27.00
Python 3.14	2,375	91.69%	100.00%	316.35	637.65 / 5,001.00 / 5,002.00	57.39 / 100.00	971 / 1,124	13.03 / 17.13
Java	2,062	100.00%	100.00%	336.96	2.91 / 8.00 / 10.00	10.64 / 56.78	1,692 / 1,709	13.51 / 13.53
Octane	1,718	99.89%	100.00%	264.17	291.54 / 3,720.65 / 5,000.00	49.87 / 100.00	1,643 / 1,770	13.49 / 15.62
.NET	1,281	100.00%	100.00%	209.58	5.06 / 11.00 / 311.36	15.98 / 99.80	1,083 / 1,133	11.04 / 11.68
PHP-FPM	300	99.96%	100.00%	40.06	1,324.92 / 2,453.60 / 3,985.18	100.00 / 100.00	777 / 886	8.75 / 9.93

Primary CPU/RAM covers the full VM, including OS/Docker/SSH/exporter activity. RAM=Linux MemTotal-MemAvailable, not processRSS. Docker metrics are secondary. Means/peaks are sampled sustained-phase values; low useful throughput during failure does not indicate efficiency. No averaging across repeated trials is performed.

Failing endpoints: measured performance


Most recent qualified fail vote per endpoint; all confirmation votes remain separately detailed later.

Stack	Users	Operation %	Accounts auth %	Successful ops/s	Latency mean/p99/p99.9 ms	VM CPU mean/peak %	VM RAM mean/peak MiB	RDS CPU avg/max %
Rust	3,687	93.25%	88.07%	530.84	341.43 / 5,001.00 / 5,002.00	99.97 / 100.00	942 / 1,012	21.86 / 22.22
Go	3,281	89.73%	83.82%	404.05	1,117.29 / 5,001.00 / 5,002.00	99.94 / 100.00	1,122 / 1,139	19.77 / 19.87
Bun	2,968	87.40%	83.36%	402.47	281.14 / 5,001.00 / 5,001.00	99.97 / 100.00	981 / 1,039	25.03 / 25.66
Node	2,875	88.24%	84.24%	392.67	291.40 / 5,001.00 / 5,001.00	99.96 / 100.00	1,057 / 1,086	24.17 / 25.66
Python 3.14	2,406	86.52%	100.00%	288.13	984.31 / 5,001.00 / 5,002.00	64.68 / 100.00	1,005 / 1,191	9.23 / 12.20
Java	2,093	0.01%	13.38%	0.02	4,992.47 / 5,002.00 / 5,002.00	99.95 / 100.00	2,950 / 2,962	1.41 / 1.49
Octane	1,750	0.00%	93.60%	0.00	5,000.63 / 5,002.00 / 5,002.00	99.98 / 100.00	1,827 / 1,908	10.98 / 12.88
.NET	1,312	85.66%	76.14%	162.72	747.16 / 5,001.00 / 5,002.00	99.80 / 99.90	1,100 / 1,166	9.78 / 9.82
PHP-FPM	350	0.00%	76.86%	0.00	5,000.68 / 5,002.00 / 5,002.00	99.98 / 100.00	901 / 928	6.53 / 6.91

Primary CPU/RAM covers the full VM, including OS/Docker/SSH/exporter activity. RAM=Linux MemTotal-MemAvailable, not processRSS. Docker metrics are secondary. Means/peaks are sampled sustained-phase values; low useful throughput during failure does not indicate efficiency. No averaging across repeated trials is performed.

Boundary comparison

The small red extension marks the pass-to-fail search bracket, not statistical uncertainty.



This comparison concerns whole deployed stacks: framework, request server, password-hashing implementation, connection management and ordinary production settings. It does not isolate language instruction speed. Octane uses Laravel 13.35.0 versus FPM 13.34.0, and persistent application workers/connections; both differences are disclosed.

Methodology and interpretation

Success gates, sampling definitions and vote policy.

User journey

Real username/password login with Argon2id64 MiB/time 3/parallelism 1; following feed, likes, comments and occasional posts. Random 3-10-second waits produce paced concurrent sessions. Authentication overload is part of the measured workload.

Timing and thresholds

300 s ramp,0 s separate settling,120 s sustained measurement. Operation success counts expected valid responses within 5 s. Authentication gate is authenticated distinct accounts divided by target users, not successful login attempts divided by retries. p99 andp 99.9 latency are separate descriptive statistics, not pass criteria.

Search and confirmation

Measured hints, geometric expansion and bisection. Initial results stopped at 100-user width; the authorized refinement changed only resolution to 50 and reused qualified votes. No extra passing repeats. Repeat a new final failing endpoint once; if the first two valid outcomes disagree, a third valid run supplies the majority. Expected overload is failure; infrastructure-invalid records never vote.

Clean state and provenance

Canonical fixture restore, locked-image IDs, native/worker readiness, CA/hostname verification, resource and actual process file-limit checks. Later policy added three stopped/ready low-CPU/headroom samples before every new trial. Early qualified historical probes did not have that new baseline artifact; its absence is not retrospectively fabricated. Owned one-off k6 cleanup prevents aborted generators leaking into subsequent work.

CPU/RAM and percentiles

Full VM CPU=100*(1-(idle+iowait)/total) using first 8/proc/stat deltas; includes steal, tracked separately. VM used-RAM estimate=MemTotal-MemAvailable. Sample means are unweighted; peak=max observed interval. p99/p99.9 are quantiles across sparse resource samples, not the average slowest 1%/0.1% or guarantees about transient peaks.

Database and throughput

RDS CPU and FreeableMemory use minute CloudWatch buckets overlapping the 120 s sustained window. Freeable memory is headroom, not exact database-used RAM. Sparse DB quantiles are descriptive. Mean useful throughput uses 120 s; peak 1 s and rolling 10 s use actual in-window completions. Late phase-tagged events are shown as spillover, not clamped into the last second.

Locked runtime configurations

Versions and topology are part of the result, not interchangeable language microbenchmarks.


Stack	Runtime / framework	Request / connection topology
Python	3.14.8 / FastAPI 0.142.2	2 async processes;10 DB connections each
Java	Temurin 27+35 / SpringBoot 4.1.1	Virtual threads; Hikari 20
PHP-FPM	8.5.11 / Laravel 13.34.0	nginx/FPM 20; nonpersistent PDO
Go	1.27.1 / net-http	One process; pgxpool 20
Rust	1.99.0 / Axum 0.8.9	Tokio 2; SQLx 20
Node	26.10.0 / Express 5.2.1	Cluster 2;10 connections each
Bun	1.4.2 / Express 5.2.1	Same Express app; cluster 2
.NET	10.0.12 / ASP.NET Core 10.0.12	Kestrel async; Npgsql 20
Octane	PHP 8.5.11 / Laravel 13.35.0 / Octane 2.21.0	RoadRunner 2025.1.15;20 cached PDO workers


Python is the modern 3.14 standard async/GIL-on/JIT-off reference. Its lock retains experimental Pydantic 2.14.0b2/Core 2.49.0 dependencies; it is not an all-stable dependency claim. Octane differs from FPM in persistent-worker/connection topology and one Laravel patch. Native hash libraries and worker topology differ; these are deployed-stack comparisons.

Images were built off the measured backend and preloaded. Actual image IDs, registry locks, resource limits and processnofile attestations are checked before load. Dataset evidence retains search and resolution handoff chains.

Search performance across loads

Descriptive sustained success/latency from all qualified probes; user counts differ by stack.





Repeated points are separate runs. The operation-success 90% line is only one gate: authenticated-account coverage must also meet 90%. Scatter points are observed probes, not interpolated throughput/capacity predictions.

Endpoint vote ledger

All original final-count votes; trial IDs identify the actual measured evidence.


Stack	Users	Decision	Valid votes	Trial evidence
Rust	3,656	PASS	1	30addecfe5d5-0085 pass
Rust	3,687	FAIL	2	30addecfe5d5-0050 fail; 30addecfe5d5-0051 fail
Go	3,250	PASS	3	30addecfe5d5-0035 fail; 30addecfe5d5-0038 pass; 30addecfe5d5-0039 pass
Go	3,281	FAIL	2	30addecfe5d5-0083 fail; 30addecfe5d5-0084 fail
Bun	2,937	PASS	1	30addecfe5d5-0068 pass
Bun	2,968	FAIL	2	30addecfe5d5-0087 fail; 30addecfe5d5-0088 fail
Node	2,843	PASS	1	30addecfe5d5-0086 pass
Node	2,875	FAIL	2	30addecfe5d5-0058 fail; 30addecfe5d5-0060 fail
Python 3.14	2,375	PASS	1	30addecfe5d5-0006 pass
Python 3.14	2,406	FAIL	2	30addecfe5d5-0077 fail; 30addecfe5d5-0078 fail
Java	2,062	PASS	1	30addecfe5d5-0026 pass
Java	2,093	FAIL	2	30addecfe5d5-0079 fail; 30addecfe5d5-0080 fail
Octane	1,718	PASS	1	8776286d0c49-0009 pass
Octane	1,750	FAIL	2	8776286d0c49-0005 fail; 8776286d0c49-0008 fail
.NET	1,281	PASS	1	30addecfe5d5-0089 pass
.NET	1,312	FAIL	2	30addecfe5d5-0075 fail; 30addecfe5d5-0076 fail
PHP-FPM	300	PASS	1	30addecfe5d5-0018 pass
PHP-FPM	350	FAIL	2	30addecfe5d5-0081 fail; 30addecfe5d5-0082 fail

Votes refer to immutable qualified trial outcomes. Multiple points inside a single run are not repetitions. Earlier split/nonmonotonic observations remain in search history; the last summary run is a presentation choice, never a replacement for this ledger.

Rust: search history

Final 3656 pass / 3687 fail; width 31 users.


Trial suffix	Users	Outcome	Operation %	Auth %	Mean ms	Restored
e5d5-0043	1,000	PASS	100.00%	100.00%	3.16	True
e5d5-0044	2,000	PASS	100.00%	100.00%	2.98	True
e5d5-0045	4,000	FAIL	37.04%	23.77%	3,149.80	True
e5d5-0046	3,000	PASS	100.00%	100.00%	2.93	True
e5d5-0047	3,500	PASS	100.00%	100.00%	2.96	True
e5d5-0048	3,750	FAIL	80.61%	68.83%	972.18	True
e5d5-0049	3,625	PASS	100.00%	100.00%	3.01	True
e5d5-0050	3,687	FAIL	90.34%	83.21%	486.02	True
e5d5-0051	3,687	FAIL	93.25%	88.07%	341.43	True
e5d5-0085	3,656	PASS	96.66%	96.72%	181.54	True




Green=qualified pass; red=qualified failure; gray=invalid/interrupted. A raw historical fail can become a passing majority decision only after two passing votes; all outcomes remain visible. Source resolution/policy changes preserve the measurement workload.

Rust: VM resource profiles

Every final passing/failing endpoint vote shown separately; dashed vertical line=300 s ramp end.





ID	Users	Vote	CPU mean	Peak	p99	p99.9	RAM mean	Peak	p99	p99.9
0085	3,656	pass	99.98	100.00	100.00	100.00	939.03	1,007.81	1,001.64	1,007.20
0050	3,687	fail	99.97	100.00	100.00	100.00	920.88	1,001.72	995.41	1,001.09
0051	3,687	fail	99.97	100.00	100.00	100.00	941.60	1,011.97	1,011.10	1,011.89

CPU percent spans both VM vCPUs. RAM inMiB; resource quantiles interpolate approximately 5-second samples. They cannot establish rare-event guarantees or an exact transient maximum.

Rust: endpoint performance

Per-run sustained metrics; deadline failures remain in mean/percentile latency.

ID	Users	Vote	Op %	Auth %	Ops/s	Peak 1 s	Peak 10 s	Mean ms	p99	p99.9
0085	3,656	pass	96.66%	96.72%	561.28	616.00	581.50	181.54	5,001.00	5,001.00
0050	3,687	fail	90.34%	83.21%	502.14	548.00	510.40	486.02	5,001.00	5,002.00
0051	3,687	fail	93.25%	88.07%	530.84	585.00	539.80	341.43	5,001.00	5,002.00

3656 users / pass: latest endpoint breakdown

Operation	Attempts	Success	Success %	Mean ms	p99 ms	p99.9 ms
login	2,485	159	6.40%	4,991.44	5,002.00	5,002.00
feed	20,392	20,392	100.00%	6.11	12.00	17.00
like	16,658	16,658	100.00%	2.64	7.00	13.00
comment	20,294	20,294	100.00%	2.72	7.00	13.00
comments	4,075	4,075	100.00%	1.58	5.00	10.93
post	2,083	2,083	100.00%	2.91	8.00	13.00
unlike	3,693	3,693	100.00%	2.58	8.00	16.62

Distinct authenticated accounts 3536 / 3656; login attempts 6281, succeeded 3536. Timeouts 2326; network errors 2325 (categories can overlap).

3687 users / fail: latest endpoint breakdown

Operation	Attempts	Success	Success %	Mean ms	p99 ms	p99.9 ms
comment	19,285	19,285	100.00%	2.74	8.00	14.00
login	4,619	5	0.11%	5,000.55	5,002.00	5,002.00
unlike	3,614	3,614	100.00%	2.60	8.00	15.39
like	15,651	15,651	100.00%	2.65	8.00	16.00
feed	19,283	19,283	100.00%	5.80	12.00	18.72
post	1,965	1,965	100.00%	2.90	7.00	11.11
comments	3,898	3,898	100.00%	1.58	6.00	11.10

Distinct authenticated accounts 3247 / 3687; login attempts 8801, succeeded 3247. Timeouts 4614; network errors 4614 (categories can overlap).

Rust: database and secondary resources

Same final endpoint votes. RDS is an independent 4vCPU/16 GiB allocation; minute buckets are sparse.

ID	Users	DB CPU avg	Max	Conn avg	Max	Free GiB	ReadIOPS	WriteIOPS
0085	3,656	23.94	25.06	19.00	21.00	10.21	0.00	322.35
0050	3,687	20.74	21.02	19.00	19.00	10.20	0.43	301.02
0051	3,687	21.86	22.22	19.00	19.00	10.20	0.00	311.36

Docker container and load-generator readings

ID	Users	App CPU avg	Peak %	App RAM avg	Peak MiB	Gen CPU avg	Peak %
0085	3,656	97.20	97.94	252.88	262.60	1.09	1.76
0050	3,687	97.06	97.96	251.38	253.20	1.14	1.89
0051	3,687	97.06	97.97	247.05	256.10	1.14	1.89

App CPU is normalized to its 2-vCPU cap; appRAM is Docker sampled Linux working set, not full-VM RAM or processRSS. Generator percentages use its own 32-vCPU host. Low RDS CPU or RAM headroom does not exclude connection queues or individual blocked queries.

RDS I/O and throughput


ID	Read latency ms	Write latency ms	Queue depth	Read KiB/s	Write KiB/s
0085	0.000	0.938	0.30	0.00	3,467.92
0050	0.133	0.932	0.28	0.22	3,272.84
0051	0.000	0.924	0.30	0.00	3,685.83

The source JSON/CSV retain complete ramp/steady resource quantiles, PostgreSQL wait gauges and transaction counter deltas, endpoint metrics and rate spillover. Missing values stay unavailable; cumulative snapshots are not trial usage.

Go: search history

Final 3250 pass / 3281 fail; width 31 users.


Trial suffix	Users	Outcome	Operation %	Auth %	Mean ms	Restored
e5d5-0030	1,000	PASS	100.00%	100.00%	2.90	True
e5d5-0031	2,000	PASS	100.00%	100.00%	2.83	True
e5d5-0032	4,000	FAIL	14.66%	8.48%	4,276.94	True
e5d5-0033	3,000	PASS	100.00%	100.00%	2.86	True
e5d5-0034	3,500	FAIL	43.89%	29.54%	2,833.38	True
e5d5-0035	3,250	FAIL	92.49%	87.82%	941.99	True
e5d5-0036	3,125	PASS	100.00%	100.00%	6.85	True
e5d5-0037	3,187	PASS	100.00%	100.00%	24.84	True
e5d5-0038	3,250	PASS	99.53%	100.00%	429.70	True
e5d5-0039	3,250	PASS	99.55%	100.00%	395.54	True
e5d5-0040	3,375	FAIL	67.81%	53.04%	1,652.18	True
e5d5-0041	3,312	FAIL	80.20%	68.60%	1,063.10	True
e5d5-0042	3,312	FAIL	80.15%	68.54%	1,062.63	True
e5d5-0083	3,281	FAIL	90.27%	84.30%	973.46	True
e5d5-0084	3,281	FAIL	89.73%	83.82%	1,117.29	True




Green=qualified pass; red=qualified failure; gray=invalid/interrupted. A raw historical fail can become a passing majority decision only after two passing votes; all outcomes remain visible. Source resolution/policy changes preserve the measurement workload.

Go: VM resource profiles

Every final passing/failing endpoint vote shown separately; dashed vertical line=300 s ramp end.





ID	Users	Vote	CPU mean	Peak	p99	p99.9	RAM mean	Peak	p99	p99.9
0035	3,250	fail	99.93	100.00	100.00	100.00	1,073.31	1,090.35	1,090.33	1,090.35
0038	3,250	pass	38.53	100.00	100.00	100.00	1,011.33	1,172.15	1,162.96	1,171.23
0039	3,250	pass	38.95	100.00	100.00	100.00	988.64	1,106.22	1,105.30	1,106.13
0083	3,281	fail	99.93	100.00	100.00	100.00	1,117.47	1,135.66	1,134.94	1,135.59
0084	3,281	fail	99.94	100.00	100.00	100.00	1,122.43	1,139.37	1,139.06	1,139.34

CPU percent spans both VM vCPUs. RAM inMiB; resource quantiles interpolate approximately 5-second samples. They cannot establish rare-event guarantees or an exact transient maximum.

Go: endpoint performance

Per-run sustained metrics; deadline failures remain in mean/percentile latency.

ID	Users	Vote	Op %	Auth %	Ops/s	Peak 1 s	Peak 10 s	Mean ms	p99	p99.9
0035	3,250	fail	92.49%	87.82%	424.33	528.00	459.50	941.99	5,001.00	5,002.00
0038	3,250	pass	99.53%	100.00%	493.39	1,299.00	575.30	429.70	2,367.17	5,001.00
0039	3,250	pass	99.55%	100.00%	495.90	899.00	563.90	395.54	1,835.00	5,001.00
0083	3,281	fail	90.27%	84.30%	416.09	482.00	438.10	973.46	5,001.00	5,002.00
0084	3,281	fail	89.73%	83.82%	404.05	510.00	431.90	1,117.29	5,001.00	5,002.00

3250 users / pass: latest endpoint breakdown

Operation	Attempts	Success	Success %	Mean ms	p99 ms	p99.9 ms
login	442	174	39.37%	4,571.46	5,001.59	5,002.00
comments	3,566	3,566	100.00%	355.13	1,785.40	1,848.96
comment	17,902	17,902	100.00%	361.45	1,793.00	1,855.40
like	14,769	14,769	100.00%	370.08	1,800.00	1,856.46
feed	18,074	18,074	100.00%	369.28	1,792.00	1,839.93
post	1,827	1,827	100.00%	359.24	1,811.44	1,852.87
unlike	3,196	3,196	100.00%	340.89	1,797.15	1,855.02

Distinct authenticated accounts 3250 / 3250; login attempts 3732, succeeded 3250. Timeouts 268; network errors 268 (categories can overlap).

3281 users / fail: latest endpoint breakdown

Operation	Attempts	Success	Success %	Mean ms	p99 ms	p99.9 ms
feed	14,675	14,675	100.00%	667.00	1,254.26	1,321.00
login	5,551	0	0.00%	5,000.60	5,002.00	5,003.45
like	11,804	11,804	100.00%	675.72	1,272.97	1,327.00
comment	14,648	14,648	100.00%	676.73	1,256.00	1,326.35
comments	2,937	2,937	100.00%	663.67	1,177.64	1,313.51
unlike	2,887	2,887	100.00%	674.09	1,253.00	1,337.11
post	1,535	1,535	100.00%	680.39	1,292.64	1,332.40

Distinct authenticated accounts 2750 / 3281; login attempts 9697, succeeded 2750. Timeouts 5551; network errors 5551 (categories can overlap).

Go: database and secondary resources

Same final endpoint votes. RDS is an independent 4vCPU/16 GiB allocation; minute buckets are sparse.

ID	Users	DB CPU avg	Max	Conn avg	Max	Free GiB	ReadIOPS	WriteIOPS
0035	3,250	19.07	19.20	21.00	21.00	10.20	0.82	140.92
0038	3,250	18.91	19.18	21.00	21.00	10.20	0.43	174.53
0039	3,250	18.79	19.11	21.00	21.00	10.20	0.43	177.35
0083	3,281	20.06	20.18	21.00	21.00	10.20	0.43	134.19
0084	3,281	19.77	19.87	21.00	21.00	10.20	0.43	130.00

Docker container and load-generator readings

ID	Users	App CPU avg	Peak %	App RAM avg	Peak MiB	Gen CPU avg	Peak %
0035	3,250	97.50	98.33	423.23	443.30	0.95	1.70
0038	3,250	31.52	97.94	354.00	557.80	1.08	1.85
0039	3,250	33.22	98.02	340.50	454.10	1.07	1.87
0083	3,281	97.64	98.31	465.96	473.60	0.90	1.66
0084	3,281	97.60	98.58	463.29	464.20	0.93	1.85

App CPU is normalized to its 2-vCPU cap; appRAM is Docker sampled Linux working set, not full-VM RAM or processRSS. Generator percentages use its own 32-vCPU host. Low RDS CPU or RAM headroom does not exclude connection queues or individual blocked queries.

RDS I/O and throughput


ID	Read latency ms	Write latency ms	Queue depth	Read KiB/s	Write KiB/s
0035	0.133	0.970	0.14	0.44	1,784.59
0038	0.267	1.027	0.18	0.22	2,778.79
0039	0.267	1.002	0.17	0.22	2,136.25
0083	0.267	0.957	0.13	0.22	2,227.70
0084	0.133	1.026	0.14	0.22	2,007.07

The source JSON/CSV retain complete ramp/steady resource quantiles, PostgreSQL wait gauges and transaction counter deltas, endpoint metrics and rate spillover. Missing values stay unavailable; cumulative snapshots are not trial usage.

Bun: search history

Final 2937 pass / 2968 fail; width 31 users.


Trial suffix	Users	Outcome	Operation %	Auth %	Mean ms	Restored
e5d5-0061	1,000	PASS	99.99%	100.00%	4.06	True
e5d5-0062	2,000	PASS	100.00%	100.00%	4.04	True
e5d5-0063	4,000	FAIL	9.63%	9.10%	216.61	True
e5d5-0064	3,000	FAIL	77.48%	73.47%	281.52	True
e5d5-0065	2,500	PASS	100.00%	100.00%	4.18	True
e5d5-0066	2,750	PASS	100.00%	100.00%	4.19	True
e5d5-0067	2,875	PASS	99.99%	100.00%	6.86	True
e5d5-0068	2,937	PASS	94.15%	92.37%	262.92	True
e5d5-0069	3,000	FAIL	75.86%	71.97%	281.19	True
e5d5-0087	2,968	FAIL	88.64%	84.77%	281.42	True
e5d5-0088	2,968	FAIL	87.40%	83.36%	281.14	True




Green=qualified pass; red=qualified failure; gray=invalid/interrupted. A raw historical fail can become a passing majority decision only after two passing votes; all outcomes remain visible. Source resolution/policy changes preserve the measurement workload.

Bun: VM resource profiles

Every final passing/failing endpoint vote shown separately; dashed vertical line=300 s ramp end.





ID	Users	Vote	CPU mean	Peak	p99	p99.9	RAM mean	Peak	p99	p99.9
0068	2,937	pass	99.96	100.00	100.00	100.00	997.05	1,048.96	1,047.22	1,048.79
0087	2,968	fail	99.97	100.00	100.00	100.00	949.85	981.44	980.99	981.40
0088	2,968	fail	99.97	100.00	100.00	100.00	980.89	1,038.94	1,038.20	1,038.87

CPU percent spans both VM vCPUs. RAM inMiB; resource quantiles interpolate approximately 5-second samples. They cannot establish rare-event guarantees or an exact transient maximum.

Bun: endpoint performance

Per-run sustained metrics; deadline failures remain in mean/percentile latency.

ID	Users	Vote	Op %	Auth %	Ops/s	Peak 1 s	Peak 10 s	Mean ms	p99	p99.9
0068	2,937	pass	94.15%	92.37%	432.53	498.00	446.50	262.92	5,001.00	5,001.00
0087	2,968	fail	88.64%	84.77%	408.98	455.00	418.40	281.42	5,001.00	5,001.00
0088	2,968	fail	87.40%	83.36%	402.47	460.00	410.00	281.14	5,001.00	5,001.00

2937 users / pass: latest endpoint breakdown

Operation	Attempts	Success	Success %	Mean ms	p99 ms	p99.9 ms
comment	15,649	15,647	99.99%	4.78	17.00	56.00
login	3,336	116	3.48%	4,254.48	5,002.00	5,002.00
feed	15,731	15,731	100.00%	8.78	19.00	39.00
like	12,618	12,615	99.98%	4.45	18.00	42.15
unlike	3,054	3,054	100.00%	4.27	16.00	46.79
comments	3,139	3,139	100.00%	3.62	16.00	75.21
post	1,602	1,602	100.00%	5.20	16.99	56.98

Distinct authenticated accounts 2713 / 2937; login attempts 6751, succeeded 2713. Timeouts 2724; network errors 2729 (categories can overlap).

2968 users / fail: latest endpoint breakdown

Operation	Attempts	Success	Success %	Mean ms	p99 ms	p99.9 ms
login	6,982	21	0.30%	2,185.38	5,001.00	5,002.00
feed	14,602	14,602	100.00%	8.70	19.00	39.79
comment	14,619	14,617	99.99%	4.73	17.00	64.76
unlike	2,947	2,947	100.00%	4.23	19.00	48.00
like	11,654	11,653	99.99%	4.34	17.00	68.78
post	1,521	1,521	100.00%	5.09	17.00	91.12
comments	2,935	2,935	100.00%	3.60	17.66	107.32

Distinct authenticated accounts 2474 / 2968; login attempts 11142, succeeded 2474. Timeouts 3029; network errors 3031 (categories can overlap).

Bun: database and secondary resources

Same final endpoint votes. RDS is an independent 4vCPU/16 GiB allocation; minute buckets are sparse.

ID	Users	DB CPU avg	Max	Conn avg	Max	Free GiB	ReadIOPS	WriteIOPS
0068	2,937	27.12	27.15	21.00	21.00	10.21	0.43	259.52
0087	2,968	25.41	25.95	20.67	21.00	10.20	0.00	250.58
0088	2,968	25.03	25.66	20.33	21.00	10.21	0.43	245.71

Docker container and load-generator readings

ID	Users	App CPU avg	Peak %	App RAM avg	Peak MiB	Gen CPU avg	Peak %
0068	2,937	96.71	97.47	241.55	257.70	1.16	1.77
0087	2,968	96.52	97.39	287.19	310.90	1.09	1.61
0088	2,968	96.68	97.97	241.06	259.90	1.05	1.63

App CPU is normalized to its 2-vCPU cap; appRAM is Docker sampled Linux working set, not full-VM RAM or processRSS. Generator percentages use its own 32-vCPU host. Low RDS CPU or RAM headroom does not exclude connection queues or individual blocked queries.

RDS I/O and throughput


ID	Read latency ms	Write latency ms	Queue depth	Read KiB/s	Write KiB/s
0068	0.133	0.894	0.24	0.22	2,309.52
0087	0.000	0.997	0.26	0.00	3,491.18
0088	0.133	0.937	0.24	0.22	3,101.58

The source JSON/CSV retain complete ramp/steady resource quantiles, PostgreSQL wait gauges and transaction counter deltas, endpoint metrics and rate spillover. Missing values stay unavailable; cumulative snapshots are not trial usage.

Node: search history

Final 2843 pass / 2875 fail; width 32 users.


Trial suffix	Users	Outcome	Operation %	Auth %	Mean ms	Restored
e5d5-0052	1,000	PASS	100.00%	100.00%	4.38	True
e5d5-0053	2,000	PASS	100.00%	100.00%	4.39	True
e5d5-0054	4,000	FAIL	9.93%	9.30%	216.95	True
e5d5-0055	3,000	FAIL	64.90%	61.23%	283.68	True
e5d5-0056	2,500	PASS	100.00%	100.00%	4.49	True
e5d5-0057	2,750	PASS	100.00%	100.00%	4.88	True
e5d5-0058	2,875	FAIL	90.44%	86.61%	288.32	True
e5d5-0059	2,812	PASS	99.63%	100.00%	35.03	True
e5d5-0060	2,875	FAIL	88.24%	84.24%	291.40	True
e5d5-0086	2,843	PASS	94.53%	92.19%	264.26	True




Green=qualified pass; red=qualified failure; gray=invalid/interrupted. A raw historical fail can become a passing majority decision only after two passing votes; all outcomes remain visible. Source resolution/policy changes preserve the measurement workload.

Node: VM resource profiles

Every final passing/failing endpoint vote shown separately; dashed vertical line=300 s ramp end.





ID	Users	Vote	CPU mean	Peak	p99	p99.9	RAM mean	Peak	p99	p99.9
0086	2,843	pass	99.97	100.00	100.00	100.00	1,107.45	1,144.18	1,141.81	1,143.95
0058	2,875	fail	99.97	100.00	100.00	100.00	1,072.57	1,111.85	1,108.37	1,111.50
0060	2,875	fail	99.96	100.00	100.00	100.00	1,056.85	1,086.29	1,085.23	1,086.18

CPU percent spans both VM vCPUs. RAM inMiB; resource quantiles interpolate approximately 5-second samples. They cannot establish rare-event guarantees or an exact transient maximum.

Node: endpoint performance

Per-run sustained metrics; deadline failures remain in mean/percentile latency.

ID	Users	Vote	Op %	Auth %	Ops/s	Peak 1 s	Peak 10 s	Mean ms	p99	p99.9
0086	2,843	pass	94.53%	92.19%	420.50	485.00	433.60	264.26	5,001.00	5,001.00
0058	2,875	fail	90.44%	86.61%	403.83	450.00	411.30	288.32	5,001.00	5,001.00
0060	2,875	fail	88.24%	84.24%	392.67	442.00	399.20	291.40	5,001.00	5,001.00

2843 users / pass: latest endpoint breakdown

Operation	Attempts	Success	Success %	Mean ms	p99 ms	p99.9 ms
unlike	2,983	2,983	100.00%	5.31	27.18	49.13
login	3,002	87	2.90%	4,584.84	5,002.00	5,002.00
like	12,292	12,290	99.98%	5.50	28.00	74.42
feed	15,258	15,258	100.00%	9.47	27.00	49.74
comment	15,231	15,228	99.98%	5.91	29.00	57.54
post	1,573	1,573	100.00%	6.37	28.28	82.00
comments	3,041	3,041	100.00%	4.68	28.00	48.00

Distinct authenticated accounts 2621 / 2843; login attempts 6250, succeeded 2621. Timeouts 2667; network errors 2672 (categories can overlap).

2875 users / fail: latest endpoint breakdown

Operation	Attempts	Success	Success %	Mean ms	p99 ms	p99.9 ms
login	6,299	25	0.40%	2,418.49	5,001.00	5,002.00
comment	14,236	14,233	99.98%	6.00	31.00	70.76
like	11,415	11,413	99.98%	5.62	30.00	70.00
unlike	2,878	2,878	100.00%	5.73	35.00	70.25
feed	14,278	14,278	100.00%	9.62	29.00	59.72
post	1,469	1,469	100.00%	6.46	32.32	73.79
comments	2,824	2,824	100.00%	4.82	28.00	60.89

Distinct authenticated accounts 2422 / 2875; login attempts 10211, succeeded 2422. Timeouts 3020; network errors 3024 (categories can overlap).

Node: database and secondary resources

Same final endpoint votes. RDS is an independent 4vCPU/16 GiB allocation; minute buckets are sparse.

ID	Users	DB CPU avg	Max	Conn avg	Max	Free GiB	ReadIOPS	WriteIOPS
0086	2,843	25.58	27.00	20.00	21.00	10.20	0.00	252.88
0058	2,875	25.33	25.67	19.33	21.00	10.22	0.43	251.14
0060	2,875	24.17	25.66	19.67	21.00	10.22	0.43	246.87

Docker container and load-generator readings

ID	Users	App CPU avg	Peak %	App RAM avg	Peak MiB	Gen CPU avg	Peak %
0086	2,843	96.52	96.98	429.77	463.80	1.07	1.63
0058	2,875	96.53	97.76	382.60	409.30	1.14	1.74
0060	2,875	96.63	97.36	378.49	406.80	1.10	1.70

App CPU is normalized to its 2-vCPU cap; appRAM is Docker sampled Linux working set, not full-VM RAM or processRSS. Generator percentages use its own 32-vCPU host. Low RDS CPU or RAM headroom does not exclude connection queues or individual blocked queries.

RDS I/O and throughput


ID	Read latency ms	Write latency ms	Queue depth	Read KiB/s	Write KiB/s
0086	0.000	0.929	0.24	0.00	3,195.12
0058	0.133	1.046	0.26	0.22	3,344.04
0060	0.133	0.952	0.24	0.22	2,983.82

The source JSON/CSV retain complete ramp/steady resource quantiles, PostgreSQL wait gauges and transaction counter deltas, endpoint metrics and rate spillover. Missing values stay unavailable; cumulative snapshots are not trial usage.

Python 3.14: search history

Final 2375 pass / 2406 fail; width 31 users.


Trial suffix	Users	Outcome	Operation %	Auth %	Mean ms	Restored
e5d5-0000	1,000	PASS	100.00%	100.00%	6.99	True
e5d5-0001	2,000	PASS	100.00%	100.00%	7.27	True
e5d5-0002	4,000	FAIL	0.00%	8.03%	5,000.59	True
e5d5-0003	3,000	FAIL	0.21%	36.17%	4,998.02	True
e5d5-0004	2,500	FAIL	64.51%	100.00%	2,283.24	True
e5d5-0005	2,250	PASS	99.99%	100.00%	14.30	True
e5d5-0006	2,375	PASS	91.69%	100.00%	637.65	True
e5d5-0007	2,437	FAIL	80.99%	100.00%	1,272.70	True
e5d5-0008	2,437	FAIL	76.02%	100.00%	1,664.45	True
e5d5-0077	2,406	FAIL	87.15%	100.00%	841.01	True
e5d5-0078	2,406	FAIL	86.52%	100.00%	984.31	True




Green=qualified pass; red=qualified failure; gray=invalid/interrupted. A raw historical fail can become a passing majority decision only after two passing votes; all outcomes remain visible. Source resolution/policy changes preserve the measurement workload.

Python 3.14: VM resource profiles

Every final passing/failing endpoint vote shown separately; dashed vertical line=300 s ramp end.





ID	Users	Vote	CPU mean	Peak	p99	p99.9	RAM mean	Peak	p99	p99.9
0006	2,375	pass	57.39	100.00	100.00	100.00	970.63	1,123.60	1,122.55	1,123.50
0077	2,406	fail	62.33	100.00	100.00	100.00	1,007.67	1,149.09	1,143.47	1,148.53
0078	2,406	fail	64.68	100.00	100.00	100.00	1,005.25	1,190.98	1,190.50	1,190.94

CPU percent spans both VM vCPUs. RAM inMiB; resource quantiles interpolate approximately 5-second samples. They cannot establish rare-event guarantees or an exact transient maximum.

Python 3.14: endpoint performance

Per-run sustained metrics; deadline failures remain in mean/percentile latency.

ID	Users	Vote	Op %	Auth %	Ops/s	Peak 1 s	Peak 10 s	Mean ms	p99	p99.9
0006	2,375	pass	91.69%	100.00%	316.35	624.00	405.30	637.65	5,001.00	5,002.00
0077	2,406	fail	87.15%	100.00%	295.84	566.00	403.00	841.01	5,001.00	5,002.00
0078	2,406	fail	86.52%	100.00%	288.13	540.00	400.50	984.31	5,001.00	5,002.00

2375 users / pass: latest endpoint breakdown

Operation	Attempts	Success	Success %	Mean ms	p99 ms	p99.9 ms
login	397	190	47.86%	3,796.58	5,002.00	5,002.00
feed	14,038	12,499	89.04%	873.28	5,001.00	5,002.00
comment	11,577	11,007	95.08%	419.56	5,001.00	5,001.42
post	1,131	1,070	94.61%	400.01	5,001.00	5,001.00
like	9,789	9,005	91.99%	542.94	5,001.00	5,001.21
comments	2,314	2,190	94.64%	422.44	5,001.00	5,001.00
unlike	2,156	2,001	92.81%	478.57	5,001.00	5,001.84

Distinct authenticated accounts 2375 / 2375; login attempts 3071, succeeded 2375. Timeouts 3288; network errors 3440 (categories can overlap).

2406 users / fail: latest endpoint breakdown

Operation	Attempts	Success	Success %	Mean ms	p99 ms	p99.9 ms
login	658	227	34.50%	4,080.78	5,002.00	5,002.00
comment	10,760	9,875	91.78%	659.04	5,001.00	5,002.00
feed	14,186	11,580	81.63%	1,342.00	5,001.00	5,002.00
like	9,371	8,359	89.20%	758.72	5,001.00	5,002.00
post	1,069	971	90.83%	655.48	5,001.00	5,001.00
unlike	1,764	1,589	90.08%	724.85	5,001.00	5,001.00
comments	2,154	1,975	91.69%	664.62	5,001.00	5,001.85

Distinct authenticated accounts 2406 / 2406; login attempts 3665, succeeded 2406. Timeouts 5205; network errors 5386 (categories can overlap).

Python 3.14: database and secondary resources

Same final endpoint votes. RDS is an independent 4vCPU/16 GiB allocation; minute buckets are sparse.

ID	Users	DB CPU avg	Max	Conn avg	Max	Free GiB	ReadIOPS	WriteIOPS
0006	2,375	13.03	17.13	21.00	21.00	10.19	0.00	170.24
0077	2,406	10.18	12.24	21.00	21.00	10.21	0.43	157.40
0078	2,406	9.23	12.20	21.00	21.00	10.21	0.43	141.49

Docker container and load-generator readings

ID	Users	App CPU avg	Peak %	App RAM avg	Peak MiB	Gen CPU avg	Peak %
0006	2,375	47.65	96.68	275.98	474.00	1.02	1.60
0077	2,406	54.72	96.28	315.43	517.40	0.96	1.55
0078	2,406	57.07	96.14	287.25	443.30	0.93	1.57

App CPU is normalized to its 2-vCPU cap; appRAM is Docker sampled Linux working set, not full-VM RAM or processRSS. Generator percentages use its own 32-vCPU host. Low RDS CPU or RAM headroom does not exclude connection queues or individual blocked queries.

RDS I/O and throughput


ID	Read latency ms	Write latency ms	Queue depth	Read KiB/s	Write KiB/s
0006	0.000	1.159	0.18	0.00	2,384.33
0077	0.267	0.943	0.15	0.22	1,415.66
0078	0.000	1.008	0.14	0.22	1,584.75

The source JSON/CSV retain complete ramp/steady resource quantiles, PostgreSQL wait gauges and transaction counter deltas, endpoint metrics and rate spillover. Missing values stay unavailable; cumulative snapshots are not trial usage.

Java: search history

Final 2062 pass / 2093 fail; width 31 users.


Trial suffix	Users	Outcome	Operation %	Auth %	Mean ms	Restored
e5d5-0009	1,000	PASS	100.00%	100.00%	3.08	True
e5d5-0010	2,000	FAIL	0.00%	22.70%	4,986.21	True
e5d5-0011	1,500	PASS	100.00%	100.00%	2.91	True
e5d5-0012	1,750	PASS	100.00%	100.00%	2.84	True
e5d5-0013	1,875	PASS	100.00%	100.00%	2.94	True
e5d5-0014	1,937	PASS	100.00%	100.00%	2.82	True
e5d5-0015	2,000	PASS	100.00%	100.00%	2.78	True
e5d5-0020	2,000	PASS	100.00%	100.00%	3.06	True
e5d5-0021	4,000	FAIL	0.00%	1.75%	4,992.18	True
e5d5-0022	3,000	FAIL	0.00%	1.83%	4,988.60	True
e5d5-0023	2,500	FAIL	0.00%	3.48%	4,984.49	True
e5d5-0024	2,250	FAIL	0.00%	6.22%	4,980.19	True
e5d5-0025	2,125	FAIL	0.00%	17.18%	4,984.44	True
e5d5-0026	2,062	PASS	100.00%	100.00%	2.91	True
e5d5-0027	2,125	FAIL	0.00%	8.71%	4,985.02	True
e5d5-0079	2,093	FAIL	0.00%	9.46%	4,986.58	True
e5d5-0080	2,093	FAIL	0.01%	13.38%	4,992.47	True




Green=qualified pass; red=qualified failure; gray=invalid/interrupted. A raw historical fail can become a passing majority decision only after two passing votes; all outcomes remain visible. Source resolution/policy changes preserve the measurement workload.

Java: VM resource profiles

Every final passing/failing endpoint vote shown separately; dashed vertical line=300 s ramp end.





ID	Users	Vote	CPU mean	Peak	p99	p99.9	RAM mean	Peak	p99	p99.9
0026	2,062	pass	10.64	56.78	45.17	55.62	1,691.79	1,709.45	1,708.91	1,709.39
0079	2,093	fail	99.76	100.00	99.97	100.00	2,935.75	2,951.34	2,951.29	2,951.34
0080	2,093	fail	99.95	100.00	100.00	100.00	2,950.13	2,962.03	2,961.44	2,961.97

CPU percent spans both VM vCPUs. RAM inMiB; resource quantiles interpolate approximately 5-second samples. They cannot establish rare-event guarantees or an exact transient maximum.

Java: endpoint performance

Per-run sustained metrics; deadline failures remain in mean/percentile latency.

ID	Users	Vote	Op %	Auth %	Ops/s	Peak 1 s	Peak 10 s	Mean ms	p99	p99.9
0026	2,062	pass	100.00%	100.00%	336.96	383.00	344.50	2.91	8.00	10.00
0079	2,093	fail	0.00%	9.46%	0.00	0.00	0.00	4,986.58	5,002.00	5,002.00
0080	2,093	fail	0.01%	13.38%	0.02	2.00	0.20	4,992.47	5,002.00	5,002.00

2062 users / pass: latest endpoint breakdown

Operation	Attempts	Success	Success %	Mean ms	p99 ms	p99.9 ms
login	1	1	100.00%	135.00	135.00	135.00
feed	12,232	12,232	100.00%	4.93	9.00	11.00
comment	12,261	12,261	100.00%	2.16	4.00	6.00
like	9,747	9,747	100.00%	2.09	3.00	5.00
post	1,263	1,263	100.00%	2.28	4.00	5.00
comments	2,435	2,435	100.00%	0.95	2.00	2.00
unlike	2,496	2,496	100.00%	2.04	3.00	5.00

Distinct authenticated accounts 2062 / 2062; login attempts 2062, succeeded 2062. Timeouts 0; network errors 0 (categories can overlap).

2093 users / fail: latest endpoint breakdown

Operation	Attempts	Success	Success %	Mean ms	p99 ms	p99.9 ms
login	18,936	1	0.01%	4,991.29	5,002.00	5,002.00
feed	2,909	1	0.03%	5,000.15	5,002.00	5,002.00
like	1	0	0.00%	5,001.00	5,001.00	5,001.00
comment	1	0	0.00%	5,000.00	5,000.00	5,000.00

Distinct authenticated accounts 280 / 2093; login attempts 40810, succeeded 280. Timeouts 21794; network errors 21845 (categories can overlap).

Java: database and secondary resources

Same final endpoint votes. RDS is an independent 4vCPU/16 GiB allocation; minute buckets are sparse.

ID	Users	DB CPU avg	Max	Conn avg	Max	Free GiB	ReadIOPS	WriteIOPS
0026	2,062	13.51	13.53	21.00	21.00	10.20	0.00	210.27
0079	2,093	1.41	1.51	21.00	21.00	10.20	0.00	6.43
0080	2,093	1.41	1.49	21.00	21.00	10.20	0.00	10.48

Docker container and load-generator readings

ID	Users	App CPU avg	Peak %	App RAM avg	Peak MiB	Gen CPU avg	Peak %
0026	2,062	4.38	5.91	1,035.38	1,044.48	0.85	2.36
0079	2,093	98.19	99.02	2,245.04	2,246.66	0.56	1.33
0080	2,093	98.25	99.00	2,309.94	2,317.31	0.52	1.04

App CPU is normalized to its 2-vCPU cap; appRAM is Docker sampled Linux working set, not full-VM RAM or processRSS. Generator percentages use its own 32-vCPU host. Low RDS CPU or RAM headroom does not exclude connection queues or individual blocked queries.

RDS I/O and throughput


ID	Read latency ms	Write latency ms	Queue depth	Read KiB/s	Write KiB/s
0026	0.000	1.000	0.20	0.00	2,855.74
0079	0.000	1.192	0.01	0.00	714.87
0080	0.000	1.670	0.02	0.00	1,219.64

The source JSON/CSV retain complete ramp/steady resource quantiles, PostgreSQL wait gauges and transaction counter deltas, endpoint metrics and rate spillover. Missing values stay unavailable; cumulative snapshots are not trial usage.

Octane: search history

Final 1718 pass / 1750 fail; width 32 users.


Trial suffix	Users	Outcome	Operation %	Auth %	Mean ms	Restored
0c49-0000	1,000	INVALID	n/a	n/a	n/a	True
0c49-0001	1,000	INVALID	n/a	n/a	n/a	True
0c49-0002	1,000	PASS	100.00%	100.00%	6.51	True
0c49-0003	2,000	FAIL	0.00%	67.30%	5,000.62	True
0c49-0004	1,500	PASS	100.00%	100.00%	7.19	True
0c49-0005	1,750	FAIL	0.00%	90.97%	5,000.63	True
0c49-0006	1,625	PASS	100.00%	100.00%	7.06	True
0c49-0007	1,687	PASS	100.00%	100.00%	39.83	True
0c49-0008	1,750	FAIL	0.00%	93.60%	5,000.63	True
0c49-0009	1,718	PASS	99.89%	100.00%	291.54	True




Green=qualified pass; red=qualified failure; gray=invalid/interrupted. A raw historical fail can become a passing majority decision only after two passing votes; all outcomes remain visible. Source resolution/policy changes preserve the measurement workload.

Octane: VM resource profiles

Every final passing/failing endpoint vote shown separately; dashed vertical line=300 s ramp end.





ID	Users	Vote	CPU mean	Peak	p99	p99.9	RAM mean	Peak	p99	p99.9
0009	1,718	pass	49.87	100.00	99.99	100.00	1,642.76	1,770.40	1,762.65	1,769.62
0005	1,750	fail	99.98	100.00	100.00	100.00	1,865.70	1,934.57	1,933.43	1,934.46
0008	1,750	fail	99.98	100.00	100.00	100.00	1,827.19	1,908.10	1,907.06	1,907.99

CPU percent spans both VM vCPUs. RAM inMiB; resource quantiles interpolate approximately 5-second samples. They cannot establish rare-event guarantees or an exact transient maximum.

Octane: endpoint performance

Per-run sustained metrics; deadline failures remain in mean/percentile latency.

ID	Users	Vote	Op %	Auth %	Ops/s	Peak 1 s	Peak 10 s	Mean ms	p99	p99.9
0009	1,718	pass	99.89%	100.00%	264.17	496.00	304.90	291.54	3,720.65	5,000.00
0005	1,750	fail	0.00%	90.97%	0.00	0.00	0.00	5,000.63	5,002.00	5,002.00
0008	1,750	fail	0.00%	93.60%	0.00	0.00	0.00	5,000.63	5,002.00	5,002.00

1718 users / pass: latest endpoint breakdown

Operation	Attempts	Success	Success %	Mean ms	p99 ms	p99.9 ms
login	85	49	57.65%	3,613.81	5,001.16	5,001.92
like	7,622	7,622	100.00%	287.74	3,621.27	3,921.14
feed	9,607	9,607	100.00%	283.56	3,682.22	3,929.39
comment	9,590	9,590	100.00%	282.26	3,619.88	3,925.23
post	949	949	100.00%	309.77	3,750.80	3,925.57
unlike	1,973	1,973	100.00%	261.10	3,597.24	3,915.11
comments	1,910	1,910	100.00%	267.92	3,571.65	3,928.00

Distinct authenticated accounts 1718 / 1718; login attempts 1826, succeeded 1718. Timeouts 36; network errors 36 (categories can overlap).

1750 users / fail: latest endpoint breakdown

Operation	Attempts	Success	Success %	Mean ms	p99 ms	p99.9 ms
login	1,172	0	0.00%	5,000.66	5,002.00	5,002.83
feed	16,177	0	0.00%	5,000.62	5,002.00	5,002.00
comment	661	0	0.00%	5,000.64	5,002.00	5,002.00
like	108	0	0.00%	5,000.60	5,001.00	5,001.00
unlike	14	0	0.00%	5,000.79	5,001.87	5,001.99
post	123	0	0.00%	5,000.59	5,002.00	5,002.00
comments	127	0	0.00%	5,000.63	5,001.74	5,002.00

Distinct authenticated accounts 1638 / 1750; login attempts 2985, succeeded 1638. Timeouts 18382; network errors 18382 (categories can overlap).

Octane: database and secondary resources

Same final endpoint votes. RDS is an independent 4vCPU/16 GiB allocation; minute buckets are sparse.

ID	Users	DB CPU avg	Max	Conn avg	Max	Free GiB	ReadIOPS	WriteIOPS
0009	1,718	13.49	15.62	21.00	21.00	10.20	0.00	161.86
0005	1,750	9.99	13.09	21.00	21.00	10.21	0.00	76.19
0008	1,750	10.98	12.88	21.00	21.00	10.21	0.00	69.99

Docker container and load-generator readings

ID	Users	App CPU avg	Peak %	App RAM avg	Peak MiB	Gen CPU avg	Peak %
0009	1,718	40.95	95.50	1,027.88	1,131.52	0.63	1.17
0005	1,750	95.12	96.18	1,145.66	1,221.63	0.52	0.77
0008	1,750	93.05	96.07	1,121.15	1,195.01	0.51	0.80

App CPU is normalized to its 2-vCPU cap; appRAM is Docker sampled Linux working set, not full-VM RAM or processRSS. Generator percentages use its own 32-vCPU host. Low RDS CPU or RAM headroom does not exclude connection queues or individual blocked queries.

RDS I/O and throughput


ID	Read latency ms	Write latency ms	Queue depth	Read KiB/s	Write KiB/s
0009	0.000	0.948	0.16	0.00	2,070.41
0005	0.000	1.210	0.08	0.00	1,751.36
0008	0.000	0.886	0.07	0.00	1,267.86

The source JSON/CSV retain complete ramp/steady resource quantiles, PostgreSQL wait gauges and transaction counter deltas, endpoint metrics and rate spillover. Missing values stay unavailable; cumulative snapshots are not trial usage.

.NET: search history

Final 1281 pass / 1312 fail; width 31 users.


Trial suffix	Users	Outcome	Operation %	Auth %	Mean ms	Restored
e5d5-0070	1,000	PASS	100.00%	100.00%	3.53	True
e5d5-0071	2,000	FAIL	2.88%	1.55%	4,857.64	True
e5d5-0072	1,500	FAIL	10.80%	6.07%	4,463.29	True
e5d5-0073	1,250	PASS	100.00%	100.00%	3.48	True
e5d5-0074	1,375	FAIL	29.61%	18.40%	3,535.79	True
e5d5-0075	1,312	FAIL	82.97%	72.10%	868.74	True
e5d5-0076	1,312	FAIL	85.66%	76.14%	747.16	True
e5d5-0089	1,281	PASS	100.00%	100.00%	5.06	True




Green=qualified pass; red=qualified failure; gray=invalid/interrupted. A raw historical fail can become a passing majority decision only after two passing votes; all outcomes remain visible. Source resolution/policy changes preserve the measurement workload.

.NET: VM resource profiles

Every final passing/failing endpoint vote shown separately; dashed vertical line=300 s ramp end.





ID	Users	Vote	CPU mean	Peak	p99	p99.9	RAM mean	Peak	p99	p99.9
0089	1,281	pass	15.98	99.80	80.20	97.84	1,083.19	1,133.29	1,132.56	1,133.22
0075	1,312	fail	99.77	99.90	99.90	99.90	1,115.73	1,213.24	1,210.05	1,212.92
0076	1,312	fail	99.80	99.90	99.90	99.90	1,099.61	1,166.00	1,160.46	1,165.44

CPU percent spans both VM vCPUs. RAM inMiB; resource quantiles interpolate approximately 5-second samples. They cannot establish rare-event guarantees or an exact transient maximum.

.NET: endpoint performance

Per-run sustained metrics; deadline failures remain in mean/percentile latency.

ID	Users	Vote	Op %	Auth %	Ops/s	Peak 1 s	Peak 10 s	Mean ms	p99	p99.9
0089	1,281	pass	100.00%	100.00%	209.58	252.00	215.70	5.06	11.00	311.36
0075	1,312	fail	82.97%	72.10%	154.46	237.00	165.70	868.74	5,001.00	5,002.00
0076	1,312	fail	85.66%	76.14%	162.72	265.00	172.50	747.16	5,001.00	5,002.00

1281 users / pass: latest endpoint breakdown

Operation	Attempts	Success	Success %	Mean ms	p99 ms	p99.9 ms
login	1	1	100.00%	1,942.00	1,942.00	1,942.00
feed	7,605	7,605	100.00%	7.21	12.00	297.58
comment	7,621	7,621	100.00%	4.14	8.00	303.88
like	5,941	5,941	100.00%	4.24	47.80	302.66
unlike	1,701	1,701	100.00%	3.50	7.00	221.40
comments	1,515	1,515	100.00%	3.51	33.66	362.02
post	766	766	100.00%	3.38	5.70	118.56

Distinct authenticated accounts 1281 / 1281; login attempts 1281, succeeded 1281. Timeouts 0; network errors 0 (categories can overlap).

1312 users / fail: latest endpoint breakdown

Operation	Attempts	Success	Success %	Mean ms	p99 ms	p99.9 ms
feed	5,939	5,939	100.00%	38.73	588.48	1,020.84
login	3,269	0	0.00%	5,000.64	5,002.00	5,002.00
like	4,499	4,499	100.00%	36.15	552.02	1,082.02
comment	5,904	5,904	100.00%	31.60	547.97	1,062.29
comments	1,163	1,163	100.00%	34.68	657.56	1,034.96
unlike	1,426	1,426	100.00%	32.11	531.75	770.40
post	595	595	100.00%	32.24	389.06	704.24

Distinct authenticated accounts 999 / 1312; login attempts 5400, succeeded 999. Timeouts 3269; network errors 3269 (categories can overlap).

.NET: database and secondary resources

Same final endpoint votes. RDS is an independent 4vCPU/16 GiB allocation; minute buckets are sparse.

ID	Users	DB CPU avg	Max	Conn avg	Max	Free GiB	ReadIOPS	WriteIOPS
0089	1,281	11.04	11.68	21.00	21.00	10.20	0.43	124.69
0075	1,312	9.57	9.85	21.00	21.00	10.21	0.00	100.85
0076	1,312	9.78	9.82	21.00	21.00	10.21	0.00	101.95

Docker container and load-generator readings

ID	Users	App CPU avg	Peak %	App RAM avg	Peak MiB	Gen CPU avg	Peak %
0089	1,281	8.73	24.94	473.43	567.10	0.50	0.80
0075	1,312	98.22	98.82	481.88	553.00	0.51	0.78
0076	1,312	98.14	99.25	466.92	551.00	0.52	0.82

App CPU is normalized to its 2-vCPU cap; appRAM is Docker sampled Linux working set, not full-VM RAM or processRSS. Generator percentages use its own 32-vCPU host. Low RDS CPU or RAM headroom does not exclude connection queues or individual blocked queries.

RDS I/O and throughput


ID	Read latency ms	Write latency ms	Queue depth	Read KiB/s	Write KiB/s
0089	0.267	0.962	0.12	0.22	1,454.43
0075	0.000	1.032	0.10	0.00	1,941.49
0076	0.000	1.017	0.10	0.00	1,992.07

The source JSON/CSV retain complete ramp/steady resource quantiles, PostgreSQL wait gauges and transaction counter deltas, endpoint metrics and rate spillover. Missing values stay unavailable; cumulative snapshots are not trial usage.

PHP-FPM: search history

Final 300 pass / 350 fail; width 50 users.


Trial suffix	Users	Outcome	Operation %	Auth %	Mean ms	Restored
e5d5-0016	100	PASS	100.00%	100.00%	52.20	True
e5d5-0017	500	FAIL	0.00%	46.60%	5,000.66	True
e5d5-0018	300	PASS	99.96%	100.00%	1,324.92	True
e5d5-0019	400	INVALID	n/a	n/a	n/a	False
e5d5-0028	400	FAIL	0.00%	64.50%	5,000.66	True
e5d5-0029	400	FAIL	0.00%	66.50%	5,000.67	True
e5d5-0081	350	FAIL	0.00%	76.29%	5,000.68	True
e5d5-0082	350	FAIL	0.00%	76.86%	5,000.68	True



Green=qualified pass; red=qualified failure; gray=invalid/interrupted. A raw historical fail can become a passing majority decision only after two passing votes; all outcomes remain visible. Source resolution/policy changes preserve the measurement workload.

PHP-FPM: VM resource profiles

Every final passing/failing endpoint vote shown separately; dashed vertical line=300 s ramp end.



ID	Users	Vote	CPU mean	Peak	p99	p99.9	RAM mean	Peak	p99	p99.9
0018	300	pass	100.00	100.00	100.00	100.00	776.78	886.03	880.25	885.45
0081	350	fail	99.98	100.00	100.00	100.00	889.78	932.73	930.51	932.51
0082	350	fail	99.98	100.00	100.00	100.00	901.20	928.34	927.53	928.26

CPU percent spans both VM vCPUs. RAM inMiB; resource quantiles interpolate approximately 5-second samples. They cannot establish rare-event guarantees or an exact transient maximum.

PHP-FPM: endpoint performance

Per-run sustained metrics; deadline failures remain in mean/percentile latency.

ID	Users	Vote	Op %	Auth %	Ops/s	Peak 1 s	Peak 10 s	Mean ms	p99	p99.9
0018	300	pass	99.96%	100.00%	40.06	48.00	41.80	1,324.92	2,453.60	3,985.18
0081	350	fail	0.00%	76.29%	0.00	0.00	0.00	5,000.68	5,002.00	5,002.00
0082	350	fail	0.00%	76.86%	0.00	0.00	0.00	5,000.68	5,002.00	5,002.00

300 users / pass: latest endpoint breakdown

Operation	Attempts	Success	Success %	Mean ms	p99 ms	p99.9 ms
feed	1,461	1,461	100.00%	1,318.42	2,410.80	2,524.16
login	8	6	75.00%	4,306.88	5,001.93	5,001.99
like	1,131	1,131	100.00%	1,319.94	2,449.00	2,575.96
comment	1,454	1,454	100.00%	1,322.38	2,440.88	2,566.27
unlike	330	330	100.00%	1,312.20	2,388.52	2,432.50
post	144	144	100.00%	1,347.38	2,508.52	2,557.42
comments	281	281	100.00%	1,310.48	2,421.80	2,480.88

Distinct authenticated accounts 300 / 300; login attempts 310, succeeded 300. Timeouts 2; network errors 2 (categories can overlap).

350 users / fail: latest endpoint breakdown

Operation	Attempts	Success	Success %	Mean ms	p99 ms	p99.9 ms
login	840	0	0.00%	5,000.69	5,002.00	5,002.00
feed	2,794	0	0.00%	5,000.67	5,002.00	5,002.00

Distinct authenticated accounts 269 / 350; login attempts 1415, succeeded 269. Timeouts 3634; network errors 3634 (categories can overlap).

PHP-FPM: database and secondary resources

Same final endpoint votes. RDS is an independent 4vCPU/16 GiB allocation; minute buckets are sparse.

ID	Users	DB CPU avg	Max	Conn avg	Max	Free GiB	ReadIOPS	WriteIOPS
0018	300	8.75	9.93	15.67	20.00	10.24	0.43	35.52
0081	350	6.97	8.39	6.00	9.00	10.25	0.43	17.43
0082	350	6.53	6.91	4.33	5.00	10.25	0.00	14.18

Docker container and load-generator readings

ID	Users	App CPU avg	Peak %	App RAM avg	Peak MiB	Gen CPU avg	Peak %
0018	300	97.92	98.80	109.29	201.40	0.21	0.30
0081	350	97.27	102.89	236.64	256.80	0.17	0.21
0082	350	97.02	97.69	191.79	226.30	0.17	0.25

App CPU is normalized to its 2-vCPU cap; appRAM is Docker sampled Linux working set, not full-VM RAM or processRSS. Generator percentages use its own 32-vCPU host. Low RDS CPU or RAM headroom does not exclude connection queues or individual blocked queries.

RDS I/O and throughput

ID	Read latency ms	Write latency ms	Queue depth	Read KiB/s	Write KiB/s
0018	0.000	1.218	0.04	0.22	1,378.21
0081	0.400	1.367	0.03	0.22	1,326.73
0082	0.000	1.568	0.02	0.00	1,309.66

The source JSON/CSV retain complete ramp/steady resource quantiles, PostgreSQL wait gauges and transaction counter deltas, endpoint metrics and rate spillover. Missing values stay unavailable; cumulative snapshots are not trial usage.

All trial records: lifecycle and validity

Complete 100-record current campaign inventory, including interruptions and invalid evidence.

Trial ID	Stack	Users	Lifecycle	Outcome	Op %	Mean ms	VMCPU avg	VMRAM MiB	Restored
30addecfe5d5-0000	Python 3.14	1,000	measured	pass	100.00%	6.99	19.44	828.90	True
30addecfe5d5-0001	Python 3.14	2,000	measured	pass	100.00%	7.27	34.10	852.42	True
30addecfe5d5-0002	Python 3.14	4,000	measured	fail	0.00%	5,000.59	99.99	1,114.45	True
30addecfe5d5-0003	Python 3.14	3,000	measured	fail	0.21%	4,998.02	99.98	1,062.12	True
30addecfe5d5-0004	Python 3.14	2,500	measured	fail	64.51%	2,283.24	84.71	1,031.47	True
30addecfe5d5-0005	Python 3.14	2,250	measured	pass	99.99%	14.30	38.57	880.84	True
30addecfe5d5-0006	Python 3.14	2,375	measured	pass	91.69%	637.65	57.39	970.63	True
30addecfe5d5-0007	Python 3.14	2,437	measured	fail	80.99%	1,272.70	68.27	994.98	True
30addecfe5d5-0008	Python 3.14	2,437	measured	fail	76.02%	1,664.45	75.41	1,017.05	True
30addecfe5d5-0009	Java	1,000	measured	pass	100.00%	3.08	6.69	1,274.92	True
30addecfe5d5-0010	Java	2,000	measured	fail	0.00%	4,986.21	99.94	2,934.26	True
30addecfe5d5-0011	Java	1,500	measured	pass	100.00%	2.91	7.96	1,408.68	True

Interrupted/invalid trials are diagnostic records and do not vote. A reset flag on an interrupted record refers to its saved lifecycle evidence; separate manual cleanup handoff artifacts document administrative restorations. No missing steady metrics are manufactured.

All trial records (continued)

Records 13-24

Trial ID	Stack	Users	Lifecycle	Outcome	Op %	Mean ms	VMCPU avg	VMRAM MiB	Restored
30addecfe5d5-0012	Java	1,750	measured	pass	100.00%	2.84	9.13	1,752.65	True
30addecfe5d5-0013	Java	1,875	measured	pass	100.00%	2.94	8.44	1,918.30	True
30addecfe5d5-0014	Java	1,937	measured	pass	100.00%	2.82	10.28	1,975.32	True
30addecfe5d5-0015	Java	2,000	measured	pass	100.00%	2.78	10.21	1,586.70	True
30addecfe5d5-0016	PHP-FPM	100	measured	pass	100.00%	52.20	33.08	769.18	True
30addecfe5d5-0017	PHP-FPM	500	measured	fail	0.00%	5,000.66	100.00	892.80	True
30addecfe5d5-0018	PHP-FPM	300	measured	pass	99.96%	1,324.92	100.00	776.78	True
30addecfe5d5-0019	PHP-FPM	400	measuring	invalid	n/a	n/a	n/a	n/a	False
30addecfe5d5-0020	Java	2,000	measured	pass	100.00%	3.06	9.34	2,275.19	True
30addecfe5d5-0021	Java	4,000	measured	fail	0.00%	4,992.18	99.86	2,772.64	True
30addecfe5d5-0022	Java	3,000	measured	fail	0.00%	4,988.60	99.96	2,860.42	True
30addecfe5d5-0023	Java	2,500	measured	fail	0.00%	4,984.49	99.93	2,684.61	True

Interrupted/invalid trials are diagnostic records and do not vote. A reset flag on an interrupted record refers to its saved lifecycle evidence; separate manual cleanup handoff artifacts document administrative restorations. No missing steady metrics are manufactured.

All trial records (continued)

Records 25-36

Trial ID	Stack	Users	Lifecycle	Outcome	Op %	Mean ms	VMCPU avg	VMRAM MiB	Restored
30addecfe5d5-0024	Java	2,250	measured	fail	0.00%	4,980.19	99.96	2,739.94	True
30addecfe5d5-0025	Java	2,125	measured	fail	0.00%	4,984.44	99.86	2,726.22	True
30addecfe5d5-0026	Java	2,062	measured	pass	100.00%	2.91	10.64	1,691.79	True
30addecfe5d5-0027	Java	2,125	measured	fail	0.00%	4,985.02	99.93	2,910.03	True
30addecfe5d5-0028	PHP-FPM	400	measured	fail	0.00%	5,000.66	99.98	873.94	True
30addecfe5d5-0029	PHP-FPM	400	measured	fail	0.00%	5,000.67	99.98	867.68	True
30addecfe5d5-0030	Go	1,000	measured	pass	100.00%	2.90	6.35	737.97	True
30addecfe5d5-0031	Go	2,000	measured	pass	100.00%	2.83	7.84	793.34	True
30addecfe5d5-0032	Go	4,000	measured	fail	14.66%	4,276.94	99.93	1,066.86	True
30addecfe5d5-0033	Go	3,000	measured	pass	100.00%	2.86	10.04	949.60	True
30addecfe5d5-0034	Go	3,500	measured	fail	43.89%	2,833.38	99.93	1,055.93	True
30addecfe5d5-0035	Go	3,250	measured	fail	92.49%	941.99	99.93	1,073.31	True

Interrupted/invalid trials are diagnostic records and do not vote. A reset flag on an interrupted record refers to its saved lifecycle evidence; separate manual cleanup handoff artifacts document administrative restorations. No missing steady metrics are manufactured.

All trial records (continued)

Records 37-48

Trial ID	Stack	Users	Lifecycle	Outcome	Op %	Mean ms	VMCPU avg	VMRAM MiB	Restored
30addecfe5d5-0036	Go	3,125	measured	pass	100.00%	6.85	10.39	892.76	True
30addecfe5d5-0037	Go	3,187	measured	pass	100.00%	24.84	12.27	977.26	True
30addecfe5d5-0038	Go	3,250	measured	pass	99.53%	429.70	38.53	1,011.33	True
30addecfe5d5-0039	Go	3,250	measured	pass	99.55%	395.54	38.95	988.64	True
30addecfe5d5-0040	Go	3,375	measured	fail	67.81%	1,652.18	99.92	1,065.04	True
30addecfe5d5-0041	Go	3,312	measured	fail	80.20%	1,063.10	99.93	1,075.42	True
30addecfe5d5-0042	Go	3,312	measured	fail	80.15%	1,062.63	99.92	1,068.94	True
30addecfe5d5-0043	Rust	1,000	measured	pass	100.00%	3.16	5.68	700.49	True
30addecfe5d5-0044	Rust	2,000	measured	pass	100.00%	2.98	8.04	742.45	True
30addecfe5d5-0045	Rust	4,000	measured	fail	37.04%	3,149.80	99.97	913.31	True
30addecfe5d5-0046	Rust	3,000	measured	pass	100.00%	2.93	9.00	770.98	True
30addecfe5d5-0047	Rust	3,500	measured	pass	100.00%	2.96	11.69	811.71	True

Interrupted/invalid trials are diagnostic records and do not vote. A reset flag on an interrupted record refers to its saved lifecycle evidence; separate manual cleanup handoff artifacts document administrative restorations. No missing steady metrics are manufactured.

All trial records (continued)

Records 49-60

Trial ID	Stack	Users	Lifecycle	Outcome	Op %	Mean ms	VMCPU avg	VMRAM MiB	Restored
30addecfe5d5-0048	Rust	3,750	measured	fail	80.61%	972.18	99.97	922.75	True
30addecfe5d5-0049	Rust	3,625	measured	pass	100.00%	3.01	13.29	800.64	True
30addecfe5d5-0050	Rust	3,687	measured	fail	90.34%	486.02	99.97	920.88	True
30addecfe5d5-0051	Rust	3,687	measured	fail	93.25%	341.43	99.97	941.60	True
30addecfe5d5-0052	Node	1,000	measured	pass	100.00%	4.38	11.55	893.00	True
30addecfe5d5-0053	Node	2,000	measured	pass	100.00%	4.39	17.72	936.84	True
30addecfe5d5-0054	Node	4,000	measured	fail	9.93%	216.95	99.99	1,083.41	True
30addecfe5d5-0055	Node	3,000	measured	fail	64.90%	283.68	99.98	1,075.32	True
30addecfe5d5-0056	Node	2,500	measured	pass	100.00%	4.49	20.79	947.84	True
30addecfe5d5-0057	Node	2,750	measured	pass	100.00%	4.88	26.66	957.28	True
30addecfe5d5-0058	Node	2,875	measured	fail	90.44%	288.32	99.97	1,072.57	True
30addecfe5d5-0059	Node	2,812	measured	pass	99.63%	35.03	48.02	982.20	True

Interrupted/invalid trials are diagnostic records and do not vote. A reset flag on an interrupted record refers to its saved lifecycle evidence; separate manual cleanup handoff artifacts document administrative restorations. No missing steady metrics are manufactured.

All trial records (continued)

Records 61-72

Trial ID	Stack	Users	Lifecycle	Outcome	Op %	Mean ms	VMCPU avg	VMRAM MiB	Restored
30addecfe5d5-0060	Node	2,875	measured	fail	88.24%	291.40	99.96	1,056.85	True
30addecfe5d5-0061	Bun	1,000	measured	pass	99.99%	4.06	9.05	768.04	True
30addecfe5d5-0062	Bun	2,000	measured	pass	100.00%	4.04	13.69	790.49	True
30addecfe5d5-0063	Bun	4,000	measured	fail	9.63%	216.61	99.98	955.42	True
30addecfe5d5-0064	Bun	3,000	measured	fail	77.48%	281.52	99.97	943.19	True
30addecfe5d5-0065	Bun	2,500	measured	pass	100.00%	4.18	14.90	805.76	True
30addecfe5d5-0066	Bun	2,750	measured	pass	100.00%	4.19	17.89	805.50	True
30addecfe5d5-0067	Bun	2,875	measured	pass	99.99%	6.86	25.47	808.62	True
30addecfe5d5-0068	Bun	2,937	measured	pass	94.15%	262.92	99.96	997.05	True
30addecfe5d5-0069	Bun	3,000	measured	fail	75.86%	281.19	99.97	972.01	True
30addecfe5d5-0070	.NET	1,000	measured	pass	100.00%	3.53	11.88	947.93	True
30addecfe5d5-0071	.NET	2,000	measured	fail	2.88%	4,857.64	99.69	1,113.83	True

Interrupted/invalid trials are diagnostic records and do not vote. A reset flag on an interrupted record refers to its saved lifecycle evidence; separate manual cleanup handoff artifacts document administrative restorations. No missing steady metrics are manufactured.

All trial records (continued)

Records 73-84

Trial ID	Stack	Users	Lifecycle	Outcome	Op %	Mean ms	VMCPU avg	VMRAM MiB	Restored
30addecfe5d5-0072	.NET	1,500	measured	fail	10.80%	4,463.29	99.70	1,112.11	True
30addecfe5d5-0073	.NET	1,250	measured	pass	100.00%	3.48	15.09	1,043.36	True
30addecfe5d5-0074	.NET	1,375	measured	fail	29.61%	3,535.79	99.73	1,114.54	True
30addecfe5d5-0075	.NET	1,312	measured	fail	82.97%	868.74	99.77	1,115.73	True
30addecfe5d5-0076	.NET	1,312	measured	fail	85.66%	747.16	99.80	1,099.61	True
30addecfe5d5-0077	Python 3.14	2,406	measured	fail	87.15%	841.01	62.33	1,007.67	True
30addecfe5d5-0078	Python 3.14	2,406	measured	fail	86.52%	984.31	64.68	1,005.25	True
30addecfe5d5-0079	Java	2,093	measured	fail	0.00%	4,986.58	99.76	2,935.75	True
30addecfe5d5-0080	Java	2,093	measured	fail	0.01%	4,992.47	99.95	2,950.13	True
30addecfe5d5-0081	PHP-FPM	350	measured	fail	0.00%	5,000.68	99.98	889.78	True
30addecfe5d5-0082	PHP-FPM	350	measured	fail	0.00%	5,000.68	99.98	901.20	True
30addecfe5d5-0083	Go	3,281	measured	fail	90.27%	973.46	99.93	1,117.47	True

Interrupted/invalid trials are diagnostic records and do not vote. A reset flag on an interrupted record refers to its saved lifecycle evidence; separate manual cleanup handoff artifacts document administrative restorations. No missing steady metrics are manufactured.

All trial records (continued)

Records 85-96

Trial ID	Stack	Users	Lifecycle	Outcome	Op %	Mean ms	VMCPU avg	VMRAM MiB	Restored
30addecfe5d5-0084	Go	3,281	measured	fail	89.73%	1,117.29	99.94	1,122.43	True
30addecfe5d5-0085	Rust	3,656	measured	pass	96.66%	181.54	99.98	939.03	True
30addecfe5d5-0086	Node	2,843	measured	pass	94.53%	264.26	99.97	1,107.45	True
30addecfe5d5-0087	Bun	2,968	measured	fail	88.64%	281.42	99.97	949.85	True
30addecfe5d5-0088	Bun	2,968	measured	fail	87.40%	281.14	99.97	980.89	True
30addecfe5d5-0089	.NET	1,281	measured	pass	100.00%	5.06	15.98	1,083.19	True
8776286d0c49-0000	Octane	1,000	interrupted	invalid	n/a	n/a	n/a	n/a	True
8776286d0c49-0001	Octane	1,000	interrupted	invalid	n/a	n/a	n/a	n/a	True
8776286d0c49-0002	Octane	1,000	measured	pass	100.00%	6.51	26.58	1,603.12	True
8776286d0c49-0003	Octane	2,000	measured	fail	0.00%	5,000.62	100.00	1,924.71	True
8776286d0c49-0004	Octane	1,500	measured	pass	100.00%	7.19	37.70	1,629.70	True
8776286d0c49-0005	Octane	1,750	measured	fail	0.00%	5,000.63	99.98	1,865.70	True

Interrupted/invalid trials are diagnostic records and do not vote. A reset flag on an interrupted record refers to its saved lifecycle evidence; separate manual cleanup handoff artifacts document administrative restorations. No missing steady metrics are manufactured.

All trial records (continued)

Records 97-100

Trial ID	Stack	Users	Lifecycle	Outcome	Op %	Mean ms	VMCPU avg	VMRAM MiB	Restored
8776286d0c49-0006	Octane	1,625	measured	pass	100.00%	7.06	40.10	1,628.04	True
8776286d0c49-0007	Octane	1,687	measured	pass	100.00%	39.83	43.50	1,670.27	True
8776286d0c49-0008	Octane	1,750	measured	fail	0.00%	5,000.63	99.98	1,827.19	True
8776286d0c49-0009	Octane	1,718	measured	pass	99.89%	291.54	49.87	1,642.76	True

Interrupted/invalid trials are diagnostic records and do not vote. A reset flag on an interrupted record refers to its saved lifecycle evidence; separate manual cleanup handoff artifacts document administrative restorations. No missing steady metrics are manufactured.

Sources, limits and review guidance

Completed evidence, immutable raw results and honest interpretation.

Source	Purpose
stress-results-2026-10-07.json	Whitelisted 100-trial dataset, final boundaries, all endpoint votes, resources and exact endpoint rates
stress-trial-metrics-2026-10-07.csv	Wide scalar export for every current trial
Original AWS campaign artifacts	Manifests, result/outcome files, raw k6 metrics, telemetry, backend logs and RDS buckets
before-refine 50 snapshots	Original 100-user administrative boundaries and vote ledgers preserved before refinement
Runtime/image locks and handoff receipts	Image/resource identity, majority/queue/resolution audit chains
Original historical report	Earlier Python/native profiles and file-limit caveats; kept separate from this report

Reproducibility

All current endpoints were qualified under the same 300/0/120 workload and 90% gates. Earlier 12-minute 99% and three-minute-ramp fixed results answer different questions. Refinement reused original qualified votes rather than pretending they were new repetitions. The final bracket width is <=50 users, at most +/-25 arithmetically around its midpoint; that midpoint is not itself a measured maximum.

Interpretation limits

These are paced user journeys on one configured 2-vCPU VM, not unlimited concurrent socket counts or productionSLOs. Deployment topology, hash libraries, connection reuse, runtime warmup and framework versions differ. Mean/peak or latency quantiles must not be substituted for the 90% operation/account gates. Observed sample/resource quantiles are descriptive; no confidence intervals or statistical winner are established.

Database memory

The report shows recorded RDS FreeableMemory as headroom. Subtracting this from the advertised 16 GiB is not exact application-used memory. VM RAM is the separate Linux total-minus-available estimate. Sparse RDS minute buckets do not justify operational p99.9 tail claims.

Dataset SHA256: 8b34e70a6f460e4129a3dccf6fd7d1c61b794730c6be9fb71ef4d1ca38d3aa46

No private database URLs/passwords, JWT secrets, SSH configuration or keys are included. Exact peak RPS reductions cover final endpoint votes; other probes retain saved phase mean rates and latency. All raw files remain preserved on AWS.