

پزشک: آقای دکتر سیدمسعود ارزاقی

پذیرش: ۱۴۰۴/۰۶/۲۷

صفحه: ۱ از ۶

کدملی: ۱۲۲۹۶۰۷۸۰۳



نام: خانم مهوش بدیعی

سن: ۶۸ سال





شماره: ۴۸۶۴۴۲



## Hematology

### CBC

|                     | Result       | Unit              | Reference Value                               |
|---------------------|--------------|-------------------|-----------------------------------------------|
| WBC                 | <b>4.29</b>  | $10^9/L$          | 3.4-9.6                                       |
| RBC                 | <b>5.02</b>  | $10^{12}/L$       | 3.92-5.13                                     |
| Hb                  | <b>13.80</b> | gr/dl             | 11.6-15.0                                     |
| Hct                 | <b>42.70</b> | %                 | 35.5-44.9                                     |
| MCV (Cell Indices)  | <b>85.1</b>  | fl                | 78.2-97.9                                     |
| MCH (Cell Indices)  | <b>27.5</b>  | pg/cell           | 26.5-32.6                                     |
| MCHC (Cell Indices) | <b>32.8</b>  | gr/dl             | 32.7-36.9                                     |
| Platelet            | <b>162</b>   | $10^9/L$          | 157-371                                       |
| RDW-SD              | <b>42.5</b>  | fl                | 39-46                                         |
| RDW-CV              | <b>13.7</b>  | %                 | 12.2-16.1                                     |
| PDW                 | <b>12.2</b>  | fl                | 9-17                                          |
| MPV                 | <b>10</b>    | fl                | 5.9-12.3                                      |
| P-LCR               | <b>26.4</b>  | %                 | 13-43                                         |
| PCT                 | <b>0.17</b>  | %                 | 0.17-0.35                                     |
| NRBC                | <b>0.00</b>  | %WBC              | 0-3 days: 0.1-8.3%<br>4 days and older:<br>0% |
| NEUT#               | <b>1.46</b>  | <b>L</b> $10^9/L$ | 1.56-6.45                                     |
| LYMPH#              | <b>2.21</b>  | $10^9/L$          | 0.95-3.07                                     |
| Mono#               | <b>0.40</b>  | $10^9/L$          | 0.26-0.81                                     |
| EO#                 | <b>0.18</b>  | $10^9/L$          | 0.03-0.48                                     |
| BASO#               | <b>0.04</b>  | $10^9/L$          | 0.01-0.08                                     |
| IG                  | <b>0.00</b>  |                   |                                               |



| Differential | Result       | Unit | Reference Value                                   |
|--------------|--------------|------|---------------------------------------------------|
| Neutrophil%  | <b>34.10</b> | %    | Infants :17-60<br>Children:25-60<br>Adults :50-70 |
| Lymphocyte%  | <b>51.50</b> | %    | Infants :20-70<br>Children:25-50<br>Adults :25-40 |
| Monocyte%    | <b>9.30</b>  | %    | Infants :1-11<br>Children:1-6<br>Adults :2-8      |
| Eosinophil%  | <b>4.20</b>  | %    | Infants :1-5<br>Children:1-5<br>Adults :2-4       |
| Basophil%    | <b>0.90</b>  | %    | <1                                                |

ESR,1st hr

Result

**8**

Reference Interval

0 - 40

Unit

mm/hr

Method

Modified Weste

پزشک: آقای دکتر سیدمسعود ارزاقی

پذیرش: ۱۴۰۴/۰۶/۲۷

صفحه: ۲ از ۶

کدملی: ۱۲۲۹۶۰۷۸۰۳



نام: خانم مهوش بدیعی

سن: ۶۸ سال

شماره: ۴۸۶۴۴۲



## Blood Biochemistry

|                                                    | <u>Result</u> | <u>Reference Interval</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | <u>Unit</u> | <u>Method</u> |
|----------------------------------------------------|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|---------------|
| FBS                                                | 86            | Normal : 65-100<br>Prediabetes : 100 to 125<br>Diabetes : 126 or higher                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | mg/dL       | Roche         |
| (Hemoglobin A1c. Blood)Hb A1c.Blood                | 5.64          | 4.0-5.6%<br><18 years: Hemoglobin A1c criteria for diagnosing diabetes have not been established for patients who are <18 years of age.<br>> or =18 years: Increased risk for diabetes (prediabetes): 5.7-6.4%<br>Diabetes: > or =6.5%<br>Diagnosing diabetes: American Diabetes Association (ADA)<br>-Hemoglobin A1c (HbA1c): > or =6.5%<br>Therapeutic goals for glycemic control (ADA)<br>-Adults:<br>- Goal of therapy: < 7.0% HbA1c<br>- Action suggested: > 8.0% HbA1c<br>-Pediatric patients:<br>- Toddlers and preschoolers: < 8.5% (but >7.5%)<br>- School age (6-12 years): < 8%<br>- Adolescents and young adults (13-19 years): < 7.5% | %           | HPLC          |
| HbA1c mmol/mol                                     | 38            | IFCC recommended :<br>Non Diabetics : 29 - 41<br>Good Control Diabetics : 42- 52<br>Therapeutic action Diabetics : 53 - 63<br>Uncontrolled Diabetics : > 64                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | mmol/mol    | Roche         |
| Estimated Average Glucose                          | 115           | This test is a calculated glucose level over the past 2-3 months period based on your HbA1c result.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | mg/dL       | Roche         |
| Urea                                               | 32            | 15 - 71                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | mg/dL       | Roche         |
| Creatinine Serum                                   | 0.99          | 0.59-1.04                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | mg/dL       | Roche         |
| Estimated Glomerular Filtration Rate(CKD-EPI)Serum | 58.53         | >60 mL/min/BSA<br>Note: eGFR results will not be calculated for patients <18 or >70 years old.<br><br>GFR Categories in Chronic Kidney Disease (CKD)<br>GFR Category      GFR (mL/min/1.73 square meters)<br>G1      90 or greater      Normal to high*<br>G2      60-89      Mild decrease*<br>G3a      45-59      Mild to moderate decrease<br>G3b      30-44      Moderate to severe decrease<br>G4      15-29      Severe decrease<br>G5      14 or less      Kidney failure                                                                                                                                                                   | mL/min/BSA  | Roche         |
| Uric Acid.Serum                                    | 3.05          | 2.7-6.1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | mg/dL       | Roche         |

پزشک: آقای دکتر سیدمسعود ارزاقی

پذیرش: ۱۴۰۴/۰۶/۲۷

صفحه: ۳ از ۶

کدملی: ۱۲۲۹۶۰۷۸۰۳



نام: خانم مهوش بدیعی

سن: ۶۸ سال

شماره: ۴۸۶۴۴۲



## Blood Biochemistry Continue

|                                             |       |                                                                                                                                                                                                                                                                                                                                                |        |       |
|---------------------------------------------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-------|
| Triglycerides,serum                         | 87    | Normal: <150<br>Borderline high: 150-199<br>High: 200-499<br>Very high: > or =500                                                                                                                                                                                                                                                              | mg/dL  | Roche |
| HDL-Cholesterol                             | 65    | adults ages 18 and up:<br>Males:> or =40<br>Females:> or =50                                                                                                                                                                                                                                                                                   | mg/dL  | Roche |
| LDL-Cholesterol                             | 101   | Desirable:129 or less (99 or less if patient has CHD)<br>Borderline:130-159<br>High Risk:160 or greater                                                                                                                                                                                                                                        | mg/dL  | Roche |
| LDL/HDL Ratio                               | 1.55  | Low Risk : < 4.0<br>Mod. Risk : 4.0-6.0<br>High Risk : > 6.0                                                                                                                                                                                                                                                                                   | Ratio  | Roche |
| Phosphorus (Inorganic),Serum                | 3.5   | 2.5-4.5                                                                                                                                                                                                                                                                                                                                        | mg/dL  | Roche |
| Sodium(Na),Serum                            | 144.9 | 135-145                                                                                                                                                                                                                                                                                                                                        | mmol/L | ISE   |
| Potassium(K),Serum                          | 4.38  | 3.6-5.2                                                                                                                                                                                                                                                                                                                                        | mmol/L | ISE   |
| Aspartate Aminotransferase (AST) (GOT)Serum | 22    | 8-43                                                                                                                                                                                                                                                                                                                                           | U/L    | Roche |
| Alanine Aminotransferase (ALT) (GPT)Serum   | 18    | > or =1 year: 7-45                                                                                                                                                                                                                                                                                                                             | U/L    | Roche |
| Alkaline Phosphatase.Total(*1)              | 85    | 35-104                                                                                                                                                                                                                                                                                                                                         | U/L    | Roche |
| Bilirubin ,Total                            | 0.55  | Total Bilirubin<br>0-6 days: Refer to <a href="http://www.bilitool.org">www.bilitool.org</a> for information on age-specific (postnatal hour of life) serum bilirubin values.<br>7-14 days: <15.0<br>15 days to 17 years: < or =1.0<br>> or =18 years: < or =1.2                                                                               | mg/dL  | Roche |
| Lactic Acid Dehydrogenase(LDH)              | 242   | F:135-214<br>M<br>135-225<br>Children(2-15y):120-300<br>Newborns(4-20d):225-600<br>Consensus values(M&F):Up to 250                                                                                                                                                                                                                             | U/L    | Roche |
| Creatine Kinase (CK),Serum                  | 201   | Males<br>< or =3 months: not established<br>>3 months: 39-308<br>Females<br>< or =3 months: not established<br>>3 months: 26-192<br>Reference values have not been established for patients that are less than 3 months of age.<br>Note: Strenuous exercise or intramuscular injections may cause transient elevation of creatine kinase (CK). | U/L    | Roche |

(\*1)Depending on the test method, the test Result can be interpreted within the specified reference interval.

پزشک: آقای دکتر سیدمسعود ارزاقی

پذیرش: ۱۴۰۴/۰۶/۲۷

صفحه: ۴ از ۶

کدملی: ۱۲۲۹۶۰۷۸۰۳



نام: خانم مهوش بدیعی

سن: ۶۸ سال

شماره: ۴۸۶۴۴۲



## Blood Hormone&Tumor Markers

|                                                  | <u>Result</u> | <u>Reference Interval</u>                                                                                                                                                                                                                                                                                                                                                                                 | <u>Unit</u> | <u>Method</u> |
|--------------------------------------------------|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|---------------|
| T4-ECL                                           | <b>8.27</b>   | 5.10-14.10                                                                                                                                                                                                                                                                                                                                                                                                | µg/dL       | ECL           |
| T3,Total-ECL                                     | <b>0.84</b>   | 0.8-2.00                                                                                                                                                                                                                                                                                                                                                                                                  | ng/mL       | ECL           |
| TSH-Hypersensitive-ECL                           | <b>2.39</b>   | 0.30 - 4.20/1st trimester(10-13 W)<br>Gest:0.03-3.40<br>2nd trimester(14-20 W)Gest:0.19-4.06                                                                                                                                                                                                                                                                                                              | mIU/L       | ECL           |
| T4,Free-ECL                                      | <b>1.39</b>   | 0.90-1.70                                                                                                                                                                                                                                                                                                                                                                                                 | ng/dL       | ECL           |
| T3,Free-ECL                                      | <b>2.15</b>   | 2.0-4.4                                                                                                                                                                                                                                                                                                                                                                                                   | pg/ml       | ECL           |
| Ferritin-ECL                                     | <b>101.10</b> | 11-328                                                                                                                                                                                                                                                                                                                                                                                                    | ng/mL       | ECL           |
| Parathyroid Hormone(PTH),Intact-ECL              | <b>51.11</b>  | <1 month: 7.0-59<br>4 weeks-11 months: 8.0-61<br>12 months-10 years: 11-59<br>11 years-17 years: 15-68<br>18 years and older: 15-65                                                                                                                                                                                                                                                                       | pg/ml       | ECL           |
| α-Fetoprotein(AFP)-ECL                           | <b>2.92</b>   | <6.0<br>Reference values are for nonpregnant subjects only<br>fetal production of AFP<br>elevates values in pregnant women.<br>Pregnancy Range:<br>14 week : UP to 27.9<br>14-15 week : 27.9-30.9<br>15-16 week : 30.9-36.1<br>16-17 week : 36.1-40.4<br>17-18 week : 40.4-48.3<br>18-19 week : 48.3-54.8<br>CSF:>18 years:0-1                                                                            | ng/mL       | ECL           |
| Thyroglobulin,Tumor Marker, Serum-ECL            | <b>51.10</b>  | 3.5-56                                                                                                                                                                                                                                                                                                                                                                                                    | ng/mL       | ELISA         |
| Carcinoembryonic Antigen (CEA)-ECL               | <b>0.98</b>   | Nonsmokers: < or =3.0<br>Some smokers may have elevated CEA, usually <5.0<br>Serum markers are not specific for malignancy, and values may vary by method.                                                                                                                                                                                                                                                | ng/mL       | ECL           |
| Cancer Antigen-Breast (CA 15-3)-ECL              | <b>11.28</b>  | Males: <30 (use not defined)<br>Females: <30                                                                                                                                                                                                                                                                                                                                                              | U/mL        | ECL           |
| Cancer{Carbohydrate}Antigen-GI(CA 19-9)Serum-ECL | <b>10.12</b>  | <35                                                                                                                                                                                                                                                                                                                                                                                                       | U/mL        | ECL           |
| Cancer Antigen 125 (CA125)ECL                    | <b>5.26</b>   | Males: Not applicable<br>Females: <46                                                                                                                                                                                                                                                                                                                                                                     | U/mL        | ECL           |
| 25-Hydroxyvitamin D2 and D3(Total),Serum         | <b>41.80</b>  | <10 (severe deficiency)*<br>10-19 (mild to moderate deficiency)**<br>20-50 (optimum levels)***<br>51-80 (increased risk of hypercalciuria)****<br>>80 (toxicity possible)*****<br>*Could be associated with osteomalacia or rickets<br>**May be associated with increased risk of osteoporosis or secondary hyperparathyroidism<br>***Optimum levels in the healthy population patients with bone disease | ng/mL       | ECL           |

پزشک: آقای دکتر سیدمسعود ارزاقی

پذیرش: ۱۴۰۴/۰۶/۲۷

صفحه: ۵ از ۶

کدملی: ۱۲۲۹۶۰۷۸۰۳



نام: خانم مهوش بدیعی

سن: ۶۸ سال

شماره: ۴۸۶۴۴۲



## Blood Hormone&Tumor Markers Continue

may benefit from higher levels within this range

\*\*\*\*Sustained levels >50 ng/mL

25OH-VitD along with prolonged calcium supplementation may lead to hypercalciuria and decreased renal function

\*\*\*\*\*80 ng/mL is the lowest reported level associated with toxicity in patients without primary hyperparathyroidism who have normal renal function. Most patients with toxicity have levels >150 ng/mL. Patients with renal failure can have very high 25-OH-VitD levels without any signs of toxicity as renal conversion to the active hormone 1. 25-OH-VitD is impaired or absent

Folate,Serum-ECL

13.00

3.1-20.5

ng/mL

CMIA

## Serology&Immunology

C-Reactive  
Protein(CRP)Titer,Roche

Result

0.99

Reference Interval

Adults : <4.9

Unit

mg/L

Method

Roche

Rheumatoid  
Arthritis(RA)Factor(Titer,Roche)

2.14

<14

IU/mL

Roche

پزشک: آقای دکتر سیدمسعود ارزاقی

پذیرش: ۱۴۰۴/۰۶/۲۷

صفحه: ۶ از ۶

کدملی: ۱۲۲۹۶۰۷۸۰۳



نام: خانم مهوش بدیعی

سن: ۶۸ سال

شماره: ۴۸۶۴۴۲



## Urine Analysis

### Urinalysis-Complete-Includes Microscopic

*UrineA&C*

#### Macroscopic.

|                      |                 |
|----------------------|-----------------|
| Color                | <b>Yellow</b>   |
| Appearance           | <b>Clear</b>    |
| Specific Gravity     | <b>1.017</b>    |
| pH                   | <b>5</b>        |
| Proteins             | <b>Negative</b> |
| Glucose              | <b>Negative</b> |
| Bilirubin            | <b>Negative</b> |
| Urobilinogen.Semi-Qn | <b>0.3</b>      |
| Keton                | <b>Negative</b> |
| Nitrite              | <b>Negative</b> |
| Hemoglobin           | <b>Negative</b> |
| Blood                | <b>Negative</b> |

#### Microscopic.

|                             |                 |
|-----------------------------|-----------------|
| WBC                         | <b>1-2</b>      |
| RBC                         | <b>0-1</b>      |
| Epithelial Cells(Non renal) | <b>0-1</b>      |
| Bacteria                    | <b>Few</b>      |
| Mucus Threads               | <b>Negative</b> |
| Casts                       | <b>Negative</b> |
| Yeast                       | <b>Negative</b> |
| Crystals                    | <b>Negative</b> |

## Microbiology

### Urine Culture&Sensitivity

Culture

**No significant of bacteria growth after 24 hr.**

## Infectious disease

|                   | <u>Result</u>  | <u>Reference Interval</u>                               | <u>Unit</u> | <u>Method</u> |
|-------------------|----------------|---------------------------------------------------------|-------------|---------------|
| Anti-H.Pylori-IgG | <b>80.7* H</b> | <8.0 Negative<br>8.0-12.0 Equivocal<br>>12.0 Positive   | U/mL        | ELISA         |
| Anti-H.Pylori-IgM | <b>9.5</b>     | < 8.0 Negative<br>8.0-11.0 Borderline<br>>11.0 Positive | Au/ml       | ELISA         |
| Anti-H.Pylori-IgA | <b>38.1* H</b> | <8 Negative<br>8-12 Equivocal<br>>12 Positive           | U/mL        | ELISA         |

\* = Confirmed by Repeated Analysis

Dr.A. Alvandi Manesh, Dr.GH. R. Hamzehloo, Dr. N.Pashaei, Dr. N.Sadeghi, Dr.Dastmalchi, Dr h. Darabi

