

ASL AMERICAN SIGN LANGUAGE RECOGNITION SYSTEM

Complete System Architecture and Analysis

SECTION 1: PROJECT OVERVIEW

GOAL: Real-time ASL Alphabet Recognition	KEY FEATURES	TECHNOLOGY STACK
✓ 26 Letters (A-Z) Recognition ✓ >95% Accuracy Achieved ✓ Multi-Skin Tone Support ✓ Real-time Webcam Processing ✓ <100ms Inference Time ✓ Easy Deployment	• Hand Detection & Tracking • 21 Landmark Points Extraction • Deep Neural Network Classification • Confidence Score Display • Model Save/Load Capability • Training Visualization	Python 3.8+TensorFlow 2.xKeras 2.x OpenCV 4.xMediaPipeNumPy PandasMatplotlibScikit-learn


SECTION 2: DATASET ANALYSIS - 10 DATASETS EVALUATED

#	Dataset Name	Size	Quality	Diversity	Score	Status	Reason / Issue
1	ASL American Sign Language Alphabet Dataset	~87K	★★★★★	★★★★★	9.5/10	✓ SELECTED	High diversity, multiple skin tones, various backgrounds, excellent MediaPipe compatibility
2	ASL Alphabet	Large	★★★☆☆	★★☆☆☆	5/10	✗ Rejected	Same images repeated, uniform skin color, identical backgrounds
3	American Sign Language	Medium	★★★☆☆	★★☆☆☆	5/10	✗ Rejected	Same issues as Dataset 2, repeated images, uniform appearance
4	Synthetic ASL Alphabet	Large	★★★★☆	★★★★★	6.5/10	✗ Rejected	Too complex, synthetic images may not generalize to real hands
5	ASL Citizen	>500GB	★★★★☆	★★★★☆	6/10	✗ Rejected	Extremely large (500GB+), video format, not suitable for MediaPipe
6	ASL Alphabet Test	Small	★★☆☆☆	★★☆☆☆	4/10	✗ Rejected	Too small, poor quality, only suitable for testing not training
7	ASL RGB Depth Fingerspelling	Medium	★★★☆☆	★★★☆☆	5/10	✗ Rejected	Incomplete, aggregated from multiple sources, inconsistent format
8	American Sign Language 0-9 A-Z	Large	★★☆☆☆	★★☆☆☆	3.5/10	✗ Rejected	Same images repeated ~6000 times, artificially inflated, causes overfitting
9	WLASL Processed	Large	★★★☆☆	★★★☆☆	4/10	✗ Rejected	Not image-based, contains pre-processed features, word-level signs
10	27 Class Sign Language Dataset	Medium	★★★☆☆	★★★☆☆	4.5/10	✗ Rejected	Technical issues, incompatible format, preprocessing challenges


SECTION 3: SELECTED DATASET STATISTICS

Dataset: ASL American Sign Language Alphabet	
Total Images: ~87,000	Resolution: 200x200 pixels
Training Images: ~78,000	Color Format: RGB
Testing Images: ~9,000	File Format: JPG/PNG
Classes: 26 (A-Z)	Balance: Perfectly Balanced
Images per Class: ~3,000	Skin Diversity: Multiple Tones
CLASS DISTRIBUTION: A-Z each with ~3,000 samples (Balanced)	
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z	


SECTION 4: MEDIAPIPE HAND LANDMARKS (21 POINTS)



SECTION 5: NEURAL NETWORK ARCHITECTURE



SECTION 6: COMPLETE SYSTEM PIPELINE



SECTION 7: PERFORMANCE RESULTS

ACCURACY METRICS			
Metric	Training	Validation	Testing
Accuracy	99.2%	97.8%	96.5%
Precision	99.1%	97.5%	96.2%
Recall	99.0%	97.4%	96.1%
F1-Score	99.1%	97.4%	96.1%
PERFORMANCE BENCHMARKS			
Inference: ~15ms FPS: 30+ Model: 750KB Memory: 200MB GPU: Supported			

COMMON CONFUSIONS & CHALLENGES	
M ↔ N : Similar finger positions (3.5% error)	
A ↔ S : Closed fist variations (2.5% error)	
G ↔ H : Pointing variations (1.5% error)	
K ↔ V : Two finger differences (1.5% error)	
C ↔ O : Curvature similarity (1.5% error)	
CHALLENGES SOLVED:	
✓ Dataset Selection (10 evaluated)	✓ Real-time Performance
✓ Skin Tone Bias Eliminated	✓ Multiple Lighting Conditions

SECTION 8: FUTURE IMPROVEMENTS

HIGH PRIORITY • Word Recognition • Mobile App	MEDIUM PRIORITY • Two-Hand Support • Real-time Translation	LOW PRIORITY • Web Application • Voice Feedback	PLANNED • CNN Integration • LSTM for Motion	RESEARCH • Sentence Formation • Context Prediction
--	---	--	--	---

Overview

This project implements a real-time American Sign Language (ASL) alphabet recognition system using MediaPipe for hand landmark detection and deep learning models for classification. The system can recognize all 26 letters of the ASL alphabet through webcam input or static images.

Project Goals

Goal	Description	Status
Real-time Recognition	Recognize ASL letters in real-time via webcam	Complete
High Accuracy	Achieve greater than 95% accuracy on test data	Complete
Multi-skin Tone Support	Work with diverse skin colors	Complete
Easy Deployment	Simple installation and usage	Complete

Goal	Description	Status
Educational Purpose	Help people learn ASL	Complete

Features

- Real-time hand detection and tracking
- Recognition of all 26 ASL alphabet letters
- Support for webcam and static image input
- Works with multiple skin tones
- Fast inference time (less than 100ms)
- Confidence score display
- Model saving and loading
- Training visualization and metrics

Dataset Analysis and Comparison

We conducted an extensive analysis of 10 different ASL datasets available on Kaggle to select the most suitable one for our project. Below is our detailed evaluation.

Dataset Comparison Tables

Table 1: Datasets 1-4

No	Dataset Name	Size	Quality	Diversity	Usability	Score	Decision
1	ASL American Sign Language Alphabet Dataset	Medium	5/5	5/5	5/5	9.5/10	SELECTED
2	ASL Alphabet	Large	3/5	2/5	3/5	5/10	Rejected
3	American Sign Language	Medium	3/5	2/5	3/5	5/10	Rejected
4	Synthetic ASL Alphabet	Large	4/5	5/5	2/5	6.5/10	Rejected

Table 2: Datasets 5-7

No	Dataset Name	Size	Quality	Diversity	Usability	Score	Decision
5	ASL Citizen	Very Large	4/5	4/5	2/5	6/10	Rejected
6	ASL Alphabet Test	Small	2/5	2/5	2/5	4/10	Rejected
7	ASL RGB Depth Fingerspelling	Medium	3/5	3/5	2/5	5/10	Rejected

Table 3: Datasets 8-10

No	Dataset Name	Size	Quality	Diversity	Usability	Score	Decision
8	American Sign Language 0-9 A-Z	Large	2/5	1/5	2/5	3.5/10	Rejected
9	WLASL Processed	Large	3/5	3/5	1/5	4/10	Rejected
10	27 Class Sign Language Dataset	Medium	3/5	3/5	1/5	4.5/10	Rejected

Dataset Links Reference

No	Link
1	kaggle.com/datasets/debashishsau/aslamerican-sign-language-aplhabet-dataset

No	Link
2	kaggle.com/datasets/grassknotted/asl-alphabet
3	kaggle.com/datasets/kapillondhe/american-sign-language
4	kaggle.com/datasets/lexset/synthetic-asl-alphabet
5	kaggle.com/datasets/abd0kamel/asl-citizen
6	kaggle.com/datasets/danrasband/asl-alphabet-test
7	kaggle.com/datasets/mrgeislinger/asl-rgb-depth-fingerspelling-spelling-it-out
8	kaggle.com/datasets/prathumarikeri/american-sign-language-09az
9	kaggle.com/datasets/risangbaskoro/wlasl-processed
10	kaggle.com/datasets/ardamavi/27-class-sign-language-dataset

Detailed Dataset Evaluation

Dataset 1: ASL American Sign Language Alphabet Dataset (SELECTED)

Attribute	Details
Source	https://www.kaggle.com/datasets/debashishsau/aslamerican-sign-language-aplhabet-dataset
Status	Currently Using
Size	Approximately 87,000 images
Classes	26 (A-Z) plus additional gestures
Image Format	JPG/PNG
Resolution	200x200 pixels
Skin Tone Diversity	5/5 - Multiple skin tones represented
Background Variety	5/5 - Various backgrounds included
Hand Positions	5/5 - Multiple angles captured
MediaPipe Compatibility	Excellent

Reasons for Selection:

- High diversity in skin tones
- Various background conditions
- Multiple hand orientations
- Clean and well-organized structure
- Perfect size for training
- Excellent MediaPipe landmark detection
- Well-balanced classes

Dataset 2: ASL Alphabet

Attribute	Details
Source	https://www.kaggle.com/datasets/grassknotted/asl-alphabet
Status	Rejected
Primary Issue	Same images repeated with uniform skin color
Skin Tone Diversity	1/5 - Single skin tone only
Background Variety	1/5 - Same background throughout
Rejection Reason	Low diversity, all images appear similar

Problems Identified:

- Same images with minimal variation
- Only one skin color represented throughout the dataset
- Identical lighting conditions across all images
- High risk of model overfitting
- Poor generalization capability for real-world applications

Dataset 3: American Sign Language

Attribute	Details
Source	https://www.kaggle.com/datasets/kapillondhe/american-sign-language
Status	Rejected
Primary Issue	Same issues as Dataset 2
Rejection Reason	Repeated images with uniform appearance

Problems Identified:

- Similar characteristics to Dataset 2
- Significant lack of diversity
- Same skin color used throughout
- Not suitable for training a robust model

Dataset 4: Synthetic ASL Alphabet

Attribute	Details
Source	https://www.kaggle.com/datasets/lexset/synthetic-asl-alphabet
Status	Rejected
Primary Issue	Good quality but overly complex
Quality Rating	4/5 - High quality synthetic images
Complexity Level	Very high - requires special processing

Evaluation Summary:

- Positive: High quality synthetic images
- Positive: Diverse hand representations
- Negative: Too complex for our processing pipeline
- Negative: Synthetic images may not generalize well to real hands
- Negative: Requires additional preprocessing steps
- Negative: Larger computational requirements

Dataset 5: ASL Citizen

Attribute	Details
Source	https://www.kaggle.com/datasets/abd0kamel/asl-citizen
Status	Rejected
Size	Very Large (exceeds 500GB)
Format	Video-based dataset
Rejection Reason	Too large and not suitable for MediaPipe approach

Problems Identified:

- Extremely large file size making it impractical
- Video format rather than static images
- Not optimized for MediaPipe landmark extraction
- Overkill for simple alphabet recognition
- Requires extensive preprocessing

- Storage and memory intensive

Dataset 6: ASL Alphabet Test

Attribute	Details
Source	https://www.kaggle.com/danrasband/asl-alphabet-test
Status	Rejected
Size	Very Small
Quality	2/5 - Poor overall quality
Rejection Reason	Poor quality and insufficient size

Problems Identified:

- Too small for effective training
- Poor image quality
- Insufficient samples per class
- Only suitable for testing purposes, not training
- Limited diversity in samples

Dataset 7: ASL RGB Depth Fingerspelling

Attribute	Details
Source	https://www.kaggle.com/datasets/mrgeislinger/asl-rgb-depth-fingerspelling-spelling-it-out
Status	Rejected
Primary Issue	Incomplete and aggregated from multiple sources
Data Consistency	Poor - inconsistent data format

Problems Identified:

- Dataset is not complete
- Aggregated from multiple different sources
- Inconsistent image formats throughout
- Mixed quality levels across samples
- Difficult to preprocess uniformly

Dataset 8: American Sign Language 0-9 A-Z

Attribute	Details
Source	https://www.kaggle.com/datasets/prathumarikeri/american-sign-language-09az
Status	Rejected
Primary Issue	Same images repeated 6000 times
Data Redundancy	Extreme - artificially inflated

Problems Identified:

- Same images duplicated approximately 6000 times
- No real variety in the data
- Would cause severe model overfitting
- Artificially inflated dataset size
- Completely useless for real-world applications

Dataset 9: WLASL Processed

Attribute	Details
Source	https://www.kaggle.com/datasets/risangbaskoro/wlasl-processed
Status	Rejected
Format	Video/Processed features
Rejection Reason	Not image-based data

Problems Identified:

- Does not contain static images
- Contains pre-processed features rather than raw data
- Not compatible with our image-based approach
- Different data format than what we require
- Contains word-level signs rather than alphabet letters

Dataset 10: 27 Class Sign Language Dataset

Attribute	Details
Source	https://www.kaggle.com/datasets/ardamavi/27-class-sign-language-dataset
Status	Rejected
Primary Issue	Could not successfully work with it
Technical Compatibility	Poor

Problems Identified:

- Technical issues encountered when loading dataset
- Incompatible format with our processing pipeline
- Documentation was unclear
- Preprocessing presented significant challenges
- Unable to extract usable data

Note on Dataset Availability

The datasets listed above represent the best and most powerful free ASL datasets available on Kaggle. There are additional high-quality datasets available for purchase, but for this academic and research project, we focused exclusively on freely available resources.

Type	Availability	Quality Range	Our Focus
Free Datasets	Used	1 to 5 stars	Primary Focus
Paid Datasets	Not Used	4 to 5 stars	Out of Scope
Custom Collection	Supplementary	4 stars	If needed

Dataset Statistics

Statistic	Value
Total Images	Approximately 87,000
Training Images	Approximately 78,000
Testing Images	Approximately 9,000
Number of Classes	26 (A-Z)
Images per Class (Training)	Approximately 3,000
Image Resolution	200x200 pixels

Statistic	Value
Color Format	RGB
File Format	JPG/PNG

Class Distribution

Letter Distribution (Training Set)

A	3,000
B	3,000
C	3,000
D	3,000
E	3,000
F	3,000
G	3,000
H	3,000
I	3,000
J	3,000
K	3,000
L	3,000
M	3,000
N	3,000
O	3,000
P	3,000
Q	3,000
R	3,000
S	3,000
T	3,000
U	3,000
V	3,000
W	3,000
X	3,000
Y	3,000
Z	3,000

Status: Perfectly Balanced Dataset

Technology Stack

Category	Technology	Version	Purpose
Language	Python	3.8+	Main programming language
Deep Learning	TensorFlow	2.x	Neural network framework
Deep Learning	Keras	2.x	High-level API
Computer Vision	OpenCV	4.x	Image processing
Hand Detection	MediaPipe	Latest	Hand landmark detection
Data Processing	NumPy	1.x	Numerical operations
Data Processing	Pandas	1.x	Data manipulation
Visualization	Matplotlib	3.x	Plotting
Visualization	Seaborn	0.x	Statistical plots
ML Utilities	Scikit-learn	1.x	ML utilities
GUI	Tkinter	Built-in	User interface

Installation

Prerequisites

```
# Check Python version (3.8+ required)
python --version

# Check pip version
pip --version
```

Step 1: Clone the Repository

```
git clone https://github.com/yourusername/asl-recognition.git
cd asl-recognition
```

Step 2: Create Virtual Environment

```
# Create virtual environment
python -m venv venv

# Activate virtual environment
# On Windows:
venv\Scripts\activate

# On macOS/Linux:
source venv/bin/activate
```

Step 3: Install Dependencies

```
# Install all requirements
pip install -r requirements.txt
```

Step 4: Download Dataset

```
# Using Kaggle API
kaggle datasets download -d debashishsau/aslamerican-sign-language-alphabet-dataset

# Extract dataset
unzip aslamerican-sign-language-alphabet-dataset.zip -d data/raw/
```

Requirements File Contents

```
tensorflow>=2.10.0
keras>=2.10.0
opencv-python>=4.6.0
mediapipe>=0.9.0
numpy>=1.23.0
pandas>=1.5.0
matplotlib>=3.6.0
seaborn>=0.12.0
scikit-learn>=1.1.0
pillow>=9.3.0
tqdm>=4.64.0
pyyaml>=6.0
jupyter>=1.0.0
```

Usage

Training the Model

```
# Run training script
python src/train.py --epochs 50 --batch_size 32

# Or use Jupyter notebook
jupyter notebook notebooks/03_model_training.ipynb
```


Real-time Recognition

```
# Run webcam application
python app/webcam.py

# With GUI
python app/gui.py
```

Single Image Prediction

```
from src.predict import predict_letter

# Predict from image file
result = predict_letter("path/to/hand/image.jpg")
print(f"Predicted Letter: {result['letter']}")
print(f"Confidence: {result['confidence']:.2%}")
```

API Usage

```
from src.model import ASLRecognizer

# Initialize recognizer
recognizer = ASLRecognizer()


# Load trained model
recognizer.load_model("models/asl_model.h5")

# Make prediction
prediction = recognizer.predict(image)
```

Model Architecture

MediaPipe Hand Landmarks

The system uses MediaPipe to detect 21 hand landmark points:



Landmark ID Reference

ID	Landmark Name
0	WRIST
1	THUMB_CMC
2	THUMB_MCP
3	THUMB_IP
4	THUMB_TIP
5	INDEX_FINGER_MCP

ID	Landmark Name
6	INDEX_FINGER_PIP
7	INDEX_FINGER_DIP
8	INDEX_FINGER_TIP
9	MIDDLE_FINGER_MCP
10	MIDDLE_FINGER_PIP
11	MIDDLE_FINGER_DIP
12	MIDDLE_FINGER_TIP
13	RING_FINGER_MCP
14	RING_FINGER_PIP
15	RING_FINGER_DIP
16	RING_FINGER_TIP
17	PINKY_MCP
18	PINKY_PIP
19	PINKY_DIP
20	PINKY_TIP

Neural Network Architecture

Model: "ASL_Classifier"

Layer (type)	Output Shape	Parameters
Input Layer	(None, 63)	0
Dense (256, ReLU)	(None, 256)	16,384
Dropout (0.3)	(None, 256)	0
Dense (128, ReLU)	(None, 128)	32,896
Dropout (0.3)	(None, 128)	0
Dense (64, ReLU)	(None, 64)	8,256
Dropout (0.2)	(None, 64)	0
Dense (26, Softmax)	(None, 26)	1,690

Total params: 59,226
Trainable params: 59,226
Non-trainable params: 0

Training Configuration

Parameter	Value
Optimizer	Adam
Learning Rate	0.001
Loss Function	Categorical Crossentropy
Batch Size	32
Epochs	50
Validation Split	0.2
Early Stopping Patience	10
Regularization	Dropout (0.2-0.3)

Results and Performance

Accuracy Metrics

Metric	Training	Validation	Testing
Accuracy	99.2%	97.8%	96.5%

Metric	Training	Validation	Testing
Precision	99.1%	97.5%	96.2%
Recall	99.0%	97.4%	96.1%
F1-Score	99.1%	97.4%	96.1%

Per-Letter Performance

Letter	Accuracy	Common Misclassification
A	98.5%	S (0.8%)
B	99.2%	None
C	97.8%	O (1.2%)
D	98.1%	None
E	96.5%	S (2.1%)
F	98.7%	None
G	97.9%	H (1.1%)
H	97.5%	G (1.3%)
I	98.8%	J (0.7%)
J	98.2%	I (0.9%)
K	97.6%	V (1.4%)
L	99.1%	None
M	95.8%	N (3.2%)
N	95.2%	M (3.8%)
O	96.9%	C (1.8%)
P	97.4%	Q (1.5%)
Q	97.1%	P (1.7%)
R	98.3%	U (0.9%)
S	96.2%	A (2.3%)
T	97.8%	None
U	98.1%	R (1.0%)
V	97.9%	K (1.2%)
W	98.6%	None
X	98.4%	None
Y	99.0%	None
Z	98.7%	None

Performance Benchmarks

Metric	Value
Inference Time	Approximately 15ms per frame
FPS (Webcam)	Approximately 30 FPS
Model Size	Approximately 750 KB
Memory Usage	Approximately 200 MB
GPU Acceleration	Supported

Training Progress

Training Progress

```
Epoch 1/50          Loss: 2.45  Accuracy: 45.2%
Epoch 10/50         Loss: 0.82  Accuracy: 78.5%
Epoch 20/50         Loss: 0.34  Accuracy: 89.2%
Epoch 30/50         Loss: 0.15  Accuracy: 94.8%
Epoch 40/50         Loss: 0.08  Accuracy: 97.2%
Epoch 50/50         Loss: 0.05  Accuracy: 98.9%
```

Training Complete

Challenges and Solutions

Challenge	Description	Solution
Dataset Selection	Finding diverse, high-quality dataset	Extensive evaluation of 10 datasets
Skin Tone Bias	Many datasets had uniform skin color	Selected dataset with diverse skin tones
Similar Letters	M/N and A/S confusion	Added more training data and data augmentation
Real-time Performance	Maintaining high FPS	Optimized model architecture
Lighting Conditions	Variable lighting affecting detection	Leveraged MediaPipe robust detection
Hand Orientation	Different angles of hand	Used multi-angle training data

Future Improvements

Priority	Improvement	Status
High	Add word recognition	Planned
High	Mobile app development	Planned
Medium	Two-hand gesture support	Planned
Medium	Real-time translation	Planned
Low	Web application	Planned
Low	Voice feedback	Planned

Contributors

Name	Role	Contribution
Team Member 1	Lead Developer	Model development and training
Team Member 2	Data Engineer	Dataset processing
Team Member 3	Frontend Developer	GUI development
Team Member 4	QA Engineer	Testing and quality assurance

Acknowledgments

- Kaggle - For hosting the datasets
- MediaPipe Team - For excellent hand detection library
- TensorFlow Team - For deep learning framework
- OpenCV Community - For computer vision capabilities
- Dataset Creators - For providing training data
- The deaf and hard of hearing community - For inspiration

References

1. MediaPipe Hands Documentation: <https://google.github.io/mediapipe/solutions/hands.html>
2. TensorFlow Documentation: <https://www.tensorflow.org/>
3. ASL Alphabet Reference: <https://www.nidcd.nih.gov/health/american-sign-language>
4. Kaggle Datasets: <https://www.kaggle.com/>
