

HAPPINESS STARTS IN YOUR KITCHEN

Since its inception in 1996, FOTILE has carved a niched in the industry of being the No 1 high-end kitchen appliances brand in China, specializes in developing built-in kitchen appliances like hoods, hobs, ovens, combi ovens, microwave ovens, steam ovens, dishwashers and water purifier.

We have the largest R&D center in the world, covering an area of **8000sqm**. With technology, innovation design and performance as the key factors in Fotile manufacturing, we have achieved **16300+** patents in product and **4300+^{**}** in invention, bringing innovative and good quality product to over **17 millions** of families around the world. FOTILE commitments to excellence not only bringing satisfaction to our customers, we have won a numerous international accolade namely RedDots design awards, IF Product Design Award that uplifting the industry standard of designs and product innovations.

At FOTILE, our business is built on the foundation of product innovation and creating kitchen appliances that are functional, stylish and family oriented. That is why FOTILE is constantly inventing, designing and creating extraordinary products while maintaining its reputation as a leading kitchen expert that puts families at the first place.

Marking a remarkable milestone, FOTILE has launched its first largest kitchen appliances gallery named the "Fotile Style," located at TaoJiang road, Shanghai, in year 2012. This gallery showcasing the brand's most prestigious kitchen appliances. A 'futuristic corner' is introduced in this gallery, allows visitors to take a glimpse into some of FOTILE'S most innovative technology.

With over 20 years of experience in servicing Malaysian customers, FOTILE Marketing Sdn.Bhd as the sole distributor of FOTILE kitchen appliances in Malaysia, has the expertise to offer functional and stylish kitchen appliances that suited to Asian cooking.

Today, FOTILE Malaysia enjoys its position as a reputable premium kitchenware brand in Malaysia with a strong following of happy and satisfied customers. We strive to innovate our product and service, providing a full spectrum of cooking solutions that caters to every Malaysian kitchen need.

• Dusseldorf, Germany; Osaka, Japan; Ningbo, China ; three global centers

• Revise international standards* for extractor hoods

* IEC 60335-2-31: Household and Similar Electrical Appliances-Safety-Part

2-31: Particular Requirements for Range Hoods and Other Cooking Fume Extractors

** Data as of Oct , 2025

Refrigerator: 2-year warranty for general parts, 15-year for refrigerator's compressor*

* Terms & Conditions apply

 www.fotile.com.my

  FOTILEMalaysia

 +603-8602 9289 (HQ)

 016-207 8978

— Built-in Refrigerator —
The Beauty of Simplicity



Designed by
Arman Emami

Arman Emami



The new generation of seamless integrated design

Beauty of simplicity

Seamless Luxury, Perfectly Integrated

575mm
Ultra-slim body



3 “Freshness” Innovations

Air Control


Air Refresh

Air Circle Pro



0mm
*Seamless
built-in

800mm
Countertop-level integration



Exclusive Luxury Experience

Intuitive & humanized
smart interaction



Bottom air inlet design ensures ventilation
throughout the refrigerator.

Designed by Arman Emami, Founder and
Managing Director of the EMAMI DESIGN,
this creation is elegant and refined.



EMAMIDESIGN

*EMAMI DESIGN has earned over 106
international design awards, including 9
Red Dot “Best of the Best” award.

The Evolution of Fresh-Keeping Technology

BEFORE 2008

**Temperature Control:
0°C Preservation and Gentle Freezing**

Maintains stable temperatures through refrigerator's cooling system, serving as the foundation of freshness technology.

2009-2015

**Humidity Control: Moisture-retaining
drawers and ultrasonic humidification**

Relatively simple technology with limited perceived value for users

2016-2023

**Oxygen Control Preservation
(reduce oxygen levels)**

Vacuum Preservation (0.8 atm), while oxygen control preservation lowers oxygen concentration, its reduction rate is limited, leading to moisture loss in fruits and vegetables.


2024~NOW

**Nitrogen Preservation
(increase nitrogen concentration)**

Built upon precise temperature control, it creates a high-nitrogen sealed environment that keeps fruits and vegetables fresh — aligning perfectly with consumers' expectations.



3 Innovative
“Freshness” Technologies
Preserving the Pure Taste
of Every Ingredient



Air Control
— Nitrogen Preservation Technology

Restoring Ingredients to Original Freshness

In collaboration with leading technology experts, FOTILE has spent three years in dedicated research, bringing advanced marine-grade MAP preservation technology into your refrigerator.

Freshness Preserved to Perfection




First refrigerator in the industry featuring
nitrogen-generation system, with Marine-Grade MAP Preservation Technology

Utilizing advanced marine MAP preservation technology, the system precisely regulates the optimal nitrogen-to-oxygen ratio, effectively extending the freshness of your ingredients.
(China Utility Model Patent No. ZL202322052068.1)

Triple Precision Control — Temperature, Humidity, and Oxygen

Stay a step ahead in freshness — independent cooling and perfectly sealed for ultimate hydration.





FOTILE Refrigerator	Other Refrigerator	FOTILE Refrigerator	Other Refrigerator	FOTILE Refrigerator	Other Refrigerator
Lettuce stays crisp for 7 days*		Cherries remain sweet for 7 days*		Lychees stay fresh for 7 days*	

Air Refresh

— Restorative Defrost Technology

Reviving the Natural Flavor of Ingredient

Enjoy smooth kitchen flow and lasting freshness, with a lower freezer and upper defrost compartment design.



Air Circle Pro

24-Hour Active Purification.
Pure Freshness, Every Moment

Featuring Platinum-Catalyst Deodorization, High-Energy Ion Sterilization, and a 24-Hour Air Circle Pro System to prevent cross-contamination between ingredients.



Platinum-Catalyst Deodorization

Adopting air purification-grade platinum catalyst technology to break down and eliminate odors efficiently.

Ion Sterilization*

Active high-energy ion clusters purify the entire compartment for continuous sterilization and freshness.

24-Hour Air Circle Pro System

24-hour smart ventilation keeps the refrigerator air clean and fresh.

Beef Defrosting



Room Temperature Defrosting
Meat dripping
Bacterial growth

Microwave / Steam Oven Defrosting
Meat dripping
Uneven defrosting
Texture compromised

Air Refresh Technology
No dripping
Even defrosting
Authentic flavor, perfect texture

Triple Defrost Technology

Experience uniform defrosting from surface to core — no loss of freshness, no dripping, and effortless slicing. FOTILE's exclusive Airflow Agitation Technology, combined with a metal superconductive plate, helps achieving a -3°C micro-frozen state within 4 hours. (China Utility Model Patent No. ZL202321836285.3)

Dedicated Defrost Chamber

An independent, airtight compartment prevents bacterial contamination and odor transfer.

Smart Design, Comfort In Every Move



Check freshness instantly with the seamless touch display. Designed for effortless reach and ultimate comfort.



With a gentle touch, the door opens automatically and closes in 3 seconds.

Product Specifications



H508W-F20


Door Structure	Freezer Compartment Volume
French 3-door refrigerator	170L
Electric Shock Protection Class	Variable Temperature Compartment Volume
I	18L
Cavity Capacity	Freezing Capacity
508L	10.5kg/12h
Press-to-Open Auto Door	Cooling Capacity
Available	50kg/12h
Product Dimensions (W x H x D)	Storage Configuration
984x1910x575mm	2 Adjustable Shelves, 1 Flexible Fresh-Storage Zone, 3 Freezer Drawers
Cut-out Dimensions (W x H x D)	Fruit & Vegetable Compartment
900x1915x580mm	Nitrogen Preservation Chamber
Noise Level	Defrost Chamber
36dB (A)	Defrost Compartment
Compressor Type	Adjustable Bottle Racks
Inverter	6
Cooling System	Compartment Back Panel & Inner Door Material
Dual Air-Cooling System	High Quality Sandblasted Stainless Steel
Refrigerator Compartment Volume	Door Panel Color Options
320L	Luna Grey
Absorption Or Decomposition Rate	Sterilization Rate
>99%	≥99%

Installation Diagram

When installed, the minimum clearance between the refrigerator and surrounding cabinetry can be 0 mm. However, due to factors such as cabinet deformation and uneven flooring, it is recommended that the cabinet's internal dimensions be slightly larger to ensure proper installation and ventilation.

	Refrigerator Dimensions (mm)	Recommended Cut-out Dimensions (mm)
Width	894	900
Depth	575	580
Height	1910	1915



(Unit: mm)



Remarks:

- 1.If the cabinet's internal dimensions are smaller than the recommended size, the refrigerator may not fit properly.
- 2.The cabinet's vertical deviation should be within 1 mm. Excessive deviation may affect installation or cause improper door alignment.
- 3.It is recommended to install the power socket behind the refrigerator at a height greater than 2000mm from the ground, ensure that the cabinet cable outlet hole diameter is not less than 60mm.

(Unit: mm)



Remarks: The above dimensions are design measurements. Unit of measurement is mm. Actual dimensions may vary slightly due to different measurement methods.