



Experiment 1: Fighting across rounds by previous history


Experienced history with prescribed-win rollback
























None W L WW WL LW LL

Unique sample IDs counted once. Experiment 1 includes both prescribed current outcomes; later histories reflect sequence attrition.
Denominator: all starting contests in each history; ended contests contribute zero in later rounds.

Experiment 1: Original contest endings


Experienced history with prescribed-win rollback



Unique sample IDs counted once. Experiment 1 includes both prescribed current outcomes; later histories reflect sequence attrition.
Original stopping reasons before rollback; these are not the win/loss experiences presented to the model.

Experiment 1: Outcomes presented to the model


Experienced history with prescribed-win rollback



Unique sample IDs counted once. Experiment 1 includes both prescribed current outcomes; later histories reflect sequence attrition.
Includes undelivered prescribed wins as the losses actually presented; blue represents constructed win feedback.

Experiment 2: Fighting across rounds by previous history

Supplied outcome history; conversation retained within each contest



100 contests per opponent group/history. Earlier outcomes are supplied labels.
Denominator: all starting contests in each history; ended contests contribute zero in later rounds.

Experiment 2: Original contest endings

Supplied outcome history; conversation retained within each contest



100 contests per opponent group/history. Earlier outcomes are supplied labels.
Original stopping reasons before rollback; these are not the win/loss experiences presented to the model.