

Tiled Video Wall



Product Features

- ✓ Professional grade LCD displays with LED backlit with lifespan 100,000hr
- ✓ FHD 1920x1080 display resolution makes perfect and vivid picture
- ✓ High performance of splicing processor can expand to support larger walls and numbers of sources
- ✓ The highest of 16x16, 256 displays free to combine
- ✓ With the smart power energy saving function, the stand-by power consumption can be 0.5W
- ✓ Build-in fan control, cool and quiet operation
- ✓ Products overheating shutdown protection for safety use
- ✓ Low & High brightness versions with excellent viewing angles suitable for indoor applications;
- ✓ Designed for 24/7 usage



SPECIFICATION

LCD VIDEOWALL					
Bezel Width	1.8mm		3.5mm		
	Panel Parameters				
Panel Size	46"	55"	46"	49"	55"
Model	VS4650-1.8-CTU	VS5550-1.8-CTU	V46-SG1LU-CTU	VS4950-CTU	V55-SG1LU-CTU
Display Size	1018 x 573 mm	1209 x 680 mm	1018 x 573 mm	1073.8 x 604 mm	1209 x 680 mm
Aspec Ratio	16:9				
Backlight	DLED				
Resolution	1920 x 1080				
Display color	16.7M (8bit)				
Brightness	500cd/m2				
Visual Angle	178°C				
Respond Time	≤8ms				
Service Life Time	>60.000 hour				
	Feature				
Video System	PAL/NTSC/SECAM				
Language	English, Chinese or other (Optional)				
Operation Way	Apps and Remote Control				
	Input And Output Interface Parameters				
D-15RGB (VGA)	1				
DVI	1				
HDMI	1				
Infrared Interface (IR)	1				
USB	1				
COM In	1				
Composite Video Interface (AV)	2(BNCx2)				
COM Out	2(BNCx2)				

	Power				
Power Supply	AC100V-240V 50/60Hz				
Max Power Consumption	≤220W				
	Working Environment				
Operating Temperatur	0°C-50°C				
Storage Temperatur	0°C-60°C				
Operating /Storage Humidity	20%-80%				
	Installation System				
Cabinet/Bracket	Costumized				
Installation Accessories	Costumized				
Installation Ways	Cabinet type. Wall mounted type, Bracket type, Building blocks type. Embedded type. Mobile type. Etc.				
	Others				
Product Size	1022 x 577 x 124 mm	1211 x 682 x 118 mm	1022 x 577 x 124 mm	1078 x 608 x 87 mm	1211 x 682 x 118 mm
Color	Black				
Frame Material	Metal				
Net Weight	20 KG	28 KG	20 KG	25 KG	28 KG