



First Aid for Choking

Quick Action and a Calm Decision Make a Difference

"Choking occurs when the airway is partially or fully blocked, and it requires correct, safe handling"



Why Do We Care About First Aid for Choking?

It can happen at home, at school, or in public places



Protecting Life

When Breathing Is
Blocked



Reducing Confusion

in the Emergency
Moment



Preventing the Wrong Action

That Increases the
Danger



Requesting Help

Quickly and Effectively



A Culture of Prevention

at Home and School



Community Awareness

of Safe Response

Remember: When you suspect severe choking, call 999 immediately



What Is Meant by Choking?

Difficulty or inability to breathe due to a blocked airway

Complete Choking



- Can't speak or cough •
- Not breathing effectively •
- An emergency — call 999 •

Partial Choking



- Can cough or speak •
- Air passes partially •
- Encourage them to cough •

Note: The action differs based on the injured person's age and condition — hands-on training is very important

Common Causes of Choking

Many of them can be prevented



**Eating quickly
without
chewing**



**Laughing or
talking while
eating**



**Food
unsuitable for
children**



**Children
playing with
small pieces**



**Putting things
in the mouth**



**Weak attention
to children**



**Swallowing
difficulties**

Awareness Message: Prevention starts with supervision, choosing appropriate food, and keeping small objects away from children



Signs of Partial Choking

Air passes partially and the person can make a sound



Repeated coughing

1

Ability to speak with difficulty

2

Breathing with difficulty but not stopped

3

Putting the hand on the throat

4

Obvious anxiety or fear

5

Correct Action: Encourage the injured person to cough, monitor them, and don't intervene forcefully if they can cough and breathe



Signs of Severe Choking

An emergency requiring immediate intervention



Inability to speak

1

Weakened or stopped coughing

2

Severe difficulty breathing

3

A change in the color of the face or lips

4

Weak or lost responsiveness

5

Clutching the throat for help

6

Call 999 immediately

7

Urgent Action: Call 999 immediately and start the first aid response per your training and the operator's instructions



The Basic Rule for Choking

Act calmly and in clear order

Call 999 immediately

5

Follow the operator's instructions

6

Don't apply what you haven't been trained in

7

Make sure the area is safe

1

Ask: Can you speak?

2

Encourage them to cough if able

3

Request help in severe cases

4

Important Message: Don't waste time on random attempts when there's severe difficulty breathing



Handling a Person Who Can Cough

Effective coughing may expel the lodged object



Encourage them to keep coughing



Stay close and monitor them



Don't hit their back unnecessarily



Don't give them water or food



Request help if it deteriorates



Call 999 if it worsens

Note: The condition turning from effective coughing to an inability to speak means the danger has become greater



Handling Adults and Children Over One Year

Following the approved first aid steps per training

Call 999 or ask someone nearby

1

Treat someone unable as an emergency

2

Use the approved first aid steps

3

Follow the emergency operator's instructions

4

Continue until the specialists arrive

5

Important Message: Hands-on training helps you perform the steps correctly and safely



Back Blows Between the Shoulders

Used as part of the approved first aid steps



A position that allows the object to come out



Between the shoulder blades



Within the limits of training



Assess the condition between steps



Follow the 999 operator's instructions

Note: These steps require hands-on training and must not be performed forcefully or randomly



Abdominal Thrusts

For adults and children over one year in severe choking only



**In severe
choking only**



**Don't use them
for infants**



**According to
approved
training**



**Don't apply
them if you're
not sure**



**Follow the 999
operator's
instructions**




**Assessment
after the
condition
improves**

Important Message: An important first aid procedure, but it requires correct knowledge to avoid harming the injured person



Choking in Infants

A different method from adults and older children



Difficulty breathing

1

Weak crying or no sound

2

A change in color or sudden weakness

3

Call 999 immediately

4

Follow the operator's instructions

5

Use the approved infant steps

6

No abdominal thrusts for infants

7

Important Note: Infant choking first aid requires special hands-on training



If the Injured Person Loses Responsiveness

A serious sign requiring urgent intervention



Make sure the area is safe

1

Call 999 immediately

2

Don't put your hand in the mouth randomly

3

Start CPR if you're trained

4

Ask for an AED to be brought if available

5

Continue until the specialists arrive

6

Important Message: Loss of responsiveness is a serious sign requiring urgent intervention from the competent authorities



What Not to Do with Choking

Actions that may increase the danger or delay help



Don't hit the back of someone coughing forcefully



Don't put your hand in the mouth randomly



Don't give water or food



Don't shake the child or infant



Don't apply what you haven't been trained in



Don't delay calling 999



Don't leave the injured person alone

Awareness Message: Calmness and requesting help are better than random intervention



Preventing Choking in Children

Children are more prone because they put things in their mouths



Keeping small pieces away



Age-appropriate toys



Supervision while eating



Cutting food appropriately



No running or playing while eating



Teach the child to chew calmly



Don't leave infants unsupervised

Important Message: Prevention starts before the emergency occurs, especially with children and infants



Preventing Choking in Adults

Simple habits while eating reduce the danger



Eat calmly



Chew food well



**No talking or
laughing while
chewing**



Cut hard food



**Attention to
the elderly**



**Not rushing
while eating**

Note: People with swallowing difficulties need follow-up from healthcare specialists



The Role of Those Present at the Scene

Organizing roles reduces chaos



Someone calls
999



Someone helps
the injured
person



Someone
disperses the
onlookers



Someone
clears the way
for the
ambulance



Someone
keeps children
away



Someone
provides
information on
the cause

Important Message: Organizing roles helps speed up the response instead of chaos and crowding



When Do We Request Help Immediately?

Call 999 when signs of severity or deterioration appear

Choking of an infant or young child

5

Inability to speak or breathe

1

Symptoms persisting after the object is removed

6

Weakened or stopped coughing

2

Difficulty breathing after improvement

7

A change in the color of the face or lips

3

Loss of responsiveness

4

Important Message: Even if the condition improves, request an assessment if there are abnormal signs or persistent breathing difficulty

Do's and Don'ts with Choking

Correct Practices and Others to Avoid

Don't ×

Don't give them food or drink during choking

1

Don't put your hand in the mouth randomly

2

Don't shake the child or infant

3

Don't delay requesting help

4

No abdominal thrusts on an infant

5

Don't intervene without training

6

Don't leave the injured person alone in danger

7

Do ✓

Stay calm

1

Encourage them to cough if able

2

Call 999 in severe cases

3

Follow the operator's instructions

4

Use steps within your training

5

Monitor them after improvement

6

Prevent crowding around the injured person

7

Interactive Scenarios

Practical Application of What You've Learned

Scenario 2 A child can't speak or cough after swallowing food

Correct Action: Call 999 immediately, and follow the first aid steps per your training and the operator's instructions

Scenario 1 An adult is coughing forcefully while eating but is breathing

Correct Action: Encourage them to cough, monitor them, and don't give them water or food

Scenario 4 The injured person lost responsiveness during choking

Correct Action: Call 999 and start CPR if you're trained or as directed by the operator

Scenario 3 An infant shows signs of choking and weak crying

Correct Action: Call 999, follow the operator's instructions, and no abdominal thrusts for the infant



Test Your Knowledge

Quick Questions to Assess Your Understanding

Q1: What is the action when the injured person can cough forcefully?

Answer: Encourage them to cough and monitor their condition without random intervention



Q2: When do you call 999 in choking cases?

Answer: When unable to speak or breathe, or with weakened coughing, loss of responsiveness, or a child choking



Q3: Is it acceptable to put your hand in the mouth to remove the object?

Answer: No, because that may push the object further in or increase the danger



Q4: Are abdominal thrusts used for an infant?

Answer: No, infants have a different method requiring special training and following the emergency operator's instructions





Thank You

Quick attention and distinguishing between effective coughing and severe choking make a difference

Encourage coughing • Call 999 in severe cases • Don't improvise randomly • Infants have a different method

"Quick action and a calm decision can make a difference in a choking case"