



Managing Seizures and Epilepsy

Calm, Protecting the Person, and Monitoring Without Random Intervention

"The correct response depends on protecting the person from harm, not restraining their movement, and monitoring them until they improve or the specialists arrive"



Why Do We Care About Seizures and Epilepsy?

Knowledge reduces fear and protects the person



Protecting the Person

During the Seizure



Preventing the Wrong Action

Such as Restraining Movement



Acting Calmly

Instead of Confusion




Knowing When

to Call 999



Respectful Support

After the Seizure



A Culture of First Aid

at Home and Work

Remember: Most of the help is in securing the area and monitoring the person, not in stopping the seizure forcefully



What Is Meant by Seizures?

A temporary disturbance in the body's activity in various forms



**Involuntary
movements**



**Weak
responsiveness**



**Sudden
stiffness or
limpness**



**Confusion
before or after**



**Temporary
staring or
absence**



A sudden fall

Note: Not every seizure means epilepsy — there may be other causes needing assessment from specialists



What Is Meant by Epilepsy?

A health condition that can cause recurrent seizures



A prior diagnosis in some people

1

Seizures that vary in form and duration

2

Some with clear physical movements

3

Some with absence or loss of consciousness

4

Not every seizure needs emergency services

5

Certain cases call for calling

6

Important Message: Respecting the person's privacy and not crowding around them is part of the correct response



Signs That May Precede a Seizure

They may appear early, or the seizure may occur suddenly



**Sudden
dizziness or
confusion**



**Difficulty
concentrating
or speaking**



**A change in
behavior**



**An unusual
sensation for
the person**



**A sudden loss
of balance**



**Abnormal
staring or
absence**

Correct Action: Help the person sit or move away from sources of danger, and monitor their condition calmly



Securing the Area First

Protecting the person from surrounding harm



**Sharp or hard
objects**



**Glass or
breakable
items**



**Vehicle or
bicycle traffic**



**Stairs or raised
edges**



**Heat sources
or fire**



**Crowding or
gathering**

Important Message: Don't try to stop the seizure forcefully — make the area around the person safer

The Correct Response During a Seizure

Calm and a focus on protection and monitoring

Don't put anything in the mouth

5

Monitor the seizure duration

6

Stay with them until it ends

7

Stay calm

1

Move away dangerous objects

2

Place something soft under the head

3

Don't restrain the person's movement

4

Important Note: Trying to hold the person down forcefully can cause harm to them or to whoever is trying to help



What Not to Do During a Seizure

Common wrong actions that may increase the danger



Don't put anything in the mouth



Don't force the mouth open



Don't restrain the arms or legs



Don't stop the movement forcefully



No water or food during the seizure



Don't move them except in case of danger



Don't crowd or film

Awareness Message: Correct help is sometimes refraining from the wrong action



Monitoring the Seizure Duration

It determines the need for emergency services



Note the time the seizure starts

1

Pay attention if it lasts a long time

2

Monitor breathing after the seizure

3

Note any recurrence of the seizure

4

Inform the specialists of the observations

5

Call 999: If the seizure lasts a long time, recurs, consciousness isn't regained, or signs of severity appear



After the Seizure Ends

The person may be exhausted or confused



**Speak to them
calmly**



**Don't let them
stand right
away**



**Explain briefly
what
happened**



**Provide them
with privacy
and space**



**Check for a fall
injury**



**No food until
fully conscious**



**Stay with them
until they
stabilize**

Important Message: Confusion after the seizure may be normal, but continued unresponsiveness calls for emergency services



The Recovery Position After a Seizure

If they're unresponsive but breathing normally



**Unresponsive
with normal
breathing**



**No suspicion of
a serious injury**



**The area is
safe**



**Following the
999 operator's
instructions**



**Monitoring
breathing
continuously**

Important Note: If there was a hard fall or a head injury, don't move the person except in case of an immediate danger



When Do We Call the Emergency Number 999?

Some cases call for help immediately

A seizure in water or near a hazard

5

The seizure lasting a long time

1

The person being injured during the fall

6

The seizure recurring more than once

2

A seizure for the first time

7

Not regaining consciousness after the seizure

3

A seizure in a child or an elderly person

8

Difficulty breathing or a change in condition

4

Important Message: When in doubt about the severity of the case, call emergency services and don't wait



Seizures in Children

They can be frightening for parents and supervisors



Stay calm



**Move away
dangerous
objects**



**Don't put
anything in the
mouth**



**Don't restrain
their
movement
forcefully**



**Monitor the
duration of the
seizure**



**Call 999 in case
of danger**



**No food until
fully conscious**

Note: Any seizure in a child needs follow-up from the guardian and the health authorities



Seizures in Public Places

Organizing the area and protecting privacy



Disperse the onlookers



Prevent filming or posting



Provide a safe space around them



Someone calls 999



Someone guides the ambulance teams



Don't move them except in case of danger

Awareness Message: Respecting the person's dignity and privacy is part of correct first aid

Seizures at School or Work

Organized readiness for emergencies



Educating the supervisors



Knowing the disclosed conditions



Keeping emergency information



Preventing crowding



Documenting the seizure duration



Calling 999 in case of danger



Informing the guardian

Important Message: Advance preparation reduces confusion and protects the person



Handling a Person Known to Have Epilepsy

They may have a plan or special instructions



**Ask calmly
about helping**



**Respect their
privacy**



**Follow the
documented
instructions**



**No medication
without
instructions**



**Call 999 in case
of danger**



**Stay with them
until they
stabilize**

Note: Not calling emergency services in every case doesn't mean ignoring signs of severity



Common Mistakes During Seizures

They spread due to fear or inaccurate information



**Putting a
spoon in the
mouth**



**Forcing the
mouth open**



**Restraining
the person
forcefully**



**Pouring water
on them
forcefully**



**Drink or food
before
consciousness**



**Crowding or
filming**



**Leaving them
alone right
away**

Awareness Message: A calm, knowledge-based response is better than random attempts that harm the person



The Role of Those Present at the Scene

Organizing the response better



Someone
removes the
hazards



Someone
monitors the
duration



Someone calls
999



Someone
disperses the
onlookers



Someone
prevents
filming



Someone
clears the way
for the
ambulance



Someone
reassures the
person
afterward

Important Message: Organized cooperation reduces chaos and protects the person

Do's and Don'ts with Seizures

Correct Practices and Others to Avoid

Don't ✗

- Don't put anything in the mouth 1
- Don't restrain their movement forcefully 2
- Don't stop the seizure forcefully 3
- No water or food during the seizure 4
- Don't move them except in case of danger 5
- Don't film or post the case 6
- Don't leave them alone after the seizure 7

Do ✓

- Stay calm 1
- Move away dangerous objects 2
- Place something soft under the head 3
- Monitor the seizure duration 4
- Stay with them until consciousness returns 5
- Call 999 in case of danger 6
- Provide privacy and prevent crowding 7



Interactive Scenarios

Practical Application of What You've Learned

Scenario 2

Someone tried to put an object in the person's mouth during the seizure

Correct Action: Stop them immediately, because putting any object in the mouth is wrong and can cause harm

Scenario 1

A person in a public place began having seizures and people gathered around them

Correct Action: Disperse the onlookers, remove dangerous objects, monitor the duration, and call 999 in case of danger

Scenario 4

The seizure occurred after a hard fall and they complain of neck pain

Correct Action: Don't move them, secure the area, and call 999 immediately

Scenario 3

The seizure ended but the person is confused and can't stand

Correct Action: Reassure them, don't force them to stand, monitor them, and call 999 if they don't improve



Test Your Knowledge

Quick Questions to Assess Your Understanding

Q1: What is the most important action during a seizure?

Answer: Protecting the person by removing dangerous objects and monitoring their condition without restraining their movement



Q2: Is it acceptable to put something in the person's mouth during a seizure?

Answer: No, nothing should be put in the person's mouth during a seizure



Q3: When should you call 999?

Answer: When the seizure lasts a long time, recurs, consciousness isn't regained, or an injury occurs



Q4: What do you do after the seizure ends?

Answer: Reassure them, monitor them, don't force them to stand, and stay with them until they stabilize





Thank You

Correct handling depends on calmness, securing the area, and not restraining the person

Don't put anything in the mouth • Don't restrain them • Remove hazards • Monitor the duration • Call 999 in case of danger

"Your calmness and knowledge of the correct response can protect the person during a seizure"