



Managing Poisoning and Food Poisoning

Protecting the Person, Stopping the Exposure, and Requesting Help

"Handling it requires calm, not taking random actions, and requesting help at signs of severity"



Why Do We Care About Poisoning?

It can happen at home, work, or on trips



**Early
Recognition**
of the Signs



**Stopping
Exposure**
to the Harmful
Substance



**Preventing
Mistakes**
Such as Forcing
Vomiting



**Protecting
Children**
from Dangerous
Substances



Requesting Help
Quickly in Danger



**A Culture of
Prevention**
of Poisoning

Remember: When poisoning is suspected, don't wait for all the symptoms to appear, and call 999 in case of danger



What Is Meant by Poisoning?

The body being affected by a harmful substance through various routes



**Ingesting
substances or
medications**



**Contaminated
or spoiled food**



**Inhaling gases
or fumes**



**Contact with
the skin or eye**



**Substances of
unknown
origin**

Note: Don't try to diagnose — your role is securing the area, requesting help, and giving information to the specialists



Common Sources of Poisoning at Home

Substances that can be dangerous when misused



**Concentrated
cleaning
materials**



**Chemical
pesticides**



**Medications
used
incorrectly**



**Products with
strong odors**



Spoiled food



**Fumes from
mixing
substances**



**Fuel and
flammable
materials**

Awareness Message: Keep dangerous substances in their original containers and out of children's reach



Food Poisoning

Possible causes of food contamination



Storage at an inappropriate temperature



Leaving food out of refrigeration



Insufficient cooking



Contamination during preparation



Unclean utensils



Expired food

Note: Prevention starts with cleanliness, proper storage, and checking the food's validity



Signs of Food Poisoning

They may appear at varying times after eating



**Pain and
cramps in the
abdomen**



**Nausea or
vomiting**



Diarrhea



**Fatigue and
general
weakness**



**A rise in
temperature**



**Dizziness or
dehydration**



**Deterioration
in children and
the elderly**

Correct Action: Request help when symptoms are severe, persist, or signs of dehydration appear



Signs of Chemical Poisoning

They may be more dangerous than food poisoning



A chemical smell around the person

1

Difficulty breathing or severe coughing

2

Burning in the mouth or throat

3

Sudden vomiting or nausea

4

Dizziness or confusion

5

Irritation of the skin or eye

6

Loss of consciousness or weak responsiveness


7

Urgent Action: Move the person away from the source if it's safe, and call 999 immediately



Securing the Area Before Helping

Check for hazards before approaching



**Fumes or
strong odors**



A chemical spill



Fire or smoke



**Unknown
substances**



**Open or broken
containers**



**A danger to
children**

Correct Action: If the area is unsafe, move away, don't approach, and call 999 immediately

Handling the Ingestion of a Harmful Substance

Avoid random actions

Keep the substance's container

5

Monitor breathing and responsiveness

6

Follow the emergency operator's instructions

7

Stay calm and reassure the person

1

Call 999 immediately

2

Don't force them to vomit

3

No food or drink without guidance


4

Important Note: Forcing the person to vomit can increase the danger in some cases



Handling the Inhalation of Fumes or Gases

A fast-acting danger in enclosed spaces



Don't enter an area filled with fumes

1

Move them to fresh air if possible

2

Open ventilation if it's safe

3

Call 999 immediately

4

Keep others away from the area

5

Don't use electrical devices

6

Important Message: Your safety first — don't try to rescue someone in a dangerous place without specialists



Handling Skin Contact with a Chemical

Stopping the exposure safely



**Move away
from the
source**



**Use protective
gloves**



**Remove
contaminated
clothing**



**Rinse the area
with water**



**Don't mix
substances to
treat it**



**Call 999 in case
of danger**

Note: Follow the label or the emergency operator's instructions — some substances need special handling



Handling Eye Exposure to a Chemical

An emergency requiring quick action



Don't rub the eye



Move them away from the source



Rinse the eye gently with water



No drops that aren't recommended



Call 999 immediately



Keep the substance's container

Important Message: The eye is very sensitive — any chemical exposure needs urgent assessment

When Is Poisoning an Emergency?

Call 999 when these signs appear

Eye exposure to a chemical

5

Loss of consciousness or weak responsiveness

1

Severe vomiting or diarrhea

6

Difficulty breathing

2

Severe symptoms in a child or an elderly person

7

Seizures

3

Severe pain or rapid deterioration

8

Ingesting a chemical

4

Important Message: When in doubt, request help immediately and don't wait for the condition to deteriorate



Important Information to Give to Emergency Services

It helps specialists assess quickly



The precise location of the case



The person's approximate age



The type of suspected substance



The time of exposure



The amount of the substance if known



The visible symptoms



Are they conscious and breathing?



Is there a container with a label?

Note: Don't put yourself in danger to get the container — take it only if it's safe



What Not to Do with Poisoning

Actions that may increase the danger



Don't force them to vomit




No food or drink without guidance




No medications or folk remedies



Don't mix substances to treat it



Don't touch the substances without protection



Don't enter an area with fumes



Don't delay calling 999

Awareness Message: The wrong action can be more dangerous than calmly waiting for the specialists to arrive



Preventing Food Poisoning

Cleanliness and proper food storage



**Washing hands
before
preparation**



**Washing
utensils and
surfaces**



**Separating raw
from ready-to-
eat food**



**Cooking food
well**



**Storing at the
appropriate
temperature**



**Don't leave
food out for
long**



**Discard spoiled
food**



**Pay attention
to the expiry
date**

Important Message: Food safety starts with purchasing, storing, and preparing, not only at eating



Preventing Household Poisoning

Safe storage and organization of substances



**Keep them in
their original
containers**



**Don't transfer
them to food
containers**



**Medications
away from
children**



**Don't mix
cleaning
materials**



**Close the
containers
after use**



**Read the usage
instructions**



**Dispose of
expired items
safely**



**Store them in a
high place**

Note: A child may not distinguish between a dangerous container and a drink container — safe storage is essential



Poisoning at Schools and Work

Clear controls for substances and food



**Storage in
designated
places**



**Clear labels on
the containers**



**Prohibiting
unknown
containers**



**Training on
safety
instructions**



**Cleanliness of
food
preparation
areas**



**Report any
spill**



**Emergency
numbers in
visible places**

Awareness Message: Early reporting of dangerous substances prevents larger injuries



The Role of Those Present at the Scene

Organizing the response and protecting everyone



Someone calls
999



Someone
keeps children
away



Someone
opens
ventilation



Someone
brings the
container



Someone
reassures the
person



Someone
clears the way
for the
ambulance

Important Message: Organizing roles reduces chaos and prevents other people from being exposed to danger

Do's and Don'ts with Poisoning

Correct Practices and Others to Avoid

Don't ✗

- Don't force them to vomit 1
- No food or drink without guidance 2
- No medications or folk remedies 3
- Don't mix chemicals 4
- Don't touch the substances without protection 5
- Don't enter an area with fumes 6
- Don't delay requesting help 7

Do ✓

- Make sure the area is safe 1
- Move the person away from the source 2
- Call 999 in case of danger 3
- Keep the name of the substance 4
- Monitor breathing and responsiveness 5
- Follow the emergency operator's instructions 6
- Keep substances away from children 7

Interactive Scenarios

Practical Application of What You've Learned

Scenario 2 A person ate spoiled food and has severe vomiting and diarrhea symptoms

Correct Action: Monitor the condition, prevent dehydration if they're conscious, and call 999 if symptoms are severe

Scenario 4 A person's eye was exposed to a chemical

Correct Action: Don't rub the eye, rinse it gently with water if possible, and call 999 immediately

Scenario 1 A child swallowed an unknown cleaning substance

Correct Action: Call 999 immediately, don't force them to vomit, don't give them anything, and keep the container

Scenario 3 A strong-smelling chemical spilled at work

Correct Action: Move people away, don't touch the substance, ventilate the area safely, report it, and call 999



Test Your Knowledge

Quick Questions to Assess Your Understanding

Q1: What is the first action when chemical poisoning is suspected?

Answer: Securing the area and moving the person away from the source if it's safe, then calling 999



Q2: Is it acceptable to force the person to vomit?

Answer: No, the person must not be forced to vomit, and you must follow the specialists' instructions



Q3: What do we do when exposed to fumes in an enclosed space?

Answer: Don't enter the area if it's unsafe, move people away, and call 999



Q4: How do we reduce the risks of food poisoning?

Answer: Through cleanliness, proper cooking, appropriate storage, and not eating spoiled or expired food





Thank You

Quick attention, stopping the exposure, and not acting randomly protect the person

Don't force them to vomit • No folk remedies • Keep substances away from children • Call 999

"Prevention begins with safe storage, and the correct response begins with requesting help at the right time"