



Managing Heatstroke and Heat Exhaustion

Early Awareness, Safe Cooling, and an Immediate Response

"Conditions related to high temperatures that require safe cooling and requesting help immediately at signs of severity"



Why Do We Care About Heat Exhaustion and Heatstroke?

In hot weather, the body may lose its ability to cool down



**Early
Recognition**
of Exhaustion



**Preventing
Progression**
to Heatstroke




**Protecting the
Groups**
Most at Risk



**A Quick
Response**
in Case of Danger



Safety
at Events



**A Culture of
Prevention**
in the Community

Remember: Heatstroke is an emergency — call 999 immediately when it's suspected



What Is Heat Exhaustion?

The body being affected by heat and losing fluids and salts



Heavy sweating



Weakness or fatigue



Dizziness or headache



Nausea or the urge to vomit



Muscle cramps



Severe thirst



Moist or cool skin




A rapid pulse and breathing

Note: Heat exhaustion can turn into a more dangerous condition if cooling and monitoring aren't done



What Is Heatstroke?

A more dangerous condition — the body's failure to control its temperature



A severe rise in temperature

1

Confusion or abnormal behavior

2

Loss of consciousness or weak responsiveness

3

Seizures

4

A severe headache and dizziness

5

Very hot skin

6

Rapid deterioration of the condition

7

Urgent Action: Call 999 immediately, and start cooling the person if it's safe



The Difference Between Heat Exhaustion and Heatstroke

Knowing the difference helps gauge the severity

Heatstroke



- Confusion or loss of consciousness •
- Seizures •
- Rapid deterioration — call 999 •

Heat Exhaustion



- Fatigue and dizziness •
- Heavy sweating •
- Gradual improvement with rest •

Awareness Message: If the person's consciousness changes or seizures or loss of consciousness appear, call 999 immediately

The Groups Most at Risk

They need extra care in hot weather



Children



The elderly



Those with
chronic
illnesses



Outdoor
workers



Athletes



Hajj and Umrah
pilgrims



Those who
don't drink
fluids



Poorly
ventilated
places

Important Message: Prevention starts with reducing heat exposure and monitoring the early signs



Causes and Factors That Increase Risk

Avoiding them reduces cases



Direct sun exposure



Physical exertion in the heat



Low fluid intake



Heavy clothing



Crowding and poor ventilation



Not taking breaks



Ignoring early fatigue



Health conditions and medications

Note: The buildup of fatigue and heat can make the condition appear suddenly — don't ignore the early signs

Initial Response When Heat Symptoms Appear

Early intervention prevents progression

Offer water if they're conscious

5

Use cool compresses

6

Monitor the condition and don't leave them

7

Stop the activity immediately

1

Move them to a cool or shaded place

2

Help them sit

3

Loosen heavy clothing

4

Important Message: Early intervention can prevent heat exhaustion from progressing to a more dangerous condition



Handling Heat Exhaustion

Safe initial care with monitoring



Move them to a shaded place



Help them rest



Water slowly if they're able



Cool compresses



Loosen excess clothing



Monitor for improvement




Call 999 if there's no improvement

Note: Don't give the person drinks if they're unconscious or unable to swallow



Handling Heatstroke

An emergency — rapid cooling and requesting help



Call 999 immediately

1

Move them to a cool, safe place

2

Start cooling quickly

3

Cool water or compresses

4

Disperse the onlookers

5

Monitor breathing and responsiveness

6

Don't leave them until the specialists arrive

7

Important Message: In heatstroke — rapid cooling and requesting help are the essentials



What Do You Do If the Person Loses Consciousness?

A serious sign requiring immediate action



Make sure the area is safe

1

Call 999 immediately

2

Check for normal breathing

3

No food or drink

4

Continue safe cooling

5

Follow the operator's instructions

6

Follow the CPR guidance if needed

7

Note: Don't stop cooling except on the specialists' guidance or if the area becomes unsafe



Seizures or Confusion Due to Heat

Signs of severity in hot weather



**Call 999
immediately**



**Move away
dangerous
objects**



**Don't put
anything in the
mouth**



**Don't restrain
their
movement
forcefully**



**Move them to a
cooler place**



**Start safe
cooling**

Important Message: A change in consciousness or seizures with heat calls for requesting help immediately



What Not to Do with Heat Exhaustion and Heatstroke

Actions that may delay help



**Don't leave
them alone**



**No water for
someone
unconscious**



**Don't delay
calling 999**



**No immediate
return to
activity**



**Don't keep
them in a hot
place**



**Don't ignore a
severe
headache**



**Don't treat
heatstroke as
exhaustion**

Awareness Message: The biggest mistake is waiting at signs of severity



Prevention During Hot Weather

The best way to reduce cases



**Drinking water
regularly**



**Avoiding peak
sun**



**Light, suitable
clothing**



**A head
covering**



**Rest in an air-
conditioned
place**



**Reducing
physical
exertion**



**Monitoring the
vulnerable
groups**

Important Message: Don't wait until you feel severely thirsty to drink water



Safety at Events and Public Areas

Extra preparation in the heat



**Shaded or
cooling areas**



**Sufficient
drinking water**



**Awareness
signs**



First aid points



**Monitoring the
vulnerable
groups**



**Crowd
management**



**Early reporting
of symptoms**

Note: Crowding and heat increase the strain on the body — organization and ventilation are important



Safety for Workers and Outdoor Activities

Special precautions in open areas



**Organizing
work in the
heat**



**Regular rest
breaks**



**Drinking water
at intervals**



**Appropriate
protective
clothing**



**Monitoring
colleagues**



**Stopping work
in case of
danger**



**Immediately
reporting
dizziness**

Important Message: Work can be made up, but a person's health is the priority



Children and the Elderly in the Heat

They are affected more quickly



**Don't leave
them in a
parked vehicle**



**Water and rest
regularly**



**Avoid going
out during
peak times**



**Monitoring any
change in
behavior**



**Air-
conditioned or
shaded places**



**Attention to
medications
and conditions**

Important Note: Leaving a person inside a parked vehicle in the heat can lead to severe danger within a short time



When Do We Call the Emergency Number 999?

Don't delay requesting help in case of danger

Rapid deterioration of the condition

5

Loss of consciousness or weak responsiveness

1

No improvement after cooling

6

Confusion or abnormal behavior

2

A severe headache and dizziness

7

Seizures

3

A case in a child or an elderly person

8

Difficulty breathing

4

Important Message: When heatstroke is suspected, call emergency services and start cooling immediately



The Role of Those Present at the Scene

Quick organization to cool the person



Someone calls
999



Someone
moves them to
the shade



Someone
brings
compresses



Someone
disperses the
onlookers



Someone
monitors
breathing



Someone
clears the way
for the
ambulance

Awareness Message: Organized cooperation reduces confusion and helps cool them quickly



Do's and Don'ts with Heat Exhaustion

Correct Practices and Others to Avoid

Don't ✗

Don't leave them alone

1

No food or drink for someone unconscious

2

Don't delay requesting help

3

No quick return to activity

4

Don't ignore a severe headache

5

Don't keep them in a hot place

6

Don't film the case

7

Do ✓

Stop the activity as soon as symptoms appear

1

Move them to a cool or shaded place

2

Start safe cooling

3

Water only for a conscious, able person

4

Monitor breathing and responsiveness

5

Call 999 in case of danger

6

Stay with them until they improve

7



Interactive Scenarios

Practical Application of What You've Learned

Scenario 2

A worker became confused and isn't responding clearly

Correct Action: Call 999 immediately, move them to a cooler place, start cooling, and monitor breathing

Scenario 1

A person at an outdoor event felt dizzy, sweaty, and weak

Correct Action: Stop the activity, move them to the shade, give them water if conscious, and monitor the condition

Scenario 4

A person improved and wants to return to activity in the sun right away

Correct Action: Don't allow a quick return, continue resting and monitoring until they stabilize

Scenario 3

A child in a hot place showed unusual drowsiness

Correct Action: Move them to a cool place, cool them, don't leave them, and call 999 in case of danger

Test Your Knowledge

Quick Questions to Assess Your Understanding

Q1: What is the first action when heat exhaustion symptoms appear?

Answer: Stopping the activity, moving them to a cool place, and starting safe cooling with monitoring



Q2: When should you call 999?

Answer: In case of loss of consciousness, confusion, seizures, difficulty breathing, or no improvement



Q3: Is it acceptable to give water to an unconscious person?

Answer: No, an unconscious person is not given water or food — call 999 immediately



Q4: What is the most important difference between exhaustion and heatstroke?

Answer: Heatstroke is more dangerous — a change in consciousness and seizures, requiring an immediate call and rapid cooling





Thank You

Early recognition, cooling, and requesting help immediately can save a life

Don't ignore dizziness • Safe cooling • No water for the unconscious • Call 999 in case of danger

"In extreme heat, quick action and cooling can protect a person's life"