



# Managing Bleeding and Amputation

Calm, Protection, and Direct Pressure

*"Bleeding is a situation that requires calm and quick action, while protecting the rescuer and the injured person and requesting help immediately"*



# Why Do We Care About Managing Bleeding?

Bleeding can be minor or life-threatening



## Reducing Blood Loss

As Much as Possible



## Protecting the Injured Person

Until the Specialists Arrive



## Preventing Wrong Actions

That Increase the Danger



## Reducing Confusion at the Accident Site



## A Culture of

Safe First Aid



## Saving Lives

in the First Minutes

**Remember:** In case of severe bleeding or a serious injury, call 999 immediately



# What Is Meant by Bleeding?

General types that differ in handling

1



## Minor

Can be handled initially with clean supplies

2



## Moderate

Requires monitoring and requesting help when needed

3



## Severe

An emergency — call 999 immediately

**Note:** This presentation is for awareness and does not replace hands-on first aid training



# Securing the Area Before Helping

Check for hazards before approaching the injured person



**Nearby vehicle traffic**




**Fire or smoke**



**Sharp objects or glass**



**Exposed electrical wiring**



**Chemicals or dangerous fluids**



**Crowding or pushing**

**Correct Action:** If the area is unsafe, don't approach, move to a safe place, and call 999 immediately



# Protect the Rescuer First

An essential part of correct first aid



**Use medical gloves**



**Avoid direct contact with blood**



**A clean barrier when applying pressure**



**Wash your hands after helping**



**Don't put yourself in danger**



**Ask another person for help**

**Important Message:** Correct help doesn't mean exposing yourself to injury or danger



# Assessing the Injured Person's Condition

Ask yourself quick, calm questions



Is the injured person conscious and speaking?

1

Are they breathing normally?

2

Is the bleeding minor or severe?

3

Is there pain or dizziness?

4

Is the injury in a dangerous area?

5

Do they need immediate intervention?

6

**Correct Action:** If the bleeding is severe or the injured person is unstable, call 999 immediately



# Handling Minor Bleeding

Clean supplies and calm action



**Wash your hands or put on gloves**



**Apply pressure with a clean bandage**



**Cover the wound with a suitable dressing**



**Keep the injury clean**



**Don't apply non-designated substances**



**Monitor the condition and request help**

**Awareness Message:** Even a minor wound needs cleanliness and monitoring

# Handling Severe Bleeding

An emergency requiring quick, safe action

Maintain pressure without lifting repeatedly

5

Reassure the injured person and stay with them

6

Follow the emergency operator's instructions

7

Make sure the area is safe

1

Call 999 immediately

2

Use gloves or a protective barrier

3

Apply direct pressure to the bleeding site

4

**Important Note:** Don't delay calling emergency services when there's severe bleeding



# Direct Pressure on the Bleeding Site

The most important general step to control bleeding



Use clean gauze

1

Press firmly on the site

2

Don't lift the dressing repeatedly

3

Add a layer over the first

4

Ask the injured person to sit

5

Continue reassuring them

6

**Important Message:** Calmness and maintaining pressure help reduce the danger

# When Is Bleeding an Emergency?

Cases that call for immediately calling 999

**An object lodged in the wound**

5

**An injury to the head or neck**

6

**An injury to the chest or abdomen**

7

**Amputation or a major injury**

8

**Severe or continuous bleeding**

1

**Severe dizziness or weakness**

2

**Loss of consciousness**

3

**A traffic accident or a hard fall**

4

**Note:** When in doubt about the severity of the case, call emergency services and don't wait for the situation to worsen



# Handling an Object Lodged in the Wound

Act carefully — don't try to remove it



**Don't try to  
remove the  
object**



**Call 999  
immediately**



**Stabilize the  
area around it**



**Dressings  
around it  
without  
moving it**



**Reassure the  
injured person  
and wait for  
the specialists**

**Important Message:** Removing the lodged object incorrectly can increase bleeding or worsen the injury

# General Handling of Amputation Cases

A serious case requiring urgent specialist intervention



## The Priority:

Wait for the specialists

Calm and reassurance

Clean pressure

Call 999



Call 999  
immediately



Apply pressure  
with a clean  
dressing



Don't move the  
injured person



No food or drink

**Important Note:** Don't attempt any intervention you're not trained in — the priority is reducing the danger and requesting help



# Handling the Severed Part

Handle it carefully and hand it to the specialists



**Don't touch it  
without gloves**



**Don't wash or  
rub it**



**Place it in a  
clean wrapping**



**Don't place it  
directly on ice**



**Hand it to the  
response  
teams**



**Focus on the  
injured person  
first**

**Important Message:** The priority is always the injured person and requesting help, not getting preoccupied with details at the expense of their life



# Signs That Call for Attention After Bleeding

Signs indicating the severity of the case



Obvious paleness in the face

1

Heavy sweating

2

Dizziness or weakness

3

Rapid breathing

4

Confusion or weak responsiveness

5

Coldness in the extremities

6

Continued bleeding despite pressure

7

**Correct Action:** Stay with the injured person, keep them calm, and call 999 if it hasn't been done



# What Not to Do with Bleeding

Common actions that may increase the danger



**Don't touch  
blood without  
protection**



**Don't remove a  
lodged object**



**Don't apply  
non-  
designated  
substances**



**Don't lift the  
dressing  
repeatedly**



**Don't move the  
injured person  
unnecessarily**



**Don't give  
them food or  
drink**



**Don't delay  
calling 999**

**Awareness Message:** Incorrect help can be more dangerous than not intervening



# The Role of the First Aid Kit

Supplies that help with the initial handling of bleeding



Medical gloves



Sterile gauze



Clean  
dressings



Medical tape



A suitable  
compression  
bandage



Antiseptic  
wipes



A bag for  
disposing of  
materials

**Note:** The kit doesn't replace requesting help in case of severe bleeding or serious injuries

# Do's and Don'ts with Bleeding and Amputation

Correct Practices and Others to Avoid

## Don't ✕

- Don't put yourself in danger ①
- Don't touch blood directly ②
- Don't remove a lodged object ③
- Don't use non-designated substances ④
- Don't move the injured person unnecessarily ⑤
- Don't delay requesting help ⑥
- Don't crowd or film the injured person ⑦

## Do ✓

- Make sure the area is safe ①
- Use gloves or a barrier ②
- Apply pressure with a clean dressing ③
- Call 999 in case of danger ④
- Reassure the injured person and stay with them ⑤
- Follow the emergency operator's instructions ⑥
- Hand over the information to the specialists ⑦

# Interactive Scenarios

Practical Application of What You've Learned

## Scenario 2 Severe bleeding after an injury in a public place

**Correct Action:** Secure the area, call 999, apply pressure with a clean dressing, and follow the emergency instructions

## Scenario 1 A minor wound at home with light bleeding

**Correct Action:** Use gloves if available, apply pressure with a clean dressing, cover the wound, and monitor the condition

## Scenario 4 People gathered and started filming

**Correct Action:** Disperse the onlookers, stop the filming, and provide space for the injured person and the response teams

## Scenario 3 There's an object lodged in the injury site

**Correct Action:** Don't remove it, call 999, and stabilize the area around it until the specialists arrive

# Test Your Knowledge

Quick Questions to Assess Your Understanding

**Q1: What is the first step before helping a bleeding person?**

**Answer:** Making sure the area is safe and using protection such as gloves if available



**Q2: What is the correct action in case of severe bleeding?**

**Answer:** Calling 999 and applying pressure with a clean dressing on the bleeding site



**Q3: Is it acceptable to remove an object lodged in the wound?**

**Answer:** No, the lodged object is not removed and you must wait for the specialists



**Q4: Why shouldn't calling emergency services be delayed in severe bleeding?**

**Answer:** Because severe bleeding can be life-threatening and requires quick intervention from specialists





# Thank You

The correct response to bleeding depends on calmness, protection, and appropriate pressure

**Area safety first • Protect the rescuer • Direct pressure • Call 999 • Don't improvise randomly**

***"The correct action in the first minutes can protect a person's life"***