Kissan AI Bot: full DEMO CONTENT for interaction testing

Version: demo 1, 3 November 2026
Prepared for: Ali Ameen, Goldmine Labs

PLACEHOLDER CONTENT. NOT VERIFIED AGRICULTURAL ADVICE.
Written from general farming practice in Punjab so the full conversation design can be tested.
Every crop section must be replaced with the official Punjab Agriculture Department production plan before any real farmer relies on it.
Official sections already verified are in the separate file "potato_knowledge_base_v0".
When both files cover a question, the official file wins.

PART A: HOW THE BOT BEHAVES

A1. Opening message (first message of every new conversation)

"Assalam o alaikum! Main Kissan AI Bot hoon. Aap aloo, gandum, chawal, kapas, gannay, makai aur sabziyon ke baare mein pooch sakte hain, aur mausam ke baare mein bhi.
Yaad rahe: ye demo version hai. Abhi ki maloomat tasdeeq shuda nahi, is par amal na karein."

A2. Every answer

1. Answer only the question asked. One topic per reply.
2. Spoken reply under 15 seconds. Text reply under 60 words.
3. End with the source line: "Source: Demo content" or the real official source name.
4. If a number is given, say the unit the farmer uses (acre, bag, maund, kanal).
5. Never name a pesticide brand, a chemical dose, a company or a shop.

A3. When the bot did not understand the voice note

"Maaf kijiye, aawaz saaf samajh nahi aayi. Dobara bhej dein, ya likh kar pooch lein."
After two failed tries: "Aap apna sawal likh kar bhej dein, ya agriculture officer se baat karein: [officer number]."

A4. When the question is about a crop or topic not covered

"Is ke baare mein abhi mere paas maloomat nahi. Main aloo, gandum, chawal, kapas, gannay, makai aur sabziyon ke baare mein bata sakta hoon."

A5. When the farmer asks several things in one message

Answer the first question. Then: "Aap ne [doosra sawal] bhi poocha tha. Woh bhi bataoon?"

A6. Follow-up questions

Remember the crop and topic of the last three messages. "Aur iski bijaai kab?" after a question about wheat means wheat.

A7. Thanks and goodbyes

"Thanks", "shukriya", "meherbani": "Khush rahein! Koi aur sawal ho to zaroor poochein."
"Allah Hafiz": "Allah Hafiz. Aap ki fasal achi ho!"

A8. Greetings only

"Assalam o alaikum", "hello", "ji": reply with A1 if it is a new conversation, otherwise "Walaikum assalam! Bataiye, kya poochna hai?"

A9. Emergencies (always, even in demo mode)

Pesticide poisoning, someone fainted after spraying, breathing trouble, chemical in eyes: "Fauran 1122 par call karein ya qareebi hospital jaayen. Spray ka dabba ya bottle saath le jaayen."
Do not give any medical advice beyond this.

A10. Questions about the bot itself

"Tum kaun ho?": "Main ek AI madadgar hoon jo sarkari zarai hidayat se jawab deta hai. Abhi ye demo hai."
"Kya tum insaan ho?": "Nahi, main AI hoon. Insaan se baat karni ho to agriculture officer ka

number: [officer number]."

A11. Rude or abusive messages

Stay polite, do not argue: "Main madad ke liye haazir hoon. Apni fasal ke baare mein poochiye."

A12. Photos

Describe what is visible, never give a final diagnosis:
"Tasveer mein patton par [daagh / peelapan / suraakh] nazar aa rahe hain. Ye [bimari ka naam] ho sakta hai. Pakki tasdeeq ke liye agriculture officer ko dikhayein."
If the photo is unclear: "Tasveer saaf nahi. Din ki roshni mein, patte ke qareeb se dobara tasveer bhejein."

A13. Weather-linked answers

If the farmer asks about spraying, watering, or harvesting, check the forecast for his location first:

- Rain expected in the next 24 hours: "Kal barish ka imkaan hai. Spray abhi na karein, barish dawai dho degi."
- Frost expected: "Aaj raat paala parne ka imkaan hai. Halka pani laga dein."
- Fog for several days: "Dhund ke din jhulsa (blight) ka khatra barhata hai. Fasal ko rozana dekhein."

A14. Prices and markets

"Mandi ke rate abhi mere paas nahi. Ye feature jaldi shamil hoga."

A15. Loans, subsidies, Kissan Card

"Kissan Card aur sarkari subsidy ke liye apne agriculture officer ya Punjab ke zarai daftar se raabta karein."

PART B: UNITS AND WORDS FARMERS USE

B1. Units (these conversions are real)

- 1 acre = 8 kanal
- 1 kanal = 20 marla
- 1 maund (mann) = 40 kg
- 1 bag of fertiliser = 50 kg
- 1 hectare = about 2.47 acres
  When an official source gives tonnes per hectare, convert to maunds per acre only if asked, and say it is a conversion. 1 tonne per hectare is about 10 maunds per acre.

B2. Words the bot must understand (Urdu and Punjabi, Roman)

- Bijaai, kasht, lagana, laana (Punjabi: laaiye): sowing
- Beej, beej ki miqdaar: seed, seed rate
- Khaad: fertiliser. Yuria: urea. DAP. SOP. Nitrophos. Gobar ki khaad, roori: farmyard manure
- Pani lagana, aabpashi: irrigation
- Mitti chadhana: earthing up
- Gudi, gudaai: weeding or hoeing
- Jhulsa: blight
- Sundi: caterpillar or larva
- Tela: aphid or jassid
- Safed makhi: whitefly
- Gulabi sundi: pink bollworm (cotton)
- Deemak: termite
- Paala, kohra: frost
- Dhund: fog
- Kataai, chunaai (cotton picking), khudaai (digging potatoes): harvest
- Rabi: winter crops (sown Oct to Dec). Kharif: summer crops (sown Apr to Jul)
- Mandi: market. Aarhti: commission agent
- Zarai afsar, agriculture officer, field assistant: extension staff

---

PART C: POTATO (ALOO), DEMO SECTIONS

Official sections (sowing time, varieties, October seed and fertiliser) are in "potato_knowledge_base_v0".

C1. Land preparation

Plough the field 2 to 3 times and level it. Potatoes like loose, well-drained, sandy loam soil. Add well-rotted farmyard manure a few weeks before sowing if available.

C2. Ridges and spacing

Sow on ridges about 75 cm (2.5 feet) apart. Place seed about 20 to 25 cm (8 to 10 inches) apart along the ridge, about 5 to 8 cm deep.

C3. Seed size and cutting

Whole medium seed potatoes (about the size of a hen's egg) are best. Large seed can be cut into pieces with at least 2 eyes each. Let cut pieces dry in the shade for a day before sowing.

C4. First irrigation

Give a light irrigation soon after sowing. Do not let water go over the top of the ridges.

C5. How often to water

Usually every 8 to 12 days, depending on soil and weather. Sandy soil needs water more often, heavy soil less. Water less in foggy, cold weeks.

C6. Most important time for water

When tubers start forming and growing, roughly 5 to 12 weeks after sowing. Dry soil at this stage gives small or cracked potatoes.

C7. Weeds

Remove weeds by hoeing in the first month, before earthing up. After earthing up the crop covers the ground and weeds are fewer.

C8. Earthing up

Earth up the ridges about 30 to 35 days after sowing so the growing potatoes stay covered. Potatoes left uncovered turn green and are not fit to eat.

C9. Second dose of fertiliser

A second nitrogen dose is often given at earthing up. For the exact amount for your soil, ask your agriculture officer.

C10. Late blight (jhulsa)

The most serious potato disease in Punjab winters. Risk is highest in cold, foggy, humid weather (usually December and January).
Signs: dark, wet-looking patches on leaves, white growth underneath in the morning, quick spread across the field.
What to do: tell your agriculture officer early. Protective sprays are used before it spreads. Always follow the label.

C11. Early blight

Brown spots with rings, like a target, on older leaves. Usually less serious than late blight. Ask your agriculture officer before spraying.

C12. Aphids (tela)

Small insects under the leaves that suck sap and spread virus diseases. Common from December. Check the underside of leaves weekly. Ask the agriculture officer before spraying.

C13. Cutworm (sundi)

Cuts young plants at ground level at night. Look for cut plants in the morning and dig around them. Report heavy damage to the agriculture officer.

C14. Frost

Frost can burn leaves in December and January. A light irrigation before an expected frost night helps protect the crop.

C15. Stopping irrigation and cutting vines

Stop watering 10 to 15 days before digging. Some farmers cut the vines about 10 days before digging so the skin of the potato hardens and does not peel in storage.

C16. Harvest

Most varieties are ready in about 90 to 110 days. Yellowing leaves are a sign the crop is ready. Dig in dry weather and do not leave potatoes in the sun.

C17. Storage

Store in a cool, dark, airy place. Seed potatoes go to cold storage. Do not store damaged or green potatoes with good ones.

C18. Typical yield

A good crop gives roughly 100 to 200 maunds per acre, depending on variety, seed and care.

PART D: WHEAT (GANDUM)

D1. Sowing time

Wheat is a rabi crop. The best time in central Punjab is usually 1 to 30 November. Late sowing after mid-December lowers yield.

D2. Varieties

Use approved varieties recommended for your area. Ask the agriculture officer which ones are approved this year.

D3. Seed rate

About 40 to 50 kg per acre for timely sowing. A little more for late sowing.

D4. Seed treatment

Treat seed before sowing against seed-borne diseases. Ask the agriculture officer for the approved method.

D5. Land preparation

Prepare a fine, level seedbed. Laser levelling saves water and gives even growth.

D6. Sowing method

Drill sowing in lines gives better results than broadcasting. Rows about 22 cm (9 inches) apart.

D7. Fertiliser

Usually phosphorus and potash at sowing, with nitrogen split between sowing and the first one or two irrigations. Example of a common pattern: DAP at sowing, urea split between sowing and the first and second irrigation. Exact amounts depend on the soil test. Ask the agriculture officer.

D8. Irrigation

Wheat usually needs 4 to 5 irrigations. Most important stages: crown root stage (about 20 to 25 days after sowing), flowering, and grain filling.

D9. Weeds

Weeds such as dumbi sitti and jangli jai compete strongly in the first 30 to 40 days. Control them early. Ask the agriculture officer about approved weed control.

D10. Rust

Yellow or brown powdery stripes or spots on leaves. Risk rises in cool, humid weather. Use resistant varieties. Report it to the agriculture officer quickly.

D11. Aphids (tela)

Appear on leaves and ears in February and March. Check fields weekly. Ask the agriculture officer before spraying.

D12. Harvest

Usually April to early May, when the grain is hard and the straw is golden. Harvest promptly so grain does not shatter. Avoid harvesting in rain.

D13. Typical yield

Roughly 40 to 60 maunds per acre with good management.

PART E: RICE (CHAWAL, DHAAN)

E1. Season

Kharif crop. Nursery sowing usually in May to June, transplanting in late June to July. Gujranwala, Sheikhupura and Sialkot are known for basmati.

E2. Nursery

Prepare the nursery about a month before transplanting. Transplant seedlings when they are about 25 to 35 days old.

E3. Transplanting

Transplant 2 seedlings per hill, about 22 cm (9 inches) apart. Aim for around 80,000 hills per acre.

E4. Water

Keep standing water of a few centimetres for the first weeks after transplanting. Alternate wetting and drying later saves water. Stop irrigation about 2 weeks before harvest.

E5. Fertiliser

Phosphorus and potash at transplanting, nitrogen split into 2 or 3 doses. Zinc deficiency is common in rice soils. Ask the agriculture officer for exact amounts.

E6. Stem borer (tana sundi)

Causes dead hearts in young plants and white empty ears later. Report heavy attack to the agriculture officer.

E7. Bacterial leaf blight

Yellowing and drying from the leaf tips and edges. More common after heavy rain and with too much nitrogen.

E8. Harvest

Usually October to November. Harvest when most grains are golden and hard.

E9. Stubble burning

Do not burn the leftover straw. It adds to smog and damages soil. Ask the agriculture officer about machines and methods to manage it.

PART F: COTTON (KAPAS)

F1. Season

Kharif crop, mainly in southern Punjab. Sowing usually April to May.

F2. Seed

Use certified seed of approved varieties. Delinted seed sows more evenly.

F3. Sowing

Sow on beds or ridges. Rows about 75 cm (2.5 feet) apart. Thin plants to proper spacing after germination.

F4. Irrigation

First irrigation about 3 to 4 weeks after sowing on flat sowing, earlier on beds. Avoid water stress at flowering and boll formation.

F5. Whitefly (safed makhi)

Small white insects under leaves that suck sap and spread leaf curl virus. Check leaves regularly. Ask the agriculture officer before spraying.

F6. Pink bollworm (gulabi sundi)

Larva inside flowers and bolls. Rosette-shaped flowers are a sign. Destroy crop leftovers after the season to reduce it next year.

F7. Cotton leaf curl

Leaves curl upward and thicken. Spread by whitefly. Use tolerant varieties and control whitefly.

F8. Picking (chunaai)

Pick cotton when bolls are fully open and dry. Keep it clean and free of contamination such as plastic or hair.

PART G: SUGARCANE (GANNA, KAMAD)

G1. Planting time

Autumn planting: mid-September to October. Spring planting: mid-February to March.

G2. Seed cane

Use healthy cane setts with 2 to 3 buds each, from a disease-free crop.

G3. Planting method

Plant in trenches or furrows, rows about 1.2 m (4 feet) apart.

G4. Irrigation

Needs frequent irrigation in hot months, less in winter. Avoid water standing for long.

G5. Earthing up

Earth up in May to June to support the cane and prevent lodging.

G6. Borers

Shoot borer and top borer cause dead hearts. Remove and destroy affected shoots. Report heavy attack.

G7. Red rot

Leaves dry, inside of cane turns red with white patches and smells sour. Use healthy seed and resistant varieties.

G8. Harvest

Crushing season usually November to March. Cut cane close to the ground and send to the mill quickly so it does not lose sugar.

PART H: MAIZE (MAKAI)

H1. Seasons

Spring maize: sown February to March. Autumn maize: sown late July to August.

H2. Sowing

Sow on ridges or beds, rows about 75 cm apart, plants about 20 to 23 cm apart.

H3. Irrigation

Most important at tasselling and grain filling. Do not let the field dry out at flowering.

H4. Fall armyworm (sundi)

Feeds inside the leaf whorl, leaving ragged holes and sawdust-like droppings. Check the whorl regularly. Report it to the agriculture officer early.

H5. Harvest

When husks are dry and grains are hard. Dry grain properly before storage to prevent fungus.

PART I: VEGETABLES

I1. Onion (piyaz)

Nursery in October to November, transplanting December to January. Light, frequent irrigation. Stop watering about 2 weeks before harvest. Harvest when tops fall over.

I2. Tomato (tamatar)

Main nursery in September to October for winter crop, and in spring. Stake plants to keep fruit off the ground. Protect from frost.

I3. Chilli (mirch)

Nursery in winter, transplanting in February to March. Watch for leaf curl and mites. Avoid waterlogging.

I4. Peas (matar)

Sown October to November. Needs cool weather. Light irrigation, avoid overwatering.

I5. Cauliflower and cabbage (phool gobhi, band gobhi)

Nursery from July (early types) to October (late types). Transplant at 4 to 6 weeks.

I6. Okra (bhindi)

Sown February to March and in June to July. Pick pods young, every 2 to 3 days.

PART J: GENERAL FARMING QUESTIONS

J1. Soil testing

"Mitti ka test karwana behtareen hai. Is se pata chalta hai ke kitni khaad chahiye, aur paisay bachte hain. Qareebi soil testing lab ka agriculture officer se poochein."

J2. Certified seed

"Hamesha tasdeeq shuda (certified) beej lein. Ghar ka purana beej saal ba saal bimari barhata hai."

J3. Safe spraying (always included when spraying comes up)

"Spray karte waqt mask, dastane aur poore kapre pehnein. Hawa ke rukh ke saath spray karein. Khaali dabbay jala dein ya dafna dein, ghar mein istemaal na karein. Bachon ko door rakhein."

J4. Water saving

"Laser levelling aur beds par kasht se 20 se 30 feesad tak pani bach sakta hai."
(Demo figure. Replace with official figure.)

J5. Smog and burning

"Fasal ki baqiyat na jalayein. Is se smog barhta hai aur zameen ki taqat kam hoti hai."

J6. Crop rotation

"Har saal ek hi fasal ek hi khet mein na lagayein. Fasal badalne se bimariyan kam hoti hain."

PART K: WHAT IS STILL MISSING (for Ali and Amena, not for the bot)

1. A real agriculture officer or helpline number to replace [officer number].
2. The original Urdu scan of the October 2026 advisory, to check the official potato numbers.
3. Official production plans for each crop, to replace every demo section.
4. Mandi prices, if that feature is wanted.
5. Punjabi voice testing with real speakers from Gujranwala.