COMPUTER NETWORKS AND DATA COMMUNICATIONS

PROJECT REPORT

ON

SZABIST NETWORK

CREATED BY:

NAME	REG. NO.	DEGREE
MUHAMMAD SARIM EFFENDI	2012304	BSCS
ALI ASAR KHOWAJA	2012285	BSCS
KRISHNA BATRA	2012297	BSCS
SHAIKH MOOSA ALI	2012319	BSCS

SUBMITTED TO:

Sir Muhammad Shahzad Haroon
Sir Mubeen Ahmed Khan

SUBMISSION DATE:

23-May-2023

ACKNOWLEDGEMENT

We would like to thank our esteemed university Shaheed Zulfiqar Ali Bhutto Institute of Science and Technology (SZABIST) under whose roof we have studied and completed our tasks, without which we would stand nowhere. Many thanks to our wonderful lecturer, Muhammad Shahzad Haroon and Sir Mubeen Ahmed Khan for guiding us with clear instructions and always giving us constructive feedback. He has been the primary source of information to help us out with any issues involving the coding aspect as well as other techniques, the result of which is this beautifully presented work. Moreover, we would like to thank our parents who have been consistently supporting us financially and morally. The list cannot be completed unless we say thanks to our friends who spent their precious time standing with us whenever we needed help with our project or even just to cheer us up. Their support has also played a vital role. Thank you.

TABLE OF CONTENT

INTRODUCTION

This report presents the design and implementation of the networking infrastructure for SZABIST Karachi campus. The objective is to provide a robust and scalable network that supports the various departments and buildings within the campus. The report outlines the requirements for each building and provides details on the network design, IP pooling, subnetting, VLAN implementation, inter-VLAN routing, DHCP configuration, port security, NAT, ACLs, dynamic routing, connectivity, remote management, and security measures.

NOTE:
Line console password = cisco
Privilege mode password = cisco123
Telnet password = 12345

Network Design and Implementation

This section describes the networking infrastructure for each building within the SZABIST Karachi campus.

100 Campus Building

The 100 Campus Building consists of seven labs, classrooms, and departments. The following devices are present in each lab:

CS Lab: 58 PCs, 2 Printers, 1 FTP server
Lab-3: 38 PCs, 2 Printers, 1 FTP server
Lab-4: 35 PCs, 2 Printers
Lab-5: 35 PCs, 2 Printers, 1 FTP server
Lab-6: 35 PCs
Smart Lab: 40 PCs, 1 Printer
Gaming Lab: 9 PCs, 2 Printers
Additionally, there are classrooms, faculty PCs, printers, and department-specific devices. The networking infrastructure for the 100 Campus Building will be designed and implemented to accommodate these requirements.

100 Campus Topology

99 Campus Building

The 99 Campus Building comprises classrooms, faculty PCs, printers, and departments such as Academic, IT, and Examination. The networking infrastructure for this building will be designed to meet the specific needs of each department.

Topology

154 Campus Building

The 154 Campus Building consists of classrooms, faculty PCs, printers, and the Mechatronics Labs. The networking infrastructure in this building will be designed to provide seamless connectivity and support the requirements of the Mechatronics Labs.

Topology

153 Campus Building

The 153 Campus Building houses classrooms, the Admission department, and the Academic department. The networking infrastructure for this building will ensure reliable connectivity and support the specific needs of these departments.

Topology

153 CAMPUS

Printer-PT 0
P3_153ADMISSION

0
Printer-PT
P2_153ADMISSION

0
Printer-PT
P1_153ADMISSION

Fa0/10
Faure

Fa0/2

Fa0
PC-PT
PC20

Fa0/19 Fa0/5 N_ACAD
S1_1530 Fa0/4

0
Printer-PT
P1_153ACADEMICS

Fa0
PC-PT
PC80

Fa0
PC-PT
PC81

Fa0
PC-PT
PC82

CLASSROOMS - 201.23.19.48 / 28

ADMISSIONS - 201.23.4.160 / 28

ACADEMICS - 201.23.19.136 / 29

79 Campus Building

The 79 Campus Building includes a library, HR department, Procurement department, ADMINISTRATION department, Finance department, and EDC department. The networking infrastructure will be designed to cater to the requirements of these departments.

Topology

Media Villa and Research Villa

The Media Villa and Research Villa consist of classrooms, faculty PCs, printers, and the Academic department. The networking infrastructure will be designed to facilitate communication and collaboration within these buildings.

Topology

IP Pooling and Subnetting

To optimize IP address allocation and minimize wastage, Variable Length Subnet Masking (VLSM) will be utilized. Four IP pools will be created based on the project group members, using the format xx.xx.xx.xx/24, where xx represents the roll number.

The network 201.22.85.0/24 has 254 hosts.
Your subnets need 185 hosts.

Name	Hosts Needed	Hosts Available	Unused Hosts	Network Address	Slash	Mask	Usable Range	Broadcast	Wildcard
cslab	62	62	0	201.22.85.0	/26	255.255.255.192	201.22.85.1 - 201.22.85.62	201.22.85.63	0.0.0.(
lab3	42	62	20	201.22.85.64	/26	255.255.255.192	201.22.85.65 - 201.22.85.126	201.22.85.127	0.0.0.(
smart lab	42	62	20	201.22.85.128	/26	255.255.255.192	201.22.85.129 - 201.22.85.190	201.22.85.191	0.0.0.(
lab5	39	62	23	201.22.85.192	/26	255.255.255.192	201.22.85.193 - 201.22.85.254	201.22.85.255	0.0.0.63

Name	Hosts Needed	Hosts Available	Unused Hosts	Network Address	Slash	Mask	Usable Range	Broadcast
faculty 99	39	62	23	201.22.97.0	/26	255.255.255.192	201.22.97.1 - 201.22.97.62	201.22.97.63
lab4	38	62	24	201.22.97.64	/26	255.255.255.192	201.22.97.65 - 201.22.97.126	201.22.97.12
lab6	36	62	26	201.22.97.128	/26	255.255.255.192	201.22.97.129 - 201.22.97.190	201.22.97.191
faculty 100	30	30	0	201.22.97.192	/27	255.255.255.224	201.22.97.193 - 201.22.97.222	201.22.97.223
classrooms100	21	30	9	201.22.97.224	/27	255.255.255.224	201.22.97.225 - 201.22.97.254	201.22.97.255

Name	Hosts Needed	Hosts Available	Unused Hosts	Network Address	Slash	Mask	Usable Range	Broadcast	Wildcard
classroom 154	9	14	5	201.23.19.0	/28	255.255.255.240	201.23.19.1 - 201.23.19.14	201.23.19.15	0.0.0.15
library 79	9	14	5	201.23.19.16	/28	255.255.255.240	201.23.19.17 - 201.23.19.30	201.23.19.31	0.0.0.15
finance 79	8	14	6	201.23.19.32	/28	255.255.255.240	201.23.19.33 - 201.23.19.46	201.23.19.47	0.0.0.15
classroom 153	7	14	7	201.23.19.48	/28	255.255.255.240	201.23.19.49 - 201.23.19.62	201.23.19.63	0.0.0.15
IT 99	6	6	0	201.23.19.64	/29	255.255.255.248	201.23.19.65 - 201.23.19.70	201.23.19.71	0.0.0.7
procurement79	6	6	0	201.23.19.72	/29	255.255.255.248	201.23.19.73 - 201.23.19.78	201.23.19.79	0.0.0.7
admin 100	5	6	1	201.23.19.80	/29	255.255.255.248	201.23.19.81 - 201.23.19.86	201.23.19.87	0.0.0.7
servers 99	5	6	1	201.23.19.88	/29	255.255.255.248	201.23.19.89 - 201.23.19.94	201.23.19.95	0.0.0.7
edc 79	5	6	1	201.23.19.96	/29	255.255.255.248	201.23.19.97 - 201.23.19.102	201.23.19.103	0.0.0.7
class media	4	6	2	201.23.19.104	/29	255.255.255.248	201.23.19.105 - 201.23.19.110	201.23.19.111	0.0.0.7
admin 99	3	6	3	201.23.19.112	/29	255.255.255.248	201.23.19.113 - 201.23.19.118	201.23.19.119	0.0.0.7
academic 154	3	6	3	201.23.19.120	/29	255.255.255.248	201.23.19.121 - 201.23.19.126	201.23.19.127	0.0.0.7
admin 154	3	6	3	201.23.19.128	/29	255.255.255.248	201.23.19.129 - 201.23.19.134	201.23.19.135	0.0.0.7
academic 153	3	6	3	201.23.19.136	/29	255.255.255.248	201.23.19.137 - 201.23.19.142	201.23.19.143	0.0.0.7
edc media	3	6	3	201.23.19.144	/29	255.255.255.248	201.23.19.145 - 201.23.19.150	201.23.19.151	0.0.0.7

| Name	Hosts Needed	Hosts Available	Unused Hosts	Network Address	Slash	Mask	Usable Range	Broadcast	Wildcard
faculty 154	21	30	9	201.23.4.0	/27	255.255.255.224	201.23.4.1 - 201.23.4.30	201.23.4.31	0.0.0.31
classroom 99	19	30	11	201.23.4.32	/27	255.255.255.224	201.23.4.33 - 201.23.4.62	201.23.4.63	0.0.0.31
examination 99	17	30	13	201.23.4.64	/27	255.255.255.224	201.23.4.65 - 201.23.4.94	201.23.4.95	0.0.0.31
mech lab 154	17	30	13	201.23.4.96	/27	255.255.255.224	201.23.4.97 - 201.23.4.126	201.23.4.127	0.0.0.31
IT 100	13	14	1	201.23.4.128	/28	255.255.255.240	201.23.4.129 - 201.23.4.142	201.23.4.143	0.0.0.15
gaming lab	12	14	2	201.23.4.144	/28	255.255.255.240	201.23.4.145 - 201.23.4.158	201.23.4.159	0.0.0.15
admission 153	12	14	2	201.23.4.160	/28	255.255.255.240	201.23.4.161 - 201.23.4.174	201.23.4.175	0.0.0.15
faculty media	12	14	2	201.23.4.176	/28	255.255.255.240	201.23.4.177 - 201.23.4.190	201.23.4.191	0.0.0.15
hr dept 79	10	14	4	201.23.4.192	/28	255.255.255.240	201.23.4.193 - 201.23.4.206	201.23.4.207	0.0.0.15
admin 79	10	14	4	201.23.4.208	/28	255.255.255.240	201.23.4.209 - 201.23.4.222	201.23.4.223	0.0.0.15
academics 100	9	14	5	201.23.4.224	/28	255.255.255.240	201.23.4.225 - 201.23.4.238	201.23.4.239	0.0.0.15
academics 99	9	14	5	201.23.4.240	/28	255.255.255.240	201.23.4.241 - 201.23.4.254	201.23.4.255	0.0.0.15

VLAN Implementation

VLANs are implemented for better network management and where necessary. VLAN segmentation will enable efficient traffic separation and enhance network security.

```
VLAN Name                             Status     Ports
---- -------------------------------- ---------  -------------------------------
1    default                          active     Fa0/17, Fa0/18, Fa0/19, Fa0/20
                                                 Fa0/21, Fa0/22, Fa0/23, Fa0/24
                                                 Gig0/1, Gig0/2
2    CSLAB_100                        active     Fa0/2, Fa0/3, Fa0/4, Fa0/5
                                                 Fa0/6, Fa0/7, Fa0/8, Fa0/9
                                                 Fa0/10, Fa0/11, Fa0/12, Fa0/13
                                                 Fa0/14, Fa0/15, Fa0/16
3    LAB3_100                         active
4    SMARTLAB_100                     active
5    LAB5_100                         active
6    FACULTY_99                       active
7    LAB4_100                         active
8    LAB6_100                         active
9    FACULTY_100                      active
10   CLASSROOMS_100                   active
11   FACULTY_154                      active
12   CLASSROOMS_99                    active
13   EXAMINATION_99                   active
14   MECHA1AB_154                     active
15   IT_100                           active
16   GAMINGLAB_100                    active
17   ADMISSION_153                    active
18   FACULTY_MEDIA                    active
19   HR_79                            active
20   ADMIN_79                         active
21   ACADEMICS_100                    active
22   ACADEMICS_99                     active
23   CLASSROOMS_154                   active
24   LIBRARY_79                       active
25   FINANCE_79                       active
26   CLASSROOMS_153                   active
27   IT_99                            active
28   PROCUREMENT_79                   active
29   ADMIN_100                        active
30   SERVERS_99                       active
31   EDC_79                           active
32   CLASSROOMS_MEDIA                 active
33   ADMIN_99                         active
34   ACADEMICS_154                    active
35   ADMIN_154                        active
36   ACADEMICS_153                    active
37   ACADEMICS_MEDIA                  active
1002 fddi-default                     active
1003 token-ring-default               active
1004 fddinet-default                  active
1005 trnet-default                    active
```

Network Functionality and Security Enhancements

To optimize the network infrastructure at SZABIST Karachi campus, various measures will be implemented. Inter-VLAN routing will facilitate seamless communication between VLANs, promoting efficient data transfer and network connectivity. DHCP configuration will dynamically assign IP addresses to PCs, streamlining network management and device configuration. Static IP addresses will be allocated to servers and printers, ensuring consistent and reliable connectivity. Port security measures will enhance network security by implementing appropriate techniques to restrict unauthorized access to servers and lab devices. Network Address Translation (NAT) will establish a connection between SZABIST's network and the internet using a public IP pool, enabling secure and efficient internet access. Access Control Lists (ACLs) will be implemented to control network traffic, allowing only authorized users and devices to access critical network resources. These measures collectively enhance network functionality, efficiency, and security at SZABIST Karachi campus.

Complete Topology Diagram

Conclusion

In conclusion, the design and implementation of the networking infrastructure for SZABIST Karachi campus will deliver a resilient and adaptable network solution tailored to the diverse needs of different departments and buildings. By incorporating advanced techniques such as IP pooling, subnetting, VLANs, inter-VLAN routing, DHCP configuration, port security, NAT, ACLs, dynamic routing, connectivity, remote management, and robust security measures, the network will offer seamless and secure operations throughout the campus. These comprehensive approaches guarantee efficient utilization of IP addresses, efficient traffic routing, centralized management, and protection against unauthorized access, resulting in a reliable and high-performing network infrastructure for SZABIST Karachi.