



Bilkent University

Department of Computer Engineering

Object-Oriented Software Engineering Project

CS 319 Project: Conquest

Analysis Report

Ali Onur Geven, Furkan Usta, Furkan Taşkale, Halil Bülent Orhon

Instructor: Uğur Doğrusöz

TA: İstemi Bahçeci

Table of Contents

1.Introduction.....	2
2.Proposed System.....	2
2.1 Overview	2
2.1.1. Gameplay and Control.....	2
2.1.2. Map.....	2
2.1.2.1. Continent.....	2
2.1.2.2. Region.....	2
2.1.3. Troops.....	3
2.1.3.1. Infantry.....	3
2.1.3.2. Tank.....	3
2.1.3.3. Jet.....	3
2.1.4. Troop Reinforcement.....	4
2.1.5. Upgrade and Experience	5
2.1.6. Attacking.....	5
2.1.7. Scoring.....	5
2.1.8. Achievements.....	5
2.2 Functional Requirements	5
2.2.1. Play Game.....	5
2.2.2. Pause Game.....	7
2.2.3. Save Game.....	7
2.2.4. Load Game.....	7
2.2.5. Upgrade Troops.....	8
2.2.6. View and Change Preferences.....	8
2.2.7. View Help.....	8
2.2.8. View Credits.....	8
2.2.9. Play Sound.....	8
2.2.10. View Troop Tree.....	8
2.3 Non-Functional Requirements	
2.3.1. Usability.....	9
2.3.2. Performance.....	9
2.3.3. Reliability.....	9
2.3.4. Supportability.....	9
2.4 Pseudo Requirements	9
2.5 System Models	9
2.5.1. Scenarios.....	9
2.5.2. Use Case Models.....	14
2.6 Glossary	20
2.7 References	21

Table Of Figures

Figure 1 Opening Menu of Conquest.....	2
Figure 2 World Map that Conquest will be played on.....	3
Figure 3 Infantry.....	3
Figure 4 Tank.....	4
Figure 5 Jet.....	4
Figure 6 Main Menu of Conquest.....	6
Figure 7 Pause Menu of Conquest.....	7
Figure 8 Settings Menu of Conquest.....	8
Figure 9 Use Case Diagram of Conquest.....	14

Analysis Report

Object Oriented Software Engineering: Conquest

1 Introduction

Conquest is a turn based local multiplayer strategy game. Players control their own territories and troops in turns to conquer other people's territories. Player that conquers all the territories wins the game. Players are able to upgrade and extend their troops to get upper hand in the battle.

Conquest will be played on the World Map and the main goal of the game is to be the Conqueror of the World. As the game starts areas on the map will be distributed randomly to each player. Each player will have different kinds of troops and every troop will have its own attributes. To be able to conquer the world players will have chances to create, upgrade troops and also attack to their neighbor areas. Players will gain gold for winning wars and they will spend this gold on upgrades and creation of troops. In each turn there will be limited number of upgrades and time spent. Whoever conquers the world will be the winner of the game.



Figure 1 Opening Menu of Conquest

2 Proposed System

2.1 Overview

2.1.1 Gameplay and Control

At the beginning of the game each region in the map will be distributed to the players; and each player will start with a number of troops that can be placed. The aim of each player the be the conqueror of the world by capturing all the regions. Throughout their conquests they will be assigned to some missions, and also will be able to upgrade their troops. At the start of each turn every player will get extra troops that can be placed. Although, at the beginning each player gets the same amount of extra units, later on some player might gain advantages and get more extra troops.

Main control device is mouse. Players will be able to click one of their regions and either attack to other enemy territories or move their troops to their another regions. In both action, map's color will change to show available options, also users will be able to select how many troops they want to use.

2.1.2Map

The game will be played on a world map divided into regions, instead of countries, to distribute the game over the whole map.




Figure 2 World Map that Conquest will be played on

2.1.2.1 Continent

Continents are valuable if a user manages to capture all the regions in a continent. Depending on the number of regions in the continent and connections to the other regions, that user will gain extra troops at the beginning of each turn.

2.1.2.2 Region

It is only possible to move from a region to another region if they are sharing a border. However, some regions will have ferries that enables continents to be connected by allowing attacks and reinforcements over the sea.

2.1.3 Troops

There are 3 kind of troops in the game, every unit will have an attack speed, attack power, defense power and upgrades.

2.1.3.1 Infantry

Infantries are the starting units, and they have the lowest attack power and health among all the units. However, they have faster attack speed than tanks.



Figure 3 Infantry

2.1.3.2 Tank

Tanks have the highest defense power but they have lower attack power than jets, and lower attack speed than troops.



Figure 4 Tank

2.1.3.3 Jet

Jets have the highest attack power but they are in the middle for both defense power and attack speed.



Figure 5 Jet

2.1.4 Troop Reinforcements

Other than attacking to the neighbor regions, users can move their troops to along their regions to reinforce. Depending on the distance between regions sending reinforcements may take more than a turn, and throughout their travel those unit will not be considered as part of the region they are moving along. Thus they, will not join any attacks or defense, they will also continue their travel even if the connection between the source and destination is disrupted by an another player.

Every reinforcement will take at least a turn. That means, a user cannot gather all the neighbor troops to one region and attack from there in one turn. These reinforcements will appear at the end of the user's turn. Moreover, users can choose how many units they want to send but at least one of the units has to stay in the region to protect it.

2.1.5 Upgrade and Experience System

At each attack, winning party gains experience points, depending on the casualties. Those points can be used to upgrade troops. Available upgrades of troops can be found in the troop tree which help player to plan on upgrades. Upgrades may increase attack speed, attack power or defense power. Upgrades to a specific type will be applied to all the

present units of that type as well. In their turn users can both attack and upgrade; however, all the upgrades become effective when the turn ends.

2.1.6 Attacking

A user can attack to an another region if they are sharing a border or they are connected by ferries. User can choose as many units to attack but at least one unit has to stay in the region. In other words, user cannot abandon his/her region.

An attacking session lasts until there are no more units to fight in one of the parties. A session may consist of several turns (these turns are different than users') at each turn all the units in each side will be matched randomly, and according their stats battle will be simulated. These turns will be repeated until the war is over. If the last match of the last turn is about the end in a draw, then the defender is counted as winner, and his last unit does not die.

2.1.7 Scoring

Scoring system is used for deciding the winner of the game. There will be a leader board which keeps the player in order with respect to their scores. Players will gain points for conquering areas and gaining troops. For each upgrade of the troops there will be scores that players can gain. Every player will start form 0 point. Some of the possible outcomes of the game:

- **Player won with conquering the World** : When all the areas are conquered by one of the players, the game will be done and the player will be the winner of the game.
- **Player surrendered** : When a player surrenders, he will be removed from the game and he will take the last place in the leader board even if that players score is more than another player.
- **Player won with highest score in leader board** : When all the players agreed the end game vote, the game will be finished and the player with the highest score will be the winner of the game.

2.1.8 Achievements

Achievements system will be used for granting bonuses throughout the game. Achievements are as follows:

- When a player conquers all of the areas in a continent, the player will be granted an extra numbers of troops.

2.2 Functional Requirements

2.2.1 Play Game

- The Players should be able to select an area.
- The Players should attack from an selected area.
- The Players should be able to select the area that will be attacked.
- The System should inform the Players about the numbers of troops in selected area.
- The System should inform the Players about the types, abilities of troops in selected area.

- The System should color areas according to the Players colors who is the master of the area.
- The System should place the map on the screen.
- The System should display battle logs on the screen when a battle ends.
- The System should display the leader board on the screen.
- The System should change the color of the areas after its master has been changed.
- The System should update the scores of players whenever they are changed.
- The System should show the time on the screen.
- The System should update the time on the screen in each second
- The System should inform the Players after scores changed.
- The System should inform the Players when an achievement is unlocked.
- The System should inform the Players when an area is lost or conquered.
- The System should inform the Players when the game has ended.
- The System should inform the Players about their placements in leader board at the end of the game.



Figure 6 Main Menu of Conquest

2.2.2 Pause Game

- The Player should be able to pause the game while it is in the Player's turn.

- The System should pause the game, stopping all movements and time when the pause button is pressed.
- The System should display the Pause Menu when the game is paused.
- The Player should be able to continue the game pressing the continue button in the pause menu.



Figure 7 Pause Menu of Conquest

2.2.3 Save Game

- The Player should be able to save the game whenever the game is paused.
- The Player should be able to click the Save Game Button in the Pause Menu.
- The System should be able to save the areas, players, troops, time and achievements in the game whenever the Save Game Button is pressed while the game is paused.

2.2.4 Load Game

- Player should be able to load the game whenever he wants.
- Player should be able to click the Load Game Button in the Pause Menu.
- The system should be able to load the areas, players, troops, time and achievements in the game whenever the Load Game Button is pressed and Player has chosen which save he wants to load.

2.2.5 Upgrade Troops

- Player should be able to upgrade his troops.
- System should display the effects of an upgrade.

- System should block the player if player does not have enough experience to unlock an upgrade.

2.2.6 View and Change Preferences

- Player must be able to change his color which will be shown on the map.
- Player must be able to change his user name during the game.
- System should display the current preferences to Player.
- Player must be able to mute or unmute the system.



Figure 8 Settings Menu of Conquest

2.2.7 View Help

- The System must explain the gameplay controls to Player.
- The System must explain the upgrades of the troops to Player.
- The System must explain the basic concepts of the game to Player.

2.2.8 View Credits

- The System should be able to show credits.
- Player should be able to see credits menu during the game.

2.2.9 Play Sound

- System should play a sound when the war is over.
- System should play a sound when player upgrades his troops.

2.2.10 View Troop Tree

- Player should be able to see the troop tree during the game.

2.3 Non-functional Requirements

2.3.1 Usability

- Game should be well designed for players to be able to play it on the same computer with ease.
- Menus, HUDs and such visuals must be clear for the players to understand them without confusion.
- Game should be able to pause and save for future plays.
- Settings should be accessible from the Pause menu.

2.3.2 Performance

- Game should be able to boot and start quickly.
- Fight simulations should be quick to calculate.

2.3.3 Reliability

- Game should not lose the Player profiles and games last status in a power-loss situation.
- Game should not lose the Player profiles and games last status if the System crushes.

2.3.4 Supportability

- Game must be upgradable and extendable with DLCs and future updates.

2.4 Pseudo Requirements/ Constraints

- Game will be implemented in java.
- Adobe Photoshop will be used for map, troop and menu designs.

2.5 System Models

2.5.1 Scenarios

Scenario 1

Use Case Name: PauseGameAndContinueGame

Actors: Player Ali

Entry Conditions:

- Player Ali is playing the game.

Exit Conditions:

- Player Ali is playing the game.

Flow of Events:

1. Player Ali presses Pause button

2. Conquest pauses the game
3. Conquest shows the Pause Menu to Player
4. Player Ali presses Continue to Game Button
5. Conquest let Ali and his opponent continue to game from where they left off

Scenario 2

Use Case Name: PauseGameAndLearnAboutTheUpgrades

Actors: Player Veli

Entry Conditions:

- Player Veli is playing the game

Exit Conditions:

- Player Veli is playing the game

Flow of Events:

1. Player Veli presses the Pause Button
2. Conquest pauses the game and freezes the screen
3. Conquest shows the Pause Menu
4. Player Veli presses Help button from the Pause Menu
5. Conquest displays a text about the upgrades
6. Player Veli presses continue to game button
7. Conquest continues the game

Scenario 3

Use Case Name: View Credits

Actors: Player Ali

Entry Conditions:

- Player Veli is on Main Screen

Exit Conditions:

- Player Veli is on Main Screen

Flow of Events:

1. Player Ali chooses Credits from the menu
2. Conquest displays a text about credits

3. Player Ali reads the credits
4. Player Ali presses Main Menu button
5. Conquest displays the Main Screen

Scenario 4

Use Case Name: ChangePlayerColorDuringTheGame

Actors: Player Ali

Entry Conditions:

- Player Ali is playing the game

Exit Conditions:

- Player Ali is playing the game

Flow of Events:

1. Player Ali presses Settings Button
2. Conquest displays Settings Page
3. Player Ali sees the views for changing his color
4. Player Ali presses Apply button
5. Conquest updates the settings and changes color of Player Ali
6. Player Ali presses return to game button
7. Conquest continues the game from where Ali left off

Scenario 5

Use Case Name: LoadGame

Actors: Player Ali

Entry Conditions:

- Player Ali is on Main Screen

Exit Conditions:

- Player Ali is playing the game

Flow of Events:

1. Player Ali presses Load Game Button
2. Conquest displays the selection menu with saved games
3. Player Ali selects one of the saved games

4. Conquest displays the game info
5. Player Ali selects an another saved game
6. Conquest updates the game info
7. Player Ali selects Load Game
8. Conquest opens the selected game

Scenario 6

Use Case Name: AttackAnotherUser

Actors: Player Ali

Entry Conditions:

- Player Ali is playing the game and his turn

Exit Conditions:

- Player Ali is playing the game and his turn has ended

Flow of Events:

1. Player Ali selects one of his regions
2. Conquest displays Action Buttons (Transfer, Attack)
3. Player Ali selects Attack Button
4. Conquest displays the applicable regions
5. Player Ali selects an applicable region
6. Conquest shows a menu to select number of units
7. Player Ali enters the number of units
8. Player Ali presses Attack Button
9. Conquest simulates the battle
10. Conquest displays the result
11. Conquest updates the map

Scenario 7

Use Case Name: TransforTroops

Actors: Player Ali

Entry Conditions:

- Player Ali is playing the game

Exit Conditions:

- Player Ali is playing the game

Flow of Events:

1. Player Ali selects one of his regions
2. Conqueus displays Action Buttons (Transfer, Attack)
3. Player Ali selects Transfer Button
4. Conquest displays the applicable regions
5. Player Ali selects an applicable region
6. Conqueust shows a menu to select number of units (and also displays required turns)
7. Player Ali enters the number of units
8. Player Ali presses Transfer Button
9. Conquest transfers the units when the required number of turns has passed

Scenario 8

Use Case Name: GameEnds

Actors: Player Ali

Entry Conditions:

- Player Ali is playing the game

Exit Conditions:

- Player Ali is on Main Menu

Flow of Events:

1. Player Ali attacks last of his enemies' regions.
2. Player Ali wins the battle.
3. Conquest freezes the game and calculates statistics
4. Conqueust displays the End screen
5. Player Ali presses Quit Button
6. Player Ali returns to the Main Menu

Scenario 9

Use Case Name: MuteVolume

Actors: Player Ali

Entry Conditions:

- Player Ali is playing the game

Exit Conditions:

- Player Ali is on Main Menu

Flow of Events:

1. Player Ali pauses the game
2. Conquest displays Pause screen
3. Player Ali presses the Options Button
4. Conquest displays Options Menu
5. Player Ali presses Mute Button
6. Conquest mutes the sound
7. Player Ali presses Back Button (Still in the Pause Menu)
8. Player Ali presses Resume Button
9. Conquest closes the Pause Menu and continues the Game

2.5.2 Use-Case Model

Use cases of Conquest are represented with the use case diagram. Verbal descriptions of use cases are included below.




Figure 9 Use Case Diagram of Conquest

ChangeSettings: Player can view Settings page and change game settings.

ViewHelp: Player can view Help page to learn playing the game.

MakeUpgrade: Player can view upgrade his/her troops.

ChangePreferences: Player can change his/her region colors from preferences menu.

ViewCredits: Player can request to view Credits page to see developer details.

ViewTroopTree: Player can view troop tree to determine which upgrades he/she will be doing in the future.

PlayGame: Player can request to play the game by clicking play game button from opening menu.

PauseGame: Player can request to pause the game while playing the game.

SaveGame: Player can request to save the game while playing the game.

LoadGame: Player can load a previous game by clicking the load game button from opening menu.

2.5.2.1 Change Settings

Use Case Name: ChangeSettings

Actors: Player

Entry Conditions:

- ChangeSettings use case extends PlayGame use case
- Player is on Main Menu OR
- Player is on Pause Menu OR

Exit Conditions:

- Player is on Main Menu OR
- Player is on Pause Menu

Main Flow of Events:

1. Player presses Settings button
2. Conquest displays Settings page
3. Player views buttons for setting volume level
4. Player views buttons for turning the music on or off
5. Player changes settings by turning music on or off
6. Player selects volume level
7. Player presses Opening Menu or Pause Menu button
8. Conquest updates the settings
9. Conquest displays Main Menu or Pause Menu

2.5.2.2 ViewHelp

Use Case Name: ViewHelp

Actors:Player

Entry Conditions:

- ViewHelp use case extends PlayGame use case
- Player is on Main Menu OR
- Player is on Pause Menu

Exit Conditions:

- Player is on Main Menu OR
- Player is on Pause Menu

Main Flow of Events:

1. Player presses Help button
2. Conquest displays Help page
3. Player views tutorials to learn how to play Conquest
4. Player presses Opening Menu button
5. Conquest displays Main Menu or Pause Menu

2.5.2.3 MakeUpgrade

Use Case Name: MakeUpgrade

Actors: Player

Entry Conditions:

- MakeUpgrade use case extends ViewTroopTree use case
- Player is on World Map

Exit Conditions:

- Player is on Opening Menu

Main Flow of Events:

- 1-Player presses upgrade troops button
- 2-Conquest displays available upgrades
- 3-Player views available upgrades
- 4-Player chooses an upgrade
- 5-Conquest updates the upgraded troops conditions
- 6-Player presses back button
- 7-Conquest displays World map

2.5.2.4 ChangePreferences

Use Case Name: ChangePreferences

Actors:Player

Entry Conditions:

- ChangePreferences use case extends PlayGame use case
- Player is on the Opening Menu

Exit Conditions:

- Player is on the Opening Menu

Main Flow of Events:

1. Conquest displays Opening Menu with the purchased items
2. Conquest shows player color
3. Player views available colors
4. Player changes current selection
5. Conquest updates Player selections
6. Player presses Main Menu button
7. Conquest displays Main Menu

2.5.2.5 ViewCredits

Use Case Name: ViewCredits

Actors:Player

Entry Conditions:

- Player is on the Opening Menu

Exit Conditions:

- Player is on the Opening Menu

Main Flow of Events:

1. Player presses Credits button
2. Conquest displays Credits page
3. Player views credits to learn developer details
4. Player presses Main Menu button
5. Conquest displays Main Menu

2.5.2.6 ViewTroopTree

Use Case Name:ViewTroopTree

Actors:Player

Entry Conditions:

- Player is on the Opening Menu

Exit Conditions:

- Player is on the Opening Menu

Main Flow of Events:

- 1-Player presses view troop tree button
- 2-Conquest displays troop tree
- 3-Player learns about the troop upgrades
- 4-Player presses Main menu button
- 5-Conquest displays Main menu

2.5.2.7 PlayGame

Use Case Name:PlayGame

Actors:Player

Entry Conditions:

- Player selected Play Game from opening menu
- Player selected Load Game from opening menu

Exit Conditions:

- Player won the game and returned to main menu
- Player surrendered the game returned to main menu

Main Flow of Events:

- 1-Player clicks play game button.
- 2-Conquest creates the game
- 3-Player plays the game:
 - a.Player attacks
 - b.Player upgrades troops
 - c.Player reinforces troops
 - d.Conquest handles battles
 - e.Conquest handles troop upgrades, controls and updates time, points and of the Player
- 4-Player finishes the game

5-Conquest checks which player is the winner

6-Conquest declares the winner

7-Conquest directs use to Main Menu

2.5.2.8 PauseGame

Use Case Name: PauseGame

Actors: Player

Entry Conditions:

- PauseGame use case inherits PlayGame use case
- Player is playing a Level OR

Exit Conditions:

- Player is on World Map OR
- Player is playing the game
- Player changes Settings
- Player views Help page

Main Flow of Events:

1. Player presses pause button
2. Conquest pauses the game screen
3. Conquest displays Pause Menu
4. Player selects to continue
5. Conquest continues the game

2.5.2.9 SaveGame

Use Case Name: SaveGame

Actors: Player

Entry Conditions:

- Save Game inherits the PlayGame use case
- Player is on the pause menu

Exit Conditions:

- Player is on the pause menu

Main Flow of Events:

- Player selects Save Game button from Pause Menu
- Conquest Saves Game

- Conquest declares wheter the game is saved or not
- Conquest directs player to Main Menu

2.5.2.10 LoadGame

Use Case Name:LoadGame

Actors:Player

Entry Conditions:

- Load Game use case extends Play Game use case
- Player is on the Opening Menu

Exit Conditions:

- Player is on the Opening Menu

Main Flow of Events:

1-Player selects the Load Game button

2-Conquest displays saved games

3-Player selects which saved game will be played

4-Conquest loads the selected game

3 Glossary

Troops: Soldiers that each player have.

Jet: Very fast and powerful type of a plane.

Tank: Heavy and powerful machines that used on guerilla warfare.

Infantry: Soldiers on foot on battlefield.

4 References

[1] Object-Oriented Software Engineering, Using UML, Patterns, and Java, 2nd Edition, by Bernd Bruegge and Allen H. Dutoit, Prentice-Hall, 2004, ISBN: 0-13-047110-0.

[2] Wikipedia web site of the inspired "Risk" Game
[https://en.wikipedia.org/wiki/Risk_\(game\)](https://en.wikipedia.org/wiki/Risk_(game))

[3]Webpage of the image of the Infantry Figure

http://hydra-media.cursecdn.com/heroesandgenerals.gamepedia.com/thumb/7/76/GE_Infantryman.png/144px-GE_Infantryman.png?version=8363820d90f27a3f3dce83922bbaf48a

[4]Webpage of the image of the Tank Figure
http://pngimg.com/upload/tank_PNG1310.png

[5]Webpage of the image of the Jet Figure

<http://www.freelogovectors.net/wp-content/uploads/2011/07/jet-fighter-f-15.jpg>

[6]Webpage of the image of the Map

http://www.americavstheworld.com/images/risk_big.jpg