Home Work #7

Ali BaniAsad 96108378

December 27, 2021

1 Question 1

System:


$$G_{1_{(s)}} = \frac{1}{(s+1)(2s+1)} \exp(-s) = \frac{1}{2s^2 + 3s + 1}$$

We use Optimal PID to design controller with ITAE, ISE and IAE const function.

• ITAE

$$K_p = 1.6922, \quad K_i = 0.5472, \quad K_d = 1.3675$$


Figure 1: Step responde with PID controller and ITAE cost function



 $\bullet~\mathrm{ISE}$

$$K_p = 1.8957, \quad K_i = 0.8007, \quad K_d = 2.5416$$


Figure 2: Step responde with PID controller and ISE cost function $\,$



 \bullet IAE

$$K_p = 1.8356, \quad K_i = 0.6085, \quad K_d = 1.7386$$

Figure 3: Step responde with PID controller and IAE cost function



PID designed with ITAE cost function work better system is fast with lower overshoot.

2 Question 2

System:


$$G_{1_{(s)}} = \frac{1}{(17s+1)(5s+1)} \exp(-30s) = \frac{1}{102s^2 + 23s + 1}$$

We use Optimal PID to design controller with ITAE, ISE and IAE const function. In program we use 100 second for optimization but use 1000 second for simulation beacuse optimization takes too long time and in 100 second beacuse of long delay time we can't see system behavior.

• ITAE

$$K_p = 0.6867, \quad K_i = 0.0347, \quad K_d = 15.0543$$


Figure 4: Step responde with PID controller and ITAE cost function



 $\bullet~\mathrm{ISE}$

$$K_p = 0.5399, \quad K_i = 0.0446, \quad K_d = 20.8391$$


Figure 5: Step responde with PID controller and ISE cost function $\,$



 \bullet IAE

$$K_p = 0.6522, \quad K_i = 0.0393, \quad K_d = 17.5028$$

Figure 6: Step responde with PID controller and IAE cost function



PID designed with ITAE and IAE cost function work better system is fast with lower overshoot but in ITAE cost function system has better undershoot.

Ali BaniAsad 96108378	CONTENTS
Contents	
1 Question 1	2
2 Question 2	5

Ali BaniAsad 96108378 LIST OF FIGURES

List of Figures

1	Step responde with PID controller and ITAE cost function
2	Step responde with PID controller and ISE cost function
3	Step responde with PID controller and IAE cost function
4	Step responde with PID controller and ITAE cost function
5	Step responde with PID controller and ISE cost function
6	Step responde with PID controller and IAE cost function