

Class 05: Data Visualization with GGLOT

Alice Lai PID:A16799081

2024-04-16


Table of contents

0.1	Cars data ggplot	1
0.2	Anti-viral drug data analysis	7
0.3	Anti-viral drug data ggplot	8
0.4	Economic and demographic data	11
0.5	OPTIONAL	19


0.1 Cars data ggplot

```
##install.packages("ggplot2")
library(ggplot2)


ggplot(cars)
```




```
ggplot(cars) +  
  aes(x=speed, y=dist)
```



```
ggplot(cars) +  
  aes(x=speed, y=dist) +  
  geom_point()
```




```
x <- ggplot(cars) +  
  aes(x=speed, y=dist) +  
  geom_point()  
  
x + geom_line()
```




```
x + geom_smooth()
```

```
`geom_smooth()` using method = 'loess' and formula = 'y ~ x'
```




```
x + geom_smooth(method = "lm", se = FALSE)
```

```
`geom_smooth()` using formula = 'y ~ x'
```



```
x + geom_smooth(method = "lm", se = FALSE) +  
  labs (title = "Stopping Distance vs. Speed",  
        x = "Speed (MPH)",  
        y = "Stopping Distance (ft)") +  
  theme_bw()
```

``geom_smooth()`` using formula = 'y ~ x'



0.2 Anti-viral drug data analysis

```
url <- "https://bioboot.github.io/bimm143_S20/class-material/up_down_expression.txt"
genes <- read.delim(url)
head(genes)
```

	Gene	Condition1	Condition2	State
1	A4GNT	-3.6808610	-3.4401355	unchanging
2	AAAS	4.5479580	4.3864126	unchanging
3	AASDH	3.7190695	3.4787276	unchanging
4	AATF	5.0784720	5.0151916	unchanging
5	AATK	0.4711421	0.5598642	unchanging
6	AB015752.4	-3.6808610	-3.5921390	unchanging

```
nrow(genes)
```

```
[1] 5196
```

```
colnames(genes)
```

```
[1] "Gene"          "Condition1" "Condition2" "State"
```

```
ncol(genes)
```

```
[1] 4
```

```
table(genes$State)
```


down	unchanging	up
72	4997	127

```
round( table(genes$State)/nrow(genes) * 100, 2 )
```


down	unchanging	up
1.39	96.17	2.44

0.3 Anti-viral drug data ggplot

```
ggplot(genes) +  
  aes(x=Condition1, y=Condition2) +  
  geom_point()
```





```
p <- ggplot(genes) +  
  aes(x=Condition1, y=Condition2, col=State) +  
  geom_point()  
  
p + scale_colour_manual( values=c("blue","gray","red") )
```



```
p + scale_colour_manual( values=c("blue","gray","red") ) +
  labs(title = "Gene Expression Changes Upon Drug Treatment",
        x = "Control (no drug)",
        y = "Drug Treatment")
```

Gene Expression Changes Upon Drug Treatment



0.4 Economic and demographic data

```
##install.packages("gapminder")
library(gapminder)

##install.packages("dplyr")
library(dplyr)
```

Attaching package: 'dplyr'

The following objects are masked from 'package:stats':


filter, lag

The following objects are masked from 'package:base':


intersect, setdiff, setequal, union

```
gapminder_2007 <- gapminder %>% filter(year==2007)
```


```
ggplot(gapminder_2007) +  
  aes(x=gdpPercap, y=lifeExp) +  
  geom_point()
```




```
ggplot(gapminder_2007) +  
  aes(x=gdpPercap, y=lifeExp) +  
  geom_point(alpha=0.5)
```




```
ggplot(gapminder_2007) +  
  aes(x=gdpPercap, y=lifeExp, color=continent, size=pop) +  
  geom_point(alpha=0.5)
```




```
ggplot(gapminder_2007) +  
  aes(x = gdpPercap, y = lifeExp, color = pop) +  
  geom_point(alpha=0.8)
```



```
ggplot(gapminder_2007) +  
  aes(x = gdpPercap, y = lifeExp, size = pop) +  
  geom_point(alpha=0.5)
```




```
ggplot(gapminder_2007) +  
  geom_point(aes(x = gdpPercap, y = lifeExp,  
                 size = pop), alpha=0.5) +  
  scale_size_area(max_size = 10)
```


```
gapminder_1957 <- gapminder %>% filter(year==1957)

ggplot(gapminder_1957) +
  aes(x = gdpPercap, y = lifeExp, color=continent,
      size = pop) +
  geom_point(alpha=0.7) +
  scale_size_area(max_size = 10)
```



```
gapminder_1957 <- gapminder %>% filter(year==1957 | year==2007)

ggplot(gapminder_1957) +
  geom_point(aes(x = gdpPercap, y = lifeExp, color=continent,
                 size = pop), alpha=0.7) +
  scale_size_area(max_size = 10) +
  facet_wrap(~year)
```



0.5 OPTIONAL


```
gapminder_top5 <- gapminder %>%
  filter(year==2007) %>%
  arrange(desc(pop)) %>%
  top_n(5, pop)
```

```
gapminder_top5
```


A tibble: 5 x 6

	country	continent	year	lifeExp	pop	gdpPercap
	<fct>	<fct>	<int>	<dbl>	<int>	<dbl>
1	China	Asia	2007	73.0	1318683096	4959.
2	India	Asia	2007	64.7	1110396331	2452.
3	United States	Americas	2007	78.2	301139947	42952.
4	Indonesia	Asia	2007	70.6	223547000	3541.
5	Brazil	Americas	2007	72.4	190010647	9066.


```
ggplot(gapminder_top5) +
  geom_col(aes(x = country, y = pop))
```




```
ggplot(gapminder_top5) +  
  geom_col(aes(x = country, y = lifeExp))
```




```
ggplot(gapminder_top5) +  
  geom_col(aes(x = country, y = pop, fill = continent))
```




```
ggplot(gapminder_top5) +  
  geom_col(aes(x = country, y = pop, fill = lifeExp))
```




```
ggplot(gapminder_top5) +  
  aes(x=country, y=pop, fill=gdpPercap) +  
  geom_col()
```



```
ggplot(gapminder_top5) +  
  aes(x=reorder(country, -pop), y=pop, fill=gdpPercap) +  
  geom_col()
```




```
ggplot(gapminder_top5) +  
  aes(x=reorder(country, -pop), y=pop, fill=country) +  
  geom_col(col="gray30") +  
  guides(fill="none")
```

```
head(USArrests)
```

	Murder	Assault	UrbanPop	Rape
Alabama	13.2	236	58	21.2
Alaska	10.0	263	48	44.5
Arizona	8.1	294	80	31.0
Arkansas	8.8	190	50	19.5
California	9.0	276	91	40.6
Colorado	7.9	204	78	38.7

```
USArrests$State <- rownames(USArrests)
ggplot(USArrests) +
  aes(x=reorder(State,Murder), y=Murder) +
  geom_col() +
  coord_flip()
```



```
ggplot(USArrests) +
  aes(x=reorder(State,Murder), y=Murder) +
  geom_point() +
  geom_segment(aes(x=State,
                  xend=State,
                  y=0,
                  yend=Murder), color="blue") +
  coord_flip()
```

