

Community Health Survey 2007 Public Use Data Codebook

Demographics

General Physical and Mental Health

Cancer screening

Access to Health Care

Weight, Exercise, Nutrition

Blood Pressure and Cholesterol

Vaccination

Cigarette Smoking and Alcohol

Sexual Behavior and Orientation

HIV testing

Diabetes

Asthma

Depression

Environmental Health

Demographics

Agegroup in years

Variable = agegroup Format = agegrp. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	18 - 24	493	5.2	12.4
2	25 - 44	3131	32.9	44.1
3	45 - 64	3670	38.6	28.0
4	65+	2210	23.3	15.5
Total		9504	100.0	100.0

Age40yrs and up, for female mammogram

Variable = age40new Format = age40new. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	40-44	911	13.4	23.0
2	45-64	3670	54.0	49.6
3	65+	2210	32.5	27.4
Total		6791	100.0	100.0

Age 50yrs and up for colon screening

Variable = age50up Format = age50up. Weighting Variable = wt8

	value		Raw	Weighted
Value	Label	Frequency	Percent	Percent
1	50 - 64	2638	54.4	56.3
2	65+	2210	45.6	43.7
Total		4848	100.0	100.0

Age groups 45 years or older for social isolation

Variable = age45up Format = age45up. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	45 - 64	3670	62.4	64.4
2	65+	2210	37.6	35.6
Total		5880	100.0	100.0

Variable = sex Format = sex. Weighting Variable = wt8

	Value		Raw	Weighted
Value	Label	Frequency	Percent	Percent
1	Male	3656	38.4	46.2
2	Female	5864	61.6	53.8
Total		9520	100.0	100.0

Race/ethnicity of the person being interviewed

Variable = newrace Format = newrace. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	White	3862	40.6	39.2
2	Black	2502	26.3	23.1
3	Hispanic	2275	23.9	24.9
4	Asian/Pacific Islander	637	6.7	10.1
5	Other	244	2.6	2.7
Total		9520	100.0	100.0

Borough of residence

Variable = borough Format = boro. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	Bronx	1443	15.2	15.3
2	Brooklyn	3116	32.7	29.7
3	Manhattan	1925	20.2	21.0
4	Queens	2338	24.6	28.6
5	Staten Island	698	7.3	5.4
Total		9520	100.0	100.0

<u>District Public Health Office neighborhoods</u> The North and Central Brooklyn DPHO area was expanded to include parts of East New York in Sept 2005. Beginning with CHS 2006, data for the North and Central Brooklyn DPHO include East New York.

Variable = dphonew06 Format = dpho. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	South Bronx	697	7.3	5.5
2	East and Central Harlem	446	4.7	3.1
3	North and Central Brooklyn	983	10.3	7.7
4	All Other Neighborhoods	7394	77.7	83.7
Total		9520	100.0	100.0

Variable = education Format = educat. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	Less than high school	1521	16.3	15.3
2	High school graduate	2383	25.5	25.9
3	Some college/technical school	1879	20.1	20.7
4	College graduate	3566	38.1	38.1
Total		9349	100.0	100.0

Employment (response options differ slightly from previous years)
Variable = employment07 Format = employ. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
value	value Label	rrequency	rercent	rerbeird
1	Employed for wages	4727	50.9	55.4
2	Self-employed	673	7.2	7.6
3	Out of work >1 year	329	3.5	3.7
4	Out of work <1 year	254	2.7	3.4
5	Homemaker	568	6.1	6.6
6	Student	248	2.7	5.0
7	Retired	1886	20.3	13.5
8	Unable to work	607	6.5	4.8
Total		9292	100.0	100.0

Household annual income from all sources by federal poverty level

Variable = povertygroup Format = poverty. Weighting Variable = wt8

		_	Raw	Weighted
Value	Value Label	Frequency	Percent	Percent
1	<100% poverty	1769	20.5	20.1
2	100% - <200% poverty	1343	15.6	15.4
3	200% - < 400% poverty	1499	17.4	17.1
4	400% - < 600% poverty	1411	16.3	16.0
5	> 600% poverty	1738	20.1	20.1
6	Dont know	872	10.1	11.3
Total		8632	100.0	100.0

<u>Marital Status</u> (response options differ slightly from previous years)

Variable = maritalstatus07 Format = marital. Weighting Variable = wt8

		Raw	Weighted
Value Label	Frequency	Percent	Percent
Married	3569	38.1	44.2
Divorced	1229	13.1	8.6
Widowed	1102	11.8	6.7
Separated	542	5.8	4.2
Never married	2371	25.3	28.7
A member of unmarried couple	543	5.8	7.6
	9356	100.0	100.0
	Married Divorced Widowed Separated Never married	Married 3569 Divorced 1229 Widowed 1102 Separated 542 Never married 2371 A member of unmarried couple 543	Value Label Frequency Percent Married 3569 38.1 Divorced 1229 13.1 Widowed 1102 11.8 Separated 542 5.8 Never married 2371 25.3 A member of unmarried couple 543 5.8

<u>Nativity - US or Foreign born (</u>US born includes Puerto Rico and other US territories)

Variable = usborn Format = born. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	US born	5749	60.4	56.6
2	Foreign born	3771	39.6	43.4
Total		9520	100.0	100.0

34 United Hospital Fund neighborhoods

A few neighborhoods are combined due to the survey design Variable = uhf34 Format = uhf34f. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	101 Kingsbridge	150	1.6	1.2
2	102 NE Bronx	206	2.2	2.3
3	103 Fordham-Bronx Pk	172	1.8	2.9
4	104 Pelham-Throgs Neck	218	2.3	3.5
5	105/106/107 South Bronx	697	7.3	5.5
6	201 Greenpoint	140	1.5	1.5
7	202 Downtown-Heights-Slope	323	3.4	2.8
8	203 Bed Stuy-Crown Heights	548	5.8	3.6
9	204 East New York	195	2.0	1.9
10	205 Sunset Park	139	1.5	1.5
11	206 Borough Park	310	3.3	3.8
12	207 Flatbush	406	4.3	3.7
13	208 Canarsie	208	2.2	2.4
14	209 Bensonhurst	274	2.9	2.6
15	210 Coney Island	333	3.5	3.7
16	211 Williamsburg-Bushwk	240	2.5	2.1
17	301 Washington Heights	315	3.3	3.3
18	302 Central Harlem	299	3.1	1.9
19	303 East Harlem	147	1.5	1.3
20	304 Upper West Side	222	2.3	3.2
21	305/307 Upper East Side-Gramercy	390	4.1	5.1
22	306/308 Chelsea-Village	273	2.9	3.1
23	309/310 Union Square-Lower Manhattan	279	2.9	3.2
24	401 LIC, Astoria	274	2.9	2.9
25	402 West Queens	322	3.4	6.1
26	403 Flushing	210	2.2	3.4
27	404/406 Bayside Little Neck-Fresh Meadows	220	2.3	2.4
28	405 Ridgewood	278	2.9	3.2
29	407 SouthWest Queens	308	3.2	3.3
30	408 Jamaica	327	3.4	3.5
31	409 SouthEast Queens	270	2.8	2.5
32	410 Rockaway	129	1.4	1.3
33	501/502 Northern SI	308	3.2	2.2
34	503/504 Southern SI	390	4.1	3.3
Tota	L	9520	100.0	100.0

 $\underline{\text{Time in US}}$ (among respondents born outside of the US, Puerto Rico, or other US territories), Answer choices SAME AS CHS06 BUT differ from other surveys

Variable = howlonginus Format = howlong. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	<5 yrs	284	6.8	11.5
2	5 - 9 yrs	419	10.1	13.3
3	10+ yrs	3444	83.0	75.3
Total		4147	100.0	100.0

<u>Language spoken most often at home</u> - response choices differ from chs05&06 **Variable = athomelang07 Format = athome. Weighting Variable = wt8**

	Value		Raw	Weighted
Value	Label	Frequency	Percent	Percent
1	English	7040	74.5	70.5
2	Spanish	1351	14.3	15.2
3	Russian	334	3.5	3.5
4	Chinese	218	2.3	3.5
5	Indian	37	0.4	0.5
6	Other	468	5.0	6.7
Total		9448	100.0	100.0

General Physical and Mental Health

Self-reported general health status

Would you say that in general your health is: Excellent, Very Good, Good, Fair or Poor?

Variable = generalhealth Format = health. Weighting Variable = wt8

	Value		Raw	Weighted
Value	Label	Frequency	Percent	Percent
1	Excellent	1558	16.5	18.8
2	Very Good	2292	24.3	25.6
3	Good	3215	34.1	34.6
4	Fair	1619	17.2	15.1
5	Poor	747	7.9	5.9
Total		9431	100.0	100.0

Frequent mental distress

Thinking of mental health including stress, depression, and problems with emotions, how many days in the past 30 days was your mental health not good?

Variable = fmd Format = fmds. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	0 - 13 days	7805	88.3	88.3
2	14+ days	1039	11.7	11.7
Total		8844	100.0	100.0

At risk for social isolation (adults ages 45 years or older)

Risk for social isolation is determined by a modified version of the Lubben Social Network Scale, which asks questions about social contact with family and friends.

Variable = social isolation Format = isolate. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	At risk for social isolation	871	16.0	16.5
2	Not at risk	4568	84.0	83.5
Total		5439	100.0	100.0

Weight, Exercise, Nutrition

Body Mass Index (BMI) category

Created using BMI (BMI is calculated using a person's height and weight). This variable includes all follow-up questions for height and weight for those who did not tell their exact height or weight.

Variable = weightall Format = wt. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	Under/normal weight	3639	39.9	42.6
2	Over weight	3273	35.9	35.4
3	Obese	2206	24.2	22.0
Total		9118	100.0	100.0

Physical activity level

Physical activity categories are based on respondents' self-reported time spent doing moderate and vigorous exercise, compared to Healthy People (HP) 2010 recommended levels.

Variable = healthus07 Format = hp. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	Mod/vig HP2010	3552	40.0	42.2
2	Some mod/vig but not HP2010	3739	42.1	42.6
3	No mod/vig PA	1591	17.9	15.2
Total		8882	100.0	100.0

Walking/biking for transportation

Over the last 30 days, have you walked or bicycled more than 10 blocks as part of getting to and from work, school, public transportation or to do errands?

Variable = tenblocks07 Format = yesno. Weighting Variable = wt8

	Value		Raw	Weighted
Value	Label	Frequency	Percent	Percent
1	Yes	6210	65.5	68.5
2	No	3271	34.5	31.5
Total		9481	100.0	100.0

Bicycling

In the past 12 months, how often have you ridden a bicycle in one of the five boroughs of New York City? Would you say several times a month, at least once a month, a few times a year, or never?

Variable = cycling07 Format = cycl07f. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	Several times a month	665	7.0	9.0
2	At least once a month	247	2.6	3.2
3	A few times a year	782	8.2	10.2
4	Never	7802	82.2	77.6
Total		9496	100.0	100.0

Helmet use when biking (among those who rode bike in NYC in past 12 months)

When you rode a bicycle during the past 12 months, how often did you wear a helmet? Would you say you wore a helmet always, most of the time, sometimes, rarely or never?

Variable = cyclinghelmetuse Format = helmet. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	Always	515	30.5	27.8
2	Most of the time	97	5.7	5.7
3	Sometimes	151	8.9	9.4
4	Rarely	129	7.6	8.3
5	Never	798	47.2	48.8
Total		1690	100.0	100.0

Soda consumption

How often do you drink soda? Do not include diet soda or seltzer.

Variable = twoplussoda Format = ndrnkcat. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	>=2 sodas per day	656	6.9	7.8
2	<2 sodas per day	8806	93.1	92.2
Total		9462	100.0	100.0

Access to Health Care

Type of insurance

Respondents were asked if they were personally covered by a number of different types of health insurance, or if they had no health insurance at all.

Variable = insure5 Format = insurefive. Weighting Variable = wt8

	Value	_	Raw	Weighted
Value	Label	Frequency	Percent	Percent
1	Private	4661	50.1	51.5
2	Medicare	1499	16.1	11.4
3	Medicaid	1376	14.8	15.1
4	Others	420	4.5	4.3
5	Uninsured	1349	14.5	17.7
Total		9305	100.0	100.0

Insured all year

Variable = insuredallyr Format = insureall. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	Continuously insured in the past 12 months	6935	74.8	70.4
2	Insured now but uninsured in the past 12 months	991	10.7	11.8
3	Uninsured	1349	14.5	17.8
Total		9275	100.0	100.0

Managed care

Respondents were asked if their health insurance was a managed care plan, such as an HMO or PPO (among adults with a specified insurance type.)

Variable = managedcare Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	Yes	5135	77.6	80.4
2	No	1480	22.4	19.6
Total		6615	100.0	100.0

<u>Primary care provider</u> $_{\overline{1}\overline{1}}$ (question wording changed slightly in chs05-06)

Do you have one person or more than one person you think of as your personal doctor or health care provider?

Variable = pcp07 Format = yesno. Weighting Variable = wt8

	Value		Raw	Weighted
Value	Label	Frequency	Percent	Percent
1	Yes	7935	84.0	80.3
2	No	1509	16.0	19.7
Total		9444	100.0	100.0

Visited primary care provider in last 12 months

Have you seen your personal doctor or health care provider in the last 12 months? (among people who had a primary care provider)

Variable = visitpcp12m Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	Yes	7189	90.7	88.2
2	No	735	9.3	11.8
Total		7924	100.0	100.0

Visited any provider in last 12 months

Have you seen any doctor, nurse or other health professional in the last 12 months? Variable = anymedvisit12m Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	Yes	8477	89.1	85.9
2	No	1035	10.9	14.1
Total		9512	100.0	100.0

Didn't get needed medical care

Was there a time in the past 12 months when you needed medical care, but did not get it? Variable = didntgetcare07 Format = yesno. Weighting Variable = wt8

	Value		Raw	Weighted
Value	Label	Frequency	Percent	Percent
1	Yes	949	10.0	11.2
2	No	8496	90.0	88.8
Total		9445	100.0	100.0

<u>Didn't get needed dental c</u>are

In the last 12 months, was there any time when you needed dental care but did not get it? Variable = didntgetdental Format = yesno. Weighting Variable = wt8

	Value		Raw	Weighted
Value	Label	Frequency	Percent	Percent
1	Yes	960	10.9	12.2
2	No	7849	89.1	87.8
Total		8809	100.0	100.0

Last dental visit

How long ago was your most recent visit to a dental care provider?

Variable = visitdds07 Format = visitdds. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	less than 12 months ago	6041	64.7	63.4
2	1 year ago but less than 2 years ago	1508	16.1	17.0
3	2 years ago but less than 3 years ago	688	7.4	7.4
4	3 years ago but less than 5 years ago, or	449	4.8	5.1
5	5 or more years ago	652	7.0	7.1
Total		9338	100.0	100.0

Didn't get needed prescription

In the last 12 months, was there any time when you needed to fill a prescription for medicine but did not get it?

Variable = didntgetmeds Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	Yes	884	10.1	10.4
2	No	7892	89.9	89.6
Total		8776	100.0	100.0

Blood Pressure and Cholesterol

High blood pressure (hypertension)

Ever been told by a doctor or other health care professional that you have hypertension, also called high blood pressure?

Variable = toldhighbp07 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	Yes	3167	33.4	26.1
2	No	6329	66.6	73.9
Total		9496	100.0	100.0

Told to take blood pressure medication

Have you ever been told to take prescribed blood pressure medication? (among those who have been told they had high blood pressure)

Variable = toldprescription07 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	Yes	2813	89.0	84.7
2	No	348	11.0	15.3
Total		3161	100.0	100.0

<u>Currently on blood pressure medication</u> (among those ever told to take blood pressure medication) Variable = **takingmeds07** Format = yesno. Weighting Variable = wt8

	Value		Raw	Weighted
Value	Label	Frequency	Percent	Percent
1	Yes	2472	88.2	85.3
2	No	332	11.8	14.7
Total		2804	100.0	100.0

<u>High cholesterol</u>

Have you ever been told you have high cholesterol?

Variable = toldhighcholesterol07 Format = yesno. Weighting Variable = wt8

	Value		Raw	Weighted
Value	Label	Frequency	Percent	Percent
1	Yes	3352	36.0	30.6
2	No	5959	64.0	69.4
Total		9311	100.0	100.0

Cholesterol screening within past 5 years

Variable = cholesterol5yrs07 Format = yesno. Weighting Variable = wt8

	Value		Raw	Weighted
Value	Label	Frequency	Percent	Percent
1	Yes	8085	87.0	82.2
2	No	1208	13.0	17.8
Total		9293	100.0	100.0

Cancer screening

Had colonoscopy within the past 10 years

Colonoscopy is an exam in which a tube is inserted in the rectum to view the bowel for signs of cancer or other health problems. Have you ever had a colonoscopy? AND When was the most recent colonoscopy performed? Restricted to persons ages 50 years and older

Variable = colonoscopy10yr07 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	Yes	2907	63.0	61.5
2	No	1704	37.0	38.5
Total		4611	100.0	100.0

Had mammogram within past 2 years

A mammogram is an x-ray of each breast to look for breast cancer. Have you ever had a mammogram? AND How long has it been since you had your last mammogram?

Restricted to females ages 40 years and older

Variable = mammogram2yr07 Format = yesno. Weighting Variable = wt8

	Value		Raw	Weighted
Value	Label	Frequency	Percent	Percent
1	Yes	3044	75.8	73.6
2	No	970	24.2	26.4
Total		4014	100.0	100.0

Had pap smear within past 3 years ago (Among all women with or without hysterectomy)

A Pap smear is a test for cancer of the cervix. Have you ever had a Pap smear? And how long has it been since your last Pap smear?

Variable = paptest3yrall07 Format = yesno. Weighting Variable = wt8

	Value	_	Raw	Weighted
Value	Label	Frequency	Percent	Percent
1	Yes	4499	81.1	80.2
2	No	1049	18.9	19.8
Total		5548	100.0	100.0

Cigarette Smoking and Alcohol

Smoking status

Have you smoked at least 100 cigarettes in your entire life? AND Do you now smoke cigarettes every day, some days, or not at all?

Variable = smoker Format = smoker. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	Never	5455	58.9	61.3
2	Current	1517	16.4	17.1
3	Former	2293	24.7	21.7
Total		9265	100.0	100.0

Quit Attempts

During the past 12 months, have you stopped smoking for 24 hours or longer because you were trying to quit smoking? (among all who smoked in the past year)

Variable = treidtoquit Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	Yes	1153	67.2	69.7
2	No	562	32.8	30.3
Total		1715	100.0	100.0

Place of last cigarette purchase

Where did you get the last cigarette? (among current smokers)

Variable = taxavoid Format = taxav. Weighting Variable = wt8

Variable = taxavoid Format = taxavoid. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	Outside of NYC	168	12.1	11.9
2	In NYC	1213	87.5	87.5
3	Cannot be determined	5	0.4	0.6
Total		1386	100.0	100.0

Age when first started smoking regularly

How old were you when you first started smoking cigarettes regularly? (among current and former smokers) Variable = agesmkever Format = smokeage. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	1 - 9 yrs	37	1.0	1.2
2	10 - 12 yrs	183	5.1	5.0
3	13 - 17 yrs	1645	45.8	46.5
4	18 - 22 yrs	1275	35.5	35.6
5	>= 23 yrs	453	12.6	11.7
Total		3593	100.0	100.0

Second hand smoke exposure at work

Respondents who reported being around people smoking all or most of the time in the workplace are considered to have second-hand smoke exposure at work. (among those employed, excluding self-employed)

Variable = shswork Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	Yes	394	8.5	9.5
2	No	4260	91.5	90.5
Total		4654	100.0	100.0

Heavy drinking

Heavy drinking is defined as an average of more than 2 drinks per day for men and more than 1 drink per day for women.

Variable = heavydrink07 Format = yesno. Weighting Variable = wt8

Value Value Label		Frequency	Raw Percent	Weighted Percent
1	Yes	393	4.5	5.2
2	No	8390	95.5	94.8
Total		8783	100.0	100.0

Binge drinking

Binge drinking is defined as five or more drinks on one occasion in the past 30 days.

Variable = binge07 Format = yesno. Weighting Variable = wt8

Value	Value alue Label Fre		Raw Percent	Weighted Percent
1	Yes	1023	11.6	15.8
2	No	7767	88.4	84.2
Total		8790	100.0	100.0

Depression

<u>History of depression</u>

Have you ever been told by a doctor, nurse or other health professional that you have depression? Variable = tolddepression Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	Yes	1589	16.8	15.0
2	No	7892	83.2	85.0
Total		9481	100.0	100.0

New diagnosis of depression

Were you first told you had depression in the last 12 months? (among all adults; question wording is different from 2006)

Variable = firsttolddepression07 Format = yesno. Weighting Variable = wt8

	Value		Raw	Weighted
Value	Label	Frequency	Percent	Percent
1	Yes	682	7.2	6.3
2	No	8781	92.8	93.7
Total		9463	100.0	100.0

<u>Treatment for depression</u>

In the last 12 months, have you received any counseling or taken prescription medication for depression? (among those with a history of depression)

Variable = treatdepression Format = yesno. Weighting Variable = wt8

Value	Value Lue Label Frequ		Raw Percent	Weighted Percent
1	Yes	925	58.5	55.5
2	No	657	41.5	44.5
Total		1582	100.0	100.0

Asthma

<u>History of asthma</u>

Have you ever been told by a doctor, nurse or other health professional that you had asthma? Variable = everasthma Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	Yes	1258	13.3	12.6
2	No	8234	86.7	87.4
Total		9492	100.0	100.0

Current asthma

In the last 12 months, have you had an episode of asthma or an asthma attack? (among all adults) Variable = currentasthma07 Format = yesno. Weighting Variable = wt8

Value	Value Value Label F		Raw Percent	Weighted Percent
1	Yes	478	5.0	4.4
2	No	9002	95.0	95.6
Total		9480	100.0	100.0

HIV testing

Ever had an HIV test

Variable = everhivtest07 Format = yesno. Weighting Variable = wt8

	Value		Raw	Weighted
Value	Label	Frequency	Percent	Percent
1	Yes	4747	54.5	57.9
2	No	3962	45.5	42.1
Total		8709	100.0	100.0

HIV test in past year

Have you had an HIV test during the last 12 months?

Variable = hiv12months07 Format = yesno. Weighting Variable = wt8

	Value		Raw	Weighted
Value	Label	Frequency	Percent	Percent
1	Yes	2367	26.6	29.6
2	No	6544	73.4	70.4
Total		8911	100.0	100.0

HIV test recommended

In the past 12 months has a doctor, nurse or other health professional recommended that you have an HIV test?

Variable = recommendedhivtest07 Format = yesno. Weighting Variable = wt8

	Value		Raw	Weighted
Value	Label	Frequency	Percent	Percent
1	Yes	963	10.6	11.6
2	No	8110	89.4	88.4
Total		9073	100.0	100.0

Sexual behavior and orientation

Sexual identity

Now I'll read a list of terms people sometimes use to describe themselves -- heterosexual or straight; homosexual, gay or lesbian; and bisexual. As I read the list again, please stop me when I get to the term that best describes how you think of yourself.

Variable = sexualid Format = sexual. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	Heterosexual	7998	95.8	95.9
2	Gay/Lesbian	237	2.8	2.8
3	Bisexual	114	1.4	1.3
Total		8349	100.0	100.0

Number of sex partners in past year (of either gender)

Variable = sexpartner Format = partner. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	None	2837	35.1	27.0
2	0ne	4408	54.6	59.8
3	Two	389	4.8	6.0
4	Three or more	445	5.5	7.2
Total		8079	100.0	100.0

Men who report having sex with men in the past year (among men who had 1 or more sex partner in the past year)

Variable = msm Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	Yes	140	5.8	4.9
2	No	2287	94.2	95.1
Total		2427	100.0	100.0

<u>Women who report having sex with women in the past year</u> (among women who had 1 or more sex partner in the past year)

Variable = wsw Format = yesno. Weighting Variable = wt8

	Value		Raw	Weighted
Value	Label	Frequency	Percent	Percent
1	Yes	105	3.8	3.9
2	No	2672	96.2	96.1
Total		2777	100.0	100.0

Used condom during anal sex in last 12 months

(among those who had anal sex)

Variable = analsexcondomuse Format = analsex. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	Every time	115	34.7	37.0
2	Some of the time	52	15.7	14.0
3	Never	164	49.5	49.0
Total		331	100.0	100.0

Received counseling or information about emergency contraception

(among females 18-44; males 18-64)

Variable = ecpills Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	Yes	228	6.4	6.8
2	No	3341	93.6	93.2
Total		3569	100.0	100.0

Diabetes

<u>Diabetes ever</u>

Have you ever been told by a doctor, nurse or other health professional that you have diabetes? Variable = diabetes07 Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	Yes	1085	11.4	8.6
2	No	8415	88.6	91.4
Total		9500	100.0	100.0

Vaccinations

Flu shot/spray in past 12 months

During the past 12 months, have you had a flu shot in your arm or a flu vaccine that was sprayed in your nose?

Variable = fluvaccineshot Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	Yes	2710	30.8	26.2
2	No	6102	69.2	73.8
Total		8812	100.0	100.0

Environmental Health

<u>Air conditioner in home</u>

Do you have a functioning air conditioner in any room of your home?

Variable = acinhome Format = yesno. Weighting Variable = wt8

Value	Value Label	Frequency	Raw Percent	Weighted Percent
1	Yes	7969	85.9	87.5
2	No	1305	14.1	12.5
Total		9274	100.0	100.0