



**A** Intra-individual same-layer methylation concordance

Own layer (blue) should exceed the noise floor by more than the wrong layer (orange)  
Meso: 9 patients ( $|r| \geq 0.68$ ) | Endo: 15 patients ( $|r| \geq 0.70$ )



**B** Same-layer methylation concordance by CpG category (fetal-style  $|r|$ )

Each patient contributes one point (mean of their tissue pairs);  $|$ Pearson  $r|$  taken across patients  
Dotted = mean  $|r|$  of constitutive CpGs (empirical noise) | Dashed = 95th pct of that noise, used as the "high" cutoff  
Meso: 9 patients, noise 0.28, cutoff  $|r| \geq 0.68$  | Endo: 15 patients, noise 0.25, cutoff  $|r| \geq 0.70$



**C** Same-layer methylation concordance by CpG category (fetal-style  $|r|$ )

Each patient contributes one point (mean of their tissue pairs);  $|$ Pearson  $r|$  taken across patients  
Dotted = mean  $|r|$  of constitutive CpGs (empirical noise) | Dashed = 95th pct of that noise, used as the "high" cutoff  
Meso: 9 patients, noise 0.28, cutoff  $|r| \geq 0.68$  | Endo: 15 patients, noise 0.25, cutoff  $|r| \geq 0.70$

