

### **Quantitative Methods:**

**Exercises Set 3** 

11/2013-5386 - BF Dec 13

These exercises were prepared by Michèle Hibon, Emeritus Lecturer, and Ilia Tsetlin, Associate Professor of Decision Sciences, both at INSEAD.

Copyright © 2006 INSEAD

COPIES MAY NOT BE MADE WITHOUT PERMISSION. NO PART OF THIS PUBLICATION MAY BE COPIED, STORED, TRANSMITTED, REPRODUCED OR DISTRIBUTED IN ANY FORM OR MEDIUM WHATSOEVER WITHOUT THE PERMISSION OF THE COPYRIGHT OWNER.

The Business School for the World®

1. For each of the total revenue R, total cost C and profit P functions, find the derivative, called the marginal function, and evaluate it at x = 8. Is the original function increasing or decreasing at x = 8?

a) 
$$R(x) = 50x - x^2$$

b) 
$$C(x) = x^2 + 10x + 48$$

c) 
$$P(x) = 3x^2 - 28x + 132$$

d) 
$$C(x) = 3x^3 - 21x^2 + 11x + 65$$

2. Find the marginal revenue functions associated with each of the following supply functions

P = price and Q = quantity. Evaluate them at Q = 5

a) 
$$P = Q^2 + 4Q + 9$$

b) 
$$P = \frac{1}{2}Q^2 + 3Q + 8$$

c) 
$$P = \frac{1}{4}Q + 60$$

*Hint*: To find a marginal revenue function R', given a supply or demand function, first find the total revenue function

R = P \* Q and then take the derivative of R with respect to Q.

3. Differentiate each of the following:

a) 
$$f(x) = 13$$

b) 
$$f(x) = -27$$

c) 
$$f(x) = 7x - 12$$

d) 
$$f(x) = 25 - 6x$$

e) 
$$f(x) = 9x^4$$

$$f) f(x) = -5x^7$$

g) 
$$f(x) = 4x^{-3}$$



### 4. The average waiting time, T, in a hospital emergency room depends on the number of people on the staff, x.

The form of the relationship is:

$$T = x^2 - 30x + 240$$
 for  $x \ge 1$ 

Find the level of staff that will minimize the average waiting time.

#### 5. A manager has a linear demand function in units of the form

demand = 
$$50 - 4p$$
  $p = price$ 

The cost of each unit is \$5, and the company has a longstanding policy that requires  $p \le 10$ .

How much should they charge to maximize profit?

If  $p \le 8$  is required, what prices should they charge?

## 6 Revenue and cost. The price-demand equation and the cost function for the production of items are given, respectively, by

$$x = 6000 - 30p$$
 and  $C(x) = 72000 + 60x$ 

where x is the number of items that can be sold at a price of p per item and p is the total cost (in dollars) of producing p items.

- a) Express the price p as a function of the demand.
- b) Find the marginal cost.
- c) Find the revenue function.
- d) Find the marginal revenue for x = 1500 and x = 4500 and interpret the results.

# 7. Find the level of output at which profit P is maximized for the firm in each of the following cases, given the total revenue R and a cost C functions.

Consider only Q > 0 and check if it is a maximum.

a) 
$$R = 600Q - 5Q^2$$
,  $C = 320 + 20Q$ 

b) 
$$R = 1300Q - 4Q^2$$
,  $C = 2000 + 100Q$ 



8. If price per unit of product (i.e., inverse demand) is P(Q), total revenue is given by TR(Q)=P(Q)\*Q. Marginal revenue MR(Q) is the derivative of TR(Q).

For a linear inverse demand P(Q)=A-B\*Q, find MR(Q).

9. A monopolist faces the following demand and total cost conditions:

$$Q=120-2P$$
,  $TC(Q)=Q^2$ .

What is the profit-maximizing price and quantity, and what are the resulting monopoly profits?

- 10. A company's profit at a point in time is given by  $f(x) = 20 + 3x + x^2$ , where x is the number of years the company has been in business (x = 0 in 1970) and f(x) is in millions of dollars.
  - a) At what rate are company profits growing after 3 years?
  - b) Predict the level of profits when x = 3
- 11. The demand function for a good is  $P = 125 Q^{1.5}$ 
  - a) Write the expressions for Total Revenue (TR) and Marginal revenue (MR)
  - b) Evaluate TR and MR at Q = 10Explain in words the meaning of each function
  - c) Calculate the value of Q for which MR = 0At what value of Q does the sale of further units first start to reduce total revenue?