

# Material Safety Data Sheet (MSDS)

Regulation (EC) No 1907/2006 (REACH), Annex II

**Huizhou New Road Cosmetics Company Ltd**

**Prepared For** : No.5 Building, Dongtai Heng Insustry, Changbu Village, Xinxu Town,  
Huiyang Region, Huizhou City,Guangdong Province, China  
Shenzhen AZT Technology Co., Ltd.

**Prepared By** : No.513-514, Huaide Yinshan Building, 107 National Road, Fuwei Community,  
Fuyong Street, Baoan District, Shenzhen, Guangdong, China

**Issue Date** : 2024.11.25

Signed for and on behalf of AZT

  
Suez Su  




Shenzhen AZT Technology Co., Ltd.  
深圳安正检测技术有限公司

No.513, 514, 808, Huaide Yinshan Building, 107 National Road, Fuwei Community,  
Fuyong Street, Baoan District, Shenzhen, Guangdong, China  
中国 广东省 深圳市宝安区福永街道福围社区107国道旁怀德银山大厦513, 514, 808  
Tel: 0755-23501189; Fax: 0755-23597514; Http: [www.azt-tech.com](http://www.azt-tech.com)

# Safety Data Sheet

REPORT NO.: AZT032502240011C-013

Page 2 of 8

## SECTION 1: Identification of the substance /mixture and of the company/undertaking

### 1.1. Product identifier

Product Name Lavender oil + Frankincense oil + Helichrysum oil + Olive oil  
Model No. N/A

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use N/A  
Uses advised against N/A

### 1.3. Details of the supplier of the safety data sheet

Supplier Huizhou New Road Cosmetics Company Ltd  
Address No.5 Building, Dongtai Heng Insustry, Changbu Village, Xinxu Town, Huiyang Region, Huizhou City,Guangdong Province, China  
E-mail cherrychan@new-road.com.cn

### 1.4. Emergency telephone number

+86 07522297843

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Part 3.0 HEALTH HAZARDS Category 4

### 2.2. Label elements

Symbols/Pictograms



Signal word Warning  
Hazard Statements H302:Harmful if swallowed  
Precautionary Statements P264+P270  
Precautionary statements—Store No information available.  
Precautionary statements—Disposal P280  
Other hazards: No information available.

### 2.3. Other hazards

No information available.



Shenzhen AZT Technology Co., Ltd.  
深圳安正检测技术有限公司

No.513, 514, 808, Huaide Yinshan Building, 107 National Road, Fuwei Community, Fuyong Street, Baoan District, Shenzhen, Guangdong, China  
中国 广东省 深圳市宝安区福永街道福围社区107国道旁怀德银山大厦513, 514, 808  
Tel: 0755-23501189; Fax: 0755-23597514; Http: www.azt-tech.com



**SECTION 3: Composition/information on ingredients****3.1. Mixture**

INCI-Name	CAS-No	Content (%)
Lavandula Angustifolia (Lavender) Oil	8000-28-0	30
Boswellia Serrata Resin Oil	8050-07-5	25
Helichrysum Italicum Flower Oil	8023-95-8	25
Olea Europaea (Olive) Fruit Oil	8001-25-0	20
Total		100

**SECTION 4: First aid measures****4.1. Description of first aid measures****General advice**

There is no harm in normal use, If allergy Remove contaminated clothing and shoes. If symptoms persist, call a physician.

**Inhalation**

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

**Skin contact**

There is no harm in normal use, If allergy Get medical advice/attention if you feel unwell.

**Eye contact**

IF IN EYES: Immediately lift eyelids, rinse cautiously with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**Ingestion**

Rinse mouth. Give 1-2 glasses of water. Don't try to urge. Get medical attention. Never give anything by mouth to an unconscious person.

**4.2. Most important symptoms and effects, both acute and delayed**

No information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media**

Suitable extinguishing media

Use dry chemicals, foam or water mist when burning; use carbon dioxide, dry chemicals or water mist when small fires.

Unsuitable extinguishing media

No information available.

**5.2. Special hazards arising from the substance or mixture**

Thermal decomposition may lead to the release of irritating toxic gases and vapors.

**5.3. Advice for firefighters**

Move the container from the fire site to an open space as far as possible. Spray water to keep the fire container cool until the end of firefighting. Fire extinguishing agents: defoaming foam, dry powder, carbon dioxide and sand.

**SECTION 6: Accidental release measures**

# Safety Data Sheet

REPORT NO.: AZT032502240011C-013

Page 4 of 8

**6.1. Personal precautions, protective equipment and emergency procedures**

Evacuate personnel to safe areas.  
Ensure adequate ventilation, especially in confined areas.  
Remove all sources of ignition.  
Avoid contact with skin, eyes and inhalation of vapors.  
Use personal protection recommended in Section 8.

**6.2. Environmental precautions**

Local authorities should be advised if significant spillages cannot be contained.  
Prevent entry into waterways, sewers, basements or confined areas.

**6.3. Methods and material for containment and cleaning up**

Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13)

**6.4. Reference to other sections**

See Section 7 for more information  
See section 8 for more information  
See section 13 for more information

## Section 7- Handling and Storage

**7.1. Precautions for safe handling**

Handle in accordance with good industrial hygiene and safety practice  
Ensure adequate ventilation, especially in confined areas  
Take precautionary measures against static discharges.  
Do not breathe dust/fume/gas/mist/vapors/spray.  
Do not eat, drink or smoke when using this product.  
Wash thoroughly after handling.  
Do not contact the lens directly.  
Use personal protection recommended in Section 8.

**7.2. Conditions for safe storage, including any incompatibilities**

Keep the container closed in a dry, cool and well-ventilated place.  
Keep away from heat sources.  
Keep container sealed.  
Should be stored separately from oxidizing agent, avoid mixed storage by all means.  
Store according to local regulations

**7.3. Specific end use(s)**

Apart from the uses mentioned in SECTION 1.2 no other specific uses are stipulated.





# Safety Data Sheet

REPORT NO.: AZT032502240011C-013

Page 5 of 8

## Section 8- Exposure Controls/Personal Protection

### 8.1. Control parameters

Local exhaust: relevant facilities are recommended

Ventilation: relevant facilities are recommended

### 8.2. Exposure controls

#### Engineering Controls

Use with local exhaust ventilation. Ensure adequate ventilation, especially in confined areas.

#### Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand Protection Wear protective gloves. (Nitrogen impermeable cloth gloves, ordinary rubber gloves, butyl synthetic rubber gloves)

Skin and body protection Suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.  
If the underlying substance exceeds established exposure limits, apply NIOSH approved air clean gas masks.

Other protection Good industrial practice shall be observed.

#### Environmental exposure controls

Do not allow into any sewer, on the ground or into any body of water.

## Section 9- Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Liquid
<b>Color</b>	Light yellow
<b>Odor</b>	Mixed oil aroma
<b>Odor Threshold</b>	No information available
<b>pH</b>	No information available
<b>Melting point/freezing point</b>	No information available
<b>Boiling point / boiling range</b>	No information available
<b>Flash point</b>	No information available
<b>Evaporation rate</b>	No information available
<b>Relative density (25°C)</b>	No information available
<b>Solubility in water</b>	No information available
<b>Organic volatility</b>	No information available

### 9.2. Other information

No information available


Shenzhen AZT Technology Co., Ltd.  
深圳安正检测技术有限公司

No.513, 514, 808, Huaide Yinshan Building, 107 National Road, Fuwei Community,  
Fuyong Street, Baoan District, Shenzhen, Guangdong, China  
中国 广东省 深圳市宝安区福永街道福围社区107国道旁怀德银山大厦513, 514, 808  
Tel: 0755-23501189; Fax: 0755-23597514; Http: www.azt-tech.com

# Safety Data Sheet

REPORT NO.: AZT032502240011C-013

Page 6 of 8

## Section 10- Stability and reactivity

### 10.1. Reactivity

Heat may cause curing.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

May react violently with alkali and many organic substances, including alcohols and amines.

### 10.4. Conditions to avoid

Humid environment, bright light, high temperature and other dangerous sources.

### 10.5. Hazardous decomposition products

Irritant organic vapors, carbon oxides, nitrogen oxides.

## Section 11 – Toxicological Information

### 11.1. Information on toxicological effects

#### Acute toxicity

No information available.

#### Skin corrosion/irritation

To the skin may cause irritation.

#### Serious eye damage/eye irritation

to the eyes may cause irritation.

#### Sensitization

To the eyes, the skin may cause irritation.

#### Germ cell mutagenicity

No information available.

#### Carcinogenicity

#### Reproductive toxicity

No information available.

#### STOT - single exposure

No information available.

#### STOT - repeated exposure

No information available.



Shenzhen AZT Technology Co., Ltd.  
深圳安正检测技术有限公司

No.513, 514, 808, Huaide Yinshan Building, 107 National Road, Fuwei Community,  
Fuyong Street, Baoan District, Shenzhen, Guangdong, China  
中国 广东省 深圳市宝安区福永街道福围社区107国道旁怀德银山大厦513, 514, 808  
Tel: 0755-23501189; Fax: 0755-23597514; Http: [www.azt-tech.com](http://www.azt-tech.com)



# Safety Data Sheet

REPORT NO.: AZT032502240011C-013

Page 7 of 8

## Section 12- Ecological Information

### 12.1. Toxicity

No information available.

### 12.2. Persistence and degradability

No information available.

### 12.3. Bioaccumulative potential

#### Chemical Name

No information available.

#### Partition coefficient (LogPow)

No information available.

### 12.4. Mobility in soil

No information available

### 12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment information is not available as chemical safety assessment not conducted.

### 12.6. Other adverse effects

No information available

## Section 13- Disposal Considerations

### 13.1. Waste treatment methods

Waste from  
residues/unused products

Disposal should be in accordance with applicable regional, national and local laws and regulations

Contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations

## Section 14 – Transport Information

### 14.1 UN Number

No information available.

### 14.2 Proper shipping name

No information available.

### 14.3 Hazard Class

No information available.

### 14.4 Packing Group

No information available.

### 14.5 Environmental hazards

No information available.

### 14.6 Label for conveyance

No information available.


Shenzhen AZT Technology Co., Ltd.  
深圳安正检测技术有限公司

No.513, 514, 808, Huaide Yinshan Building, 107 National Road, Fuwei Community,  
Fuyong Street, Baoan District, Shenzhen, Guangdong, China  
中国 广东省 深圳市宝安区福永街道福围社区107国道旁怀德银山大厦513, 514, 808  
Tel: 0755-23501189; Fax: 0755-23597514; Http: www.azt-tech.com

# Safety Data Sheet

REPORT NO.: AZT032502240011C-013

Page 8 of 8

**14.7 Other information**

The railway transportation time limit of this product shall be shipped by the steel enterprise's own tank car, which shall be reported to the relevant department for approval before shipment. Transportation vehicles shall be equipped with corresponding types and quantities of fire-fighting equipment and leakage emergency treatment equipment. It's best to transport in the morning and evening in summer. The tank (tank) car used in transportation shall be equipped with grounding chain, and hole partition can be set in the tank to reduce static electricity generated by vibration. It is strictly prohibited to mix with oxidants, acids, alkali metals, amines, edible chemicals, etc. During transportation, it shall be protected from sun exposure, rain and high temperature. During stopover, keep away from fire, heat source and high temperature area. The exhaust pipe of the vehicle carrying the article must be equipped with a fire stop device. It is forbidden to use mechanical equipment and tools that are easy to produce sparks for loading and unloading. During highway transportation, it is required to drive according to the specified route, and do not stay in residential areas and densely populated areas. It is forbidden to slide when transporting by railway. It is strictly prohibited to transport in bulk by wooden boat or cement boat. Please refer to adr-rid / PG III, IMO / IMDG / PG III, IATA / ICAO / PG III and Part VII for details.

## Section 15- Regulatory information

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Take note of Directive 94/33/EC on the protection of young people at work.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work.

## Section 16- Other Information

The information above is believed to be accurate and represents the best information currently available to us. However, concorde makes no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. Although reasonable precautions have been taken in the preparation of the data contained herein, it is offered solely for your information, consideration and investigation. This material safety data sheet provides guidelines for the safe handling and use of this product; it does not and cannot advise on all possible situations, therefore, your specific use of this product should be evaluated to determine if additional precautions are required.

\*\*\* End of Report \*\*\*



Shenzhen AZT Technology Co., Ltd.  
深圳安正检测技术有限公司

No.513, 514, 808, Huaide Yinshan Building, 107 National Road, Fuwei Community,  
Fuyong Street, Baoan District, Shenzhen, Guangdong, China  
中国 广东省 深圳市宝安区福永街道福围社区107国道旁怀德银山大厦513, 514, 808  
Tel: 0755-23501189; Fax: 0755-23597514; Http: [www.azt-tech.com](http://www.azt-tech.com)