






Column 0
Best Bias (114)
User Bias (550)
Response (kDAC)
Bias (DAC)
60
40
20
0
−20
−40
−60
0
250
500
750
1000
1250
1500
1750
2000



Column 1
Response (kDAC)
Bias (DAC)
40
20
0
−20
−40
−60
0
250
500
750
1000
1250
1500
1750
2000
Best Bias (198)
User Bias (600)



Column 2
Best Bias (2000)
User Bias (600)
Response (kDAC)
30
20
10
0
−10
−20
0
250
500
750
1000
1250
1500
1750
2000
Bias (DAC)



Column 3
Response (kDAC)
20
0
−20
−40
0
250
500
750
1000
1250
1500
1750
2000
Bias (DAC)
Best Bias (181)
User Bias (375)



Column 4
0.04
0.02
0.00
−0.02
−0.04
Response (kDAC)
0
250
500
750
1000
1250
1500
1750
2000
Bias (DAC)
Best Bias (2000)
User Bias (0)



Column 5
0.04
0.02
0.00
−0.02
−0.04
Response (kDAC)
0
250
500
750
1000
1250
1500
1750
2000
Bias (DAC)
Best Bias (2000)
User Bias (0)



Column 6
0.04
0.02
0.00
−0.02
−0.04
Response (kDAC)
0
250
500
750
1000
1250
1500
1750
2000
Bias (DAC)
Best Bias (2000)
User Bias (0)



Column 7
0.04
0.02
0.00
−0.02
−0.04
Response (kDAC)
0
250
500
750
1000
1250
1500
1750
2000
Bias (DAC)
Best Bias (2000)
User Bias (0)



Column 8
0.04
0.02
0.00
−0.02
−0.04
Response (kDAC)
0
250
500
750
1000
1250
1500
1750
2000
Bias (DAC)
Best Bias (2000)
User Bias (0)



Column 9
0.04
0.02
0.00
−0.02
−0.04
Response (kDAC)
0
250
500
750
1000
1250
1500
1750
2000
Bias (DAC)
Best Bias (2000)
User Bias (0)



Column 10
Response (kDAC)
Bias (DAC)
Best Bias (2000)
User Bias (0)
0.0
−0.1
−0.2
−0.3
−0.4
−0.5
−0.6
−0.7
−0.8
0
250
500
750
1000
1250
1500
1750
2000



Column 11
Response (kDAC)
60
40
20
0
−20
0
250
500
750
1000
1250
1500
1750
2000
Bias (DAC)
Best Bias (525)
User Bias (250)



Column 12
Response (kDAC)
Bias (DAC)
20
0
−20
−40
−60
0
250
500
750
1000
1250
1500
1750
2000
Best Bias (146)
User Bias (200)



Column 13
Response (kDAC)
Bias (DAC)
40
20
0
−20
−40
−60
0
250
500
750
1000
1250
1500
1750
2000
Best Bias (198)
User Bias (275)



Column 14
Best Bias (304)
User Bias (625)
Response (kDAC)
Bias (DAC)
10
0
−10
−20
−30
−40
0
250
500
750
1000
1250
1500
1750
2000



Column 15
Best Bias (597)
User Bias (600)
Response (kDAC)
20
0
−20
−40
0
250
500
750
1000
1250
1500
1750
2000
Bias (DAC)



Column 16
Best Bias (508)
User Bias (600)
Response (kDAC)
Bias (DAC)
20
10
0
−10
−20
−30
0
250
500
750
1000
1250
1500
1750
2000



Column 17
Best Bias (290)
User Bias (500)
Response (kDAC)
Bias (DAC)
20
10
0
−10
−20
−30
0
250
500
750
1000
1250
1500
1750
2000



Column 18
10
0
−10
−20
−30
−40
−50
−60
Response (kDAC)
0
250
500
750
1000
1250
1500
1750
2000
Bias (DAC)
Best Bias (365)
User Bias (375)



Column 19
Response (kDAC)
0
−10
−20
−30
−40
−50
−60
0
250
500
750
1000
1250
1500
1750
2000
Bias (DAC)
Best Bias (354)
User Bias (250)



Column 20
Best Bias (325)
User Bias (500)
20
0
−20
−40
−60
Response (kDAC)
0
250
500
750
1000
1250
1500
1750
2000
Bias (DAC)



Column 21
Best Bias (265)
User Bias (325)
20
0
−20
−40
−60
Response (kDAC)
0
250
500
750
1000
1250
1500
1750
2000
Bias (DAC)



Column 22
Best Bias (857)
User Bias (1100)
Response (kDAC)
0
−10
−20
−30
−40
0
250
500
750
1000
1250
1500
1750
2000
Bias (DAC)



Column 23
Best Bias (293)
User Bias (325)
20
0
−20
−40
−60
Response (kDAC)
0
250
500
750
1000
1250
1500
1750
2000
Bias (DAC)



Column 24
Response (kDAC)
Bias (DAC)
20
15
10
5
0
−5
−10
−15
0
250
500
750
1000
1250
1500
1750
2000
Best Bias (341)
User Bias (250)



Column 25
Best Bias (2000)
User Bias (500)
Response (kDAC)
40
20
0
−20
−40
0
250
500
750
1000
1250
1500
1750
2000
Bias (DAC)



Column 26
Best Bias (333)
User Bias (400)
0
−10
−20
−30
Response (kDAC)
0
250
500
750
1000
1250
1500
1750
2000
Bias (DAC)


Column 27
Best Bias (586)
User Bias (750)
Response (kDAC)
Bias (DAC)
60
40
20
0
−20
−40
−60
0
250
500
750
1000
1250
1500
1750
2000


Column 28
Best Bias (706)
User Bias (750)
Response (kDAC)
Bias (DAC)
10
0
−10
−20
−30
−40
−50
0
250
500
750
1000
1250
1500
1750
2000


Column 29
Response (kDAC)
0
−10
−20
−30
−40
−50
−60
Best Bias (2000)
User Bias (700)
0
250
500
750
1000
1250
1500
1750
2000
Bias (DAC)


Column 30
0.04
0.02
0.00
−0.02
−0.04
Response (kDAC)
0
250
500
750
1000
1250
1500
1750
2000
Bias (DAC)
Best Bias (2000)
User Bias (0)


Column 31
0.04
0.02
0.00
−0.02
−0.04
Response (kDAC)
0
250
500
750
1000
1250
1500
1750
2000
Bias (DAC)
Best Bias (2000)
User Bias (0)

```
Column 0
  Best bias = 114.0
  Max detectors in transition at best bias = 2
  User bias = 550
  Detectors in transition in [500, 550]: []

Column 1
  Best bias = 198.0
  Max detectors in transition at best bias = 5
  User bias = 600
  Detectors in transition in [550, 600]: []

Column 2
  Best bias = 2000.0
  Max detectors in transition at best bias = 0
  User bias = 600
  Detectors in transition in [550, 600]: []

Column 3
  Best bias = 181.0
  Max detectors in transition at best bias = 4
  User bias = 375
  Detectors in transition in [325, 375]: [1, 11]

Column 4
  Best bias = 2000.0
  Max detectors in transition at best bias = 0
  User bias = 0
  Detectors in transition in [-50, 0]: []

Column 5
  Best bias = 2000.0
  Max detectors in transition at best bias = 0
  User bias = 0
  Detectors in transition in [-50, 0]: []

Column 6
  Best bias = 2000.0
  Max detectors in transition at best bias = 0
  User bias = 0
  Detectors in transition in [-50, 0]: []

Column 7
  Best bias = 2000.0
```

```
  Max detectors in transition at best bias = 0
  User bias = 0
  Detectors in transition in [-50, 0]: []

Column 8
  Best bias = 2000.0
  Max detectors in transition at best bias = 0
  User bias = 0
  Detectors in transition in [-50, 0]: []

Column 9
  Best bias = 2000.0
  Max detectors in transition at best bias = 0
  User bias = 0
  Detectors in transition in [-50, 0]: []

Column 10
  Best bias = 2000.0
  Max detectors in transition at best bias = 0
  User bias = 0
  Detectors in transition in [-50, 0]: []

Column 11
  Best bias = 525.0
  Max detectors in transition at best bias = 3
  User bias = 250
  Detectors in transition in [200, 250]: []

Column 12
  Best bias = 146.0
  Max detectors in transition at best bias = 4
  User bias = 200
  Detectors in transition in [150, 200]: []

Column 13
  Best bias = 198.0
  Max detectors in transition at best bias = 2
  User bias = 275
  Detectors in transition in [225, 275]: []

Column 14
  Best bias = 304.0
  Max detectors in transition at best bias = 7
  User bias = 625
  Detectors in transition in [575, 625]: []
```

```
Column 15
  Best bias = 597.0
  Max detectors in transition at best bias = 3
  User bias = 600
  Detectors in transition in [550, 600]: [1, 7]

Column 16
  Best bias = 508.0
  Max detectors in transition at best bias = 2
  User bias = 600
  Detectors in transition in [550, 600]: []

Column 17
  Best bias = 290.0
  Max detectors in transition at best bias = 2
  User bias = 500
  Detectors in transition in [450, 500]: []

Column 18
  Best bias = 365.0
  Max detectors in transition at best bias = 8
  User bias = 375
  Detectors in transition in [325, 375]: [13, 21, 22, 24, 28, 29, 31]

Column 19
  Best bias = 354.0
  Max detectors in transition at best bias = 5
  User bias = 250
  Detectors in transition in [200, 250]: [11, 14]

Column 20
  Best bias = 325.0
  Max detectors in transition at best bias = 4
  User bias = 500
  Detectors in transition in [450, 500]: []

Column 21
  Best bias = 265.0
  Max detectors in transition at best bias = 3
  User bias = 325
  Detectors in transition in [275, 325]: []

Column 22
  Best bias = 857.0
```

```
  Max detectors in transition at best bias = 2
  User bias = 1100
  Detectors in transition in [1050, 1100]: []

Column 23
  Best bias = 293.0
  Max detectors in transition at best bias = 1
  User bias = 325
  Detectors in transition in [275, 325]: []

Column 24
  Best bias = 341.0
  Max detectors in transition at best bias = 1
  User bias = 250
  Detectors in transition in [200, 250]: []

Column 25
  Best bias = 2000.0
  Max detectors in transition at best bias = 0
  User bias = 500
  Detectors in transition in [450, 500]: []

Column 26
  Best bias = 333.0
  Max detectors in transition at best bias = 1
  User bias = 400
  Detectors in transition in [350, 400]: []

Column 27
  Best bias = 586.0
  Max detectors in transition at best bias = 3
  User bias = 750
  Detectors in transition in [700, 750]: []

Column 28
  Best bias = 706.0
  Max detectors in transition at best bias = 1
  User bias = 750
  Detectors in transition in [700, 750]: []

Column 29
  Best bias = 2000.0
  Max detectors in transition at best bias = 0
  User bias = 700
  Detectors in transition in [650, 700]: []
```

```
Column 30
  Best bias = 2000.0
  Max detectors in transition at best bias = 0
  User bias = 0
  Detectors in transition in [-50, 0]: []

Column 31
  Best bias = 2000.0
  Max detectors in transition at best bias = 0
  User bias = 0
  Detectors in transition in [-50, 0]: []

Saved PDF: /home/timestudent/anie/load_curves_all/specB/best_bias_20260209_spec_B_iv_348mK_iv_all_data.pdf
```