






Column 0
c00r01
Best Bias (567)
User Bias (550)
0
−10
−20
−30
−40
−50
−60
Response (kDAC)
0
250
500
750
1000
1250
1500
1750
2000
Bias (DAC)



Column 1
Response (kDAC)
Bias (DAC)
20
0
−20
−40
−60
0
250
500
750
1000
1250
1500
1750
2000
c01r08
c01r09
c01r11
c01r15
c01r21
c01r22
c01r26
Best Bias (243)
User Bias (600)



Column 2
c02r05
Best Bias (589)
User Bias (600)
Response (kDAC)
0
−10
−20
−30
−40
−50
−60
−70
0
250
500
750
1000
1250
1500
1750
2000
Bias (DAC)



Column 3
Response (kDAC)
Bias (DAC)
40
20
0
−20
−40
−60
−80
−100
0
250
500
750
1000
1250
1500
1750
2000
c03r01
c03r09
c03r11
c03r12
c03r13
c03r16
c03r19
c03r20
c03r23
c03r24
c03r29
Best Bias (205)
User Bias (375)



Column 4
1.0
0.8
0.6
0.4
0.2
0.0
Response (kDAC)
0
250
500
750
1000
1250
1500
1750
2000
Bias (DAC)
Best Bias (2000)
User Bias (0)



Column 5
1.0
0.8
0.6
0.4
0.2
0.0
Response (kDAC)
0
250
500
750
1000
1250
1500
1750
2000
Bias (DAC)
Best Bias (2000)
User Bias (0)



Column 6
1.0
0.8
0.6
0.4
0.2
0.0
Response (kDAC)
0
250
500
750
1000
1250
1500
1750
2000
Bias (DAC)
Best Bias (2000)
User Bias (0)



Column 7
1.0
0.8
0.6
0.4
0.2
0.0
Response (kDAC)
0
250
500
750
1000
1250
1500
1750
2000
Bias (DAC)
Best Bias (2000)
User Bias (0)



Column 8
1.0
0.8
0.6
0.4
0.2
0.0
Response (kDAC)
0
250
500
750
1000
1250
1500
1750
2000
Bias (DAC)
Best Bias (2000)
User Bias (0)



Column 9
1.0
0.8
0.6
0.4
0.2
0.0
Response (kDAC)
0
250
500
750
1000
1250
1500
1750
2000
Bias (DAC)
Best Bias (2000)
User Bias (0)



Column 10
1.0
0.8
0.6
0.4
0.2
0.0
Response (kDAC)
0
250
500
750
1000
1250
1500
1750
2000
Bias (DAC)
Best Bias (2000)
User Bias (0)



Column 11
Response (kDAC)
Bias (DAC)
60
40
20
0
−20
−40
−60
−80
0
250
500
750
1000
1250
1500
1750
2000
c11r13
c11r14
c11r21
c11r27
Best Bias (1836)
User Bias (250)



Column 12
Response (kDAC)
Bias (DAC)
20
0
−20
−40
−60
0
250
500
750
1000
1250
1500
1750
2000
c12r08
c12r09
c12r13
c12r15
c12r20
c12r24
c12r28
Best Bias (185)
User Bias (200)



Column 13
c13r00
c13r03
c13r04
c13r09
c13r18
c13r21
Best Bias (186)
User Bias (275)
Response (kDAC)
Bias (DAC)
60
40
20
0
−20
−40
−60
−80
0
250
500
750
1000
1250
1500
1750
2000



Column 14
Response (kDAC)
Bias (DAC)
10
0
−10
−20
−30
−40
0
250
500
750
1000
1250
1500
1750
2000
c14r08
c14r11
c14r12
c14r13
c14r14
c14r15
c14r23
c14r24
c14r25
c14r27
c14r28
Best Bias (333)
User Bias (625)



Column 15
Response (kDAC)
Bias (DAC)
40
20
0
−20
−40
−60
−80
−100
0
250
500
750
1000
1250
1500
1750
2000
c15r00
c15r01
c15r04
c15r06
c15r09
c15r12
c15r15
c15r20
c15r21
c15r24
Best Bias (616)
User Bias (600)



Column 16
c16r03
c16r12
c16r13
c16r14
c16r24
Best Bias (528)
User Bias (600)
Response (kDAC)
Bias (DAC)
100
80
60
40
20
0
−20
0
250
500
750
1000
1250
1500
1750
2000



Column 17
c17r14
c17r23
c17r31
Best Bias (627)
User Bias (500)
Response (kDAC)
0
−5
−10
−15
−20
−25
−30
−35
0
250
500
750
1000
1250
1500
1750
2000
Bias (DAC)



Column 18
Response (kDAC)
Bias (DAC)
0
−10
−20
−30
−40
−50
−60
−70
0
250
500
750
1000
1250
1500
1750
2000
c18r00
c18r05
c18r06
c18r08
c18r12
c18r14
c18r15
c18r19
c18r21
c18r22
c18r24
c18r28
c18r29
c18r30
c18r31
Best Bias (399)
User Bias (375)



Column 19
Response (kDAC)
Bias (DAC)
0
−10
−20
−30
−40
−50
−60
0
250
500
750
1000
1250
1500
1750
2000
c19r00
c19r01
c19r03
c19r04
c19r07
c19r08
c19r11
c19r14
c19r15
c19r20
c19r21
c19r22
c19r30
Best Bias (242)
User Bias (250)



Column 20
Response (kDAC)
Bias (DAC)
20
10
0
−10
−20
−30
0
250
500
750
1000
1250
1500
1750
2000
c20r01
c20r05
c20r08
c20r09
c20r11
c20r12
c20r13
c20r20
c20r23
c20r27
Best Bias (344)
User Bias (500)



Column 21
c21r05
c21r09
c21r12
c21r13
c21r20
c21r22
c21r29
Best Bias (295)
User Bias (325)
Response (kDAC)
Bias (DAC)
20
10
0
−10
−20
−30
0
250
500
750
1000
1250
1500
1750
2000



Column 22
c22r07
c22r10
c22r13
c22r15
Best Bias (933)
User Bias (1100)
Response (kDAC)
0
−5
−10
−15
−20
0
250
500
750
1000
1250
1500
1750
2000
Bias (DAC)



Column 23
c23r04
c23r06
c23r07
c23r26
Best Bias (320)
User Bias (325)
Response (kDAC)
Bias (DAC)
20
10
0
−10
−20
−30
−40
0
250
500
750
1000
1250
1500
1750
2000



Column 24
Response (kDAC)
Bias (DAC)
20
15
10
5
0
−5
−10
−15
0
250
500
750
1000
1250
1500
1750
2000
c24r18
c24r26
Best Bias (370)
User Bias (250)



Column 25
1.0
0.8
0.6
0.4
0.2
0.0
Response (kDAC)
600
800
1000
1200
1400
1600
1800
2000
Bias (DAC)
Best Bias (2000)
User Bias (500)



Column 26
c26r01
c26r03
Best Bias (364)
User Bias (400)
Response (kDAC)
Bias (DAC)
30
20
10
0
−10
−20
0
250
500
750
1000
1250
1500
1750
2000


Column 27
c27r22
c27r27
Best Bias (580)
User Bias (750)
Response (kDAC)
0
−20
−40
−60
−80
−100
0
250
500
750
1000
1250
1500
1750
2000
Bias (DAC)


Column 28
1.0
0.8
0.6
0.4
0.2
0.0
Response (kDAC)
800
1000
1200
1400
1600
1800
2000
Bias (DAC)
Best Bias (2000)
User Bias (750)


Column 29
1.0
0.8
0.6
0.4
0.2
0.0
Response (kDAC)
800
1000
1200
1400
1600
1800
2000
Bias (DAC)
Best Bias (2000)
User Bias (700)


Column 30
1.0
0.8
0.6
0.4
0.2
0.0
Response (kDAC)
0
250
500
750
1000
1250
1500
1750
2000
Bias (DAC)
Best Bias (2000)
User Bias (0)


Column 31
1.0
0.8
0.6
0.4
0.2
0.0
Response (kDAC)
0
250
500
750
1000
1250
1500
1750
2000
Bias (DAC)
Best Bias (2000)
User Bias (0)

```
Column 0
  Noisy detectors excluded: [(6, 0)]
    row=6 col=0 noisy_transition=[1779.0, 1773.0] min_slope=-1.726 mean_slope=-0.726 drop_kdac=-4.910
    row=6 col=0 noisy_transition=[977.0, 970.0] min_slope=-1.247 mean_slope=-0.477 drop_kdac=-3.731
    row=6 col=0 noisy_transition=[590.0, 586.0] min_slope=-1.239 mean_slope=-0.779 drop_kdac=-3.865
  Best bias = 567.0
  Max detectors in transition at best bias = 1
  Detectors at best bias in [487.0, 567.0]: [(1, 0)]
    row=1 col=0 transition=[508.0, 487.0] min_slope=-3.835 mean_slope=-0.625 drop_kdac=-13.746
  User bias = 550
  Clean detectors in transition in [470.0, 550.0]: [(1, 0)]
    row=1 col=0 transition=[508.0, 487.0] min_slope=-3.835 mean_slope=-0.625 drop_kdac=-13.746
  Near misses / diagnostics (<=40 DAC from window, or rejected/noisy overlaps):
    row=6 col=0 transition=[590.0, 586.0] min_slope=-1.239 mean_slope=-0.779 drop_kdac=-3.865
gap_to_window=40.0 reason=excluded as noisy (multiple accepted transitions)
    row=16 col=0 transition=[556.0, 555.0] min_slope=-0.344 mean_slope=-0.330 drop_kdac=-0.658
gap_to_window=6.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=16 col=0 transition=[509.0, 507.0] min_slope=-0.452 mean_slope=-0.305 drop_kdac=-0.903
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=16 col=0 transition=[501.0, 489.0] min_slope=-0.859 mean_slope=-0.357 drop_kdac=-4.646
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=16 col=0 transition=[477.0, 477.0] min_slope=-0.109 mean_slope=-0.109 drop_kdac=0.000
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule,
segment too short for sustained rule

Column 1
  Noisy detectors excluded: []
  Best bias = 243.0
  Max detectors in transition at best bias = 4
  Detectors at best bias in [163.0, 243.0]: [(8, 1), (9, 1), (11, 1), (15, 1)]
    row=8 col=1 transition=[171.0, 163.0] min_slope=-1.655 mean_slope=-0.507 drop_kdac=-4.557
    row=9 col=1 transition=[182.0, 170.0] min_slope=-1.342 mean_slope=-0.407 drop_kdac=-5.291
    row=11 col=1 transition=[206.0, 193.0] min_slope=-2.210 mean_slope=-0.520 drop_kdac=-7.280
    row=15 col=1 transition=[191.0, 177.0] min_slope=-1.276 mean_slope=-0.386 drop_kdac=-5.785
  User bias = 600
  Clean detectors in transition in [520.0, 600.0]: [(26, 1)]
    row=26 col=1 transition=[548.0, 524.0] min_slope=-6.401 mean_slope=-0.738 drop_kdac=-18.453
  Near misses / diagnostics (<=40 DAC from window, or rejected/noisy overlaps):
    row=30 col=1 transition=[590.0, 589.0] min_slope=-0.116 mean_slope=-0.114 drop_kdac=-0.198
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule

Column 2
  Noisy detectors excluded: []
  Best bias = 589.0
```

```
  Max detectors in transition at best bias = 1
  Detectors at best bias in [509.0, 589.0]: [(5, 2)]
    row=5 col=2 transition=[531.0, 509.0] min_slope=-2.622 mean_slope=-0.465 drop_kdac=-10.703
  User bias = 600
  Clean detectors in transition in [520.0, 600.0]: []
  Near misses / diagnostics (<=40 DAC from window, or rejected/noisy overlaps):
    row=5 col=2 transition=[531.0, 509.0] min_slope=-2.622 mean_slope=-0.465 drop_kdac=-10.703
gap_to_window=11.0 reason=accepted transition outside user window

Column 3
  Noisy detectors excluded: [(18, 3)]
    row=18 col=3 noisy_transition=[1477.0, 1473.0] min_slope=-2.005 mean_slope=-1.151 drop_kdac=-5.800
    row=18 col=3 noisy_transition=[1204.0, 1201.0] min_slope=-1.407 mean_slope=-0.800 drop_kdac=-3.204
    row=18 col=3 noisy_transition=[926.0, 924.0] min_slope=-1.217 mean_slope=-0.826 drop_kdac=-2.435
    row=18 col=3 noisy_transition=[337.0, 332.0] min_slope=-2.722 mean_slope=-1.186 drop_kdac=-7.121
    row=18 col=3 noisy_transition=[225.0, 218.0] min_slope=-1.485 mean_slope=-0.971 drop_kdac=-7.724
  Best bias = 205.0
  Max detectors in transition at best bias = 4
  Detectors at best bias in [125.0, 205.0]: [(16, 3), (19, 3), (20, 3), (23, 3)]
    row=16 col=3 transition=[138.0, 125.0] min_slope=-1.207 mean_slope=-0.339 drop_kdac=-4.748
    row=19 col=3 transition=[190.0, 171.0] min_slope=-2.681 mean_slope=-0.509 drop_kdac=-10.186
    row=20 col=3 transition=[151.0, 135.0] min_slope=-1.017 mean_slope=-0.359 drop_kdac=-6.104
    row=23 col=3 transition=[177.0, 159.0] min_slope=-1.813 mean_slope=-0.377 drop_kdac=-7.168
  User bias = 375
  Clean detectors in transition in [295.0, 375.0]: [(1, 3)]
    row=1 col=3 transition=[359.0, 336.0] min_slope=-3.201 mean_slope=-0.537 drop_kdac=-12.893
  Near misses / diagnostics (<=40 DAC from window, or rejected/noisy overlaps):
    row=11 col=3 transition=[389.0, 364.0] min_slope=-3.083 mean_slope=-0.513 drop_kdac=-13.339
gap_to_window=14.0 reason=accepted transition outside user window
    row=12 col=3 transition=[300.0, 281.0] min_slope=-3.170 mean_slope=-0.582 drop_kdac=-11.648
gap_to_window=14.0 reason=accepted transition outside user window
    row=18 col=3 transition=[337.0, 332.0] min_slope=-2.722 mean_slope=-1.186 drop_kdac=-7.121
gap_to_window=0.0 reason=excluded as noisy (multiple accepted transitions)

Column 4
  Noisy detectors excluded: []
  Best bias = 2000.0
  Max detectors in transition at best bias = 0
  Detectors at best bias in [1920.0, 2000.0]: []
  User bias = 0
  Clean detectors in transition in [-80.0, 0.0]: []
  Near misses / diagnostics (<=40 DAC from window, or rejected/noisy overlaps):
    []

Column 5
```

```
  Noisy detectors excluded: []
  Best bias = 2000.0
  Max detectors in transition at best bias = 0
  Detectors at best bias in [1920.0, 2000.0]: []
  User bias = 0
  Clean detectors in transition in [-80.0, 0.0]: []
  Near misses / diagnostics (<=40 DAC from window, or rejected/noisy overlaps):
    []

Column 6
  Noisy detectors excluded: []
  Best bias = 2000.0
  Max detectors in transition at best bias = 0
  Detectors at best bias in [1920.0, 2000.0]: []
  User bias = 0
  Clean detectors in transition in [-80.0, 0.0]: []
  Near misses / diagnostics (<=40 DAC from window, or rejected/noisy overlaps):
    []

Column 7
  Noisy detectors excluded: []
  Best bias = 2000.0
  Max detectors in transition at best bias = 0
  Detectors at best bias in [1920.0, 2000.0]: []
  User bias = 0
  Clean detectors in transition in [-80.0, 0.0]: []
  Near misses / diagnostics (<=40 DAC from window, or rejected/noisy overlaps):
    []

Column 8
  Noisy detectors excluded: []
  Best bias = 2000.0
  Max detectors in transition at best bias = 0
  Detectors at best bias in [1920.0, 2000.0]: []
  User bias = 0
  Clean detectors in transition in [-80.0, 0.0]: []
  Near misses / diagnostics (<=40 DAC from window, or rejected/noisy overlaps):
    []

Column 9
  Noisy detectors excluded: []
  Best bias = 2000.0
  Max detectors in transition at best bias = 0
  Detectors at best bias in [1920.0, 2000.0]: []
  User bias = 0
```

```
  Clean detectors in transition in [-80.0, 0.0]: []
  Near misses / diagnostics (<=40 DAC from window, or rejected/noisy overlaps):
    []

Column 10
  Noisy detectors excluded: []
  Best bias = 2000.0
  Max detectors in transition at best bias = 0
  Detectors at best bias in [1920.0, 2000.0]: []
  User bias = 0
  Clean detectors in transition in [-80.0, 0.0]: []
  Near misses / diagnostics (<=40 DAC from window, or rejected/noisy overlaps):
    []

Column 11
  Noisy detectors excluded: [(5, 11), (8, 11), (15, 11), (31, 11)]
    row=5 col=11 noisy_transition=[1773.0, 1772.0] min_slope=-1.068 mean_slope=-0.775 drop_kdac=-2.464
    row=5 col=11 noisy_transition=[476.0, 475.0] min_slope=-1.400 mean_slope=-1.393 drop_kdac=-2.819
    row=8 col=11 noisy_transition=[1781.0, 1777.0] min_slope=-1.326 mean_slope=-0.512 drop_kdac=-3.010
    row=8 col=11 noisy_transition=[1446.0, 1443.0] min_slope=-6.735 mean_slope=-3.424 drop_kdac=-13.698
    row=8 col=11 noisy_transition=[1300.0, 1299.0] min_slope=-1.569 mean_slope=-1.539 drop_kdac=-3.080
    row=8 col=11 noisy_transition=[1295.0, 1293.0] min_slope=-3.587 mean_slope=-2.373 drop_kdac=-7.173
    row=8 col=11 noisy_transition=[1290.0, 1289.0] min_slope=-1.672 mean_slope=-0.972 drop_kdac=-0.587
    row=8 col=11 noisy_transition=[840.0, 838.0] min_slope=-3.361 mean_slope=-2.238 drop_kdac=-6.723
    row=8 col=11 noisy_transition=[829.0, 828.0] min_slope=-1.736 mean_slope=-1.634 drop_kdac=-3.530
    row=8 col=11 noisy_transition=[808.0, 806.0] min_slope=-2.579 mean_slope=-1.351 drop_kdac=-5.158
    row=8 col=11 noisy_transition=[769.0, 760.0] min_slope=-4.152 mean_slope=-1.986 drop_kdac=-20.421
    row=8 col=11 noisy_transition=[754.0, 751.0] min_slope=-1.299 mean_slope=-0.733 drop_kdac=-2.978
    row=8 col=11 noisy_transition=[521.0, 520.0] min_slope=-1.843 mean_slope=-1.404 drop_kdac=-3.565
    row=8 col=11 noisy_transition=[511.0, 510.0] min_slope=-1.237 mean_slope=-0.670 drop_kdac=-0.798
    row=8 col=11 noisy_transition=[476.0, 473.0] min_slope=-1.458 mean_slope=-1.025 drop_kdac=-4.139
    row=15 col=11 noisy_transition=[1732.0, 1721.0] min_slope=-2.010 mean_slope=-1.606 drop_kdac=-18.891
    row=15 col=11 noisy_transition=[1716.0, 1714.0] min_slope=-2.504 mean_slope=-1.703 drop_kdac=-5.007
    row=31 col=11 noisy_transition=[1745.0, 1741.0] min_slope=-3.132 mean_slope=-1.352 drop_kdac=-6.278
    row=31 col=11 noisy_transition=[1733.0, 1723.0] min_slope=-12.414 mean_slope=-4.565 drop_kdac=-50.191
  Best bias = 1836.0
  Max detectors in transition at best bias = 3
  Detectors at best bias in [1756.0, 1836.0]: [(13, 11), (14, 11), (27, 11)]
    row=13 col=11 transition=[1786.0, 1773.0] min_slope=-4.759 mean_slope=-2.200 drop_kdac=-30.839
    row=14 col=11 transition=[1778.0, 1770.0] min_slope=-5.579 mean_slope=-3.124 drop_kdac=-28.115
    row=27 col=11 transition=[1760.0, 1756.0] min_slope=-3.370 mean_slope=-2.494 drop_kdac=-12.437
  User bias = 250
  Clean detectors in transition in [170.0, 250.0]: []
  Near misses / diagnostics (<=40 DAC from window, or rejected/noisy overlaps):
    []
```

```
Column 12
  Noisy detectors excluded: []
  Best bias = 185.0
  Max detectors in transition at best bias = 5
  Detectors at best bias in [105.0, 185.0]: [(8, 12), (9, 12), (13, 12), (15, 12), (20, 12)]
    row=8 col=12 transition=[161.0, 137.0] min_slope=-3.175 mean_slope=-0.512 drop_kdac=-12.762
    row=9 col=12 transition=[185.0, 159.0] min_slope=-5.159 mean_slope=-0.705 drop_kdac=-19.104
    row=13 col=12 transition=[127.0, 105.0] min_slope=-3.011 mean_slope=-0.525 drop_kdac=-12.131
    row=15 col=12 transition=[169.0, 144.0] min_slope=-5.006 mean_slope=-0.661 drop_kdac=-17.245
    row=20 col=12 transition=[169.0, 142.0] min_slope=-3.807 mean_slope=-0.599 drop_kdac=-16.841
  User bias = 200
  Clean detectors in transition in [120.0, 200.0]: [(8, 12), (9, 12), (15, 12), (20, 12)]
    row=8 col=12 transition=[161.0, 137.0] min_slope=-3.175 mean_slope=-0.512 drop_kdac=-12.762
    row=9 col=12 transition=[185.0, 159.0] min_slope=-5.159 mean_slope=-0.705 drop_kdac=-19.104
    row=15 col=12 transition=[169.0, 144.0] min_slope=-5.006 mean_slope=-0.661 drop_kdac=-17.245
    row=20 col=12 transition=[169.0, 142.0] min_slope=-3.807 mean_slope=-0.599 drop_kdac=-16.841
  Near misses / diagnostics (<=40 DAC from window, or rejected/noisy overlaps):
    row=7 col=12 transition=[132.0, 116.0] min_slope=-0.432 mean_slope=-0.198 drop_kdac=-3.283
gap_to_window=4.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=7 col=12 transition=[113.0, 113.0] min_slope=-0.609 mean_slope=-0.609 drop_kdac=0.000
gap_to_window=7.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule,
segment too short for sustained rule
    row=11 col=12 transition=[194.0, 177.0] min_slope=-0.302 mean_slope=-0.168 drop_kdac=-2.994
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=11 col=12 transition=[171.0, 170.0] min_slope=-0.615 mean_slope=-0.520 drop_kdac=-0.834
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=11 col=12 transition=[166.0, 165.0] min_slope=-0.575 mean_slope=-0.527 drop_kdac=-1.149
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=13 col=12 transition=[127.0, 105.0] min_slope=-3.011 mean_slope=-0.525 drop_kdac=-12.131
gap_to_window=15.0 reason=accepted transition outside user window
    row=24 col=12 transition=[114.0, 92.0] min_slope=-2.116 mean_slope=-0.470 drop_kdac=-10.880
gap_to_window=28.0 reason=accepted transition outside user window

Column 13
  Noisy detectors excluded: []
  Best bias = 186.0
  Max detectors in transition at best bias = 3
  Detectors at best bias in [106.0, 186.0]: [(0, 13), (4, 13), (18, 13)]
    row=0 col=13 transition=[124.0, 106.0] min_slope=-3.344 mean_slope=-0.624 drop_kdac=-11.925
    row=4 col=13 transition=[167.0, 142.0] min_slope=-4.290 mean_slope=-0.627 drop_kdac=-16.378
    row=18 col=13 transition=[124.0, 107.0] min_slope=-3.441 mean_slope=-0.621 drop_kdac=-11.233
  User bias = 275
  Clean detectors in transition in [195.0, 275.0]: []
  Near misses / diagnostics (<=40 DAC from window, or rejected/noisy overlaps):
```

```
    row=7 col=13 transition=[302.0, 296.0] min_slope=-0.984 mean_slope=-0.394 drop_kdac=-2.737
gap_to_window=27.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=21 col=13 transition=[200.0, 174.0] min_slope=-2.314 mean_slope=-0.398 drop_kdac=-11.574
gap_to_window=21.0 reason=accepted transition outside user window
    row=30 col=13 transition=[254.0, 253.0] min_slope=-0.285 mean_slope=-0.285 drop_kdac=-0.619
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=30 col=13 transition=[179.0, 178.0] min_slope=-0.194 mean_slope=-0.194 drop_kdac=-0.442
gap_to_window=17.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule

Column 14
  Noisy detectors excluded: [(7, 14), (22, 14), (29, 14)]
    row=7 col=14 noisy_transition=[868.0, 867.0] min_slope=-1.008 mean_slope=-1.007 drop_kdac=-2.028
    row=7 col=14 noisy_transition=[30.0, 29.0] min_slope=-1.002 mean_slope=-1.001 drop_kdac=-2.018
    row=22 col=14 noisy_transition=[1259.0, 1258.0] min_slope=-1.032 mean_slope=-1.027 drop_kdac=-2.058
    row=22 col=14 noisy_transition=[865.0, 864.0] min_slope=-1.057 mean_slope=-1.054 drop_kdac=-2.112
    row=22 col=14 noisy_transition=[437.0, 436.0] min_slope=-1.025 mean_slope=-1.022 drop_kdac=-2.049
    row=22 col=14 noisy_transition=[246.0, 221.0] min_slope=-2.469 mean_slope=-0.362 drop_kdac=-9.418
    row=29 col=14 noisy_transition=[1407.0, 1406.0] min_slope=-1.156 mean_slope=-1.148 drop_kdac=-2.293
    row=29 col=14 noisy_transition=[1207.0, 1206.0] min_slope=-1.148 mean_slope=-1.143 drop_kdac=-2.291
    row=29 col=14 noisy_transition=[997.0, 996.0] min_slope=-1.114 mean_slope=-1.109 drop_kdac=-2.220
    row=29 col=14 noisy_transition=[782.0, 781.0] min_slope=-1.118 mean_slope=-1.113 drop_kdac=-2.229
    row=29 col=14 noisy_transition=[546.0, 545.0] min_slope=-1.099 mean_slope=-1.087 drop_kdac=-2.160
    row=29 col=14 noisy_transition=[298.0, 266.0] min_slope=-3.664 mean_slope=-0.371 drop_kdac=-12.250
    row=29 col=14 noisy_transition=[245.0, 244.0] min_slope=-1.099 mean_slope=-1.073 drop_kdac=-2.187
    row=29 col=14 noisy_transition=[218.0, 217.0] min_slope=-1.027 mean_slope=-1.001 drop_kdac=-2.043
    row=29 col=14 noisy_transition=[192.0, 191.0] min_slope=-1.046 mean_slope=-1.019 drop_kdac=-2.079
    row=29 col=14 noisy_transition=[167.0, 166.0] min_slope=-1.143 mean_slope=-1.118 drop_kdac=-2.284
    row=29 col=14 noisy_transition=[141.0, 140.0] min_slope=-1.172 mean_slope=-1.126 drop_kdac=-2.344
    row=29 col=14 noisy_transition=[114.0, 113.0] min_slope=-1.066 mean_slope=-1.038 drop_kdac=-2.117
    row=29 col=14 noisy_transition=[88.0, 87.0] min_slope=-1.054 mean_slope=-1.026 drop_kdac=-2.091
    row=29 col=14 noisy_transition=[63.0, 62.0] min_slope=-1.140 mean_slope=-1.117 drop_kdac=-2.285
    row=29 col=14 noisy_transition=[37.0, 36.0] min_slope=-1.135 mean_slope=-1.109 drop_kdac=-2.266
    row=29 col=14 noisy_transition=[11.0, 10.0] min_slope=-1.120 mean_slope=-1.094 drop_kdac=-2.234
  Best bias = 333.0
  Max detectors in transition at best bias = 7
  Detectors at best bias in [253.0, 333.0]: [(8, 14), (12, 14), (13, 14), (14, 14), (15, 14), (23, 14), (27,
14)]
    row=8 col=14 transition=[311.0, 279.0] min_slope=-2.183 mean_slope=-0.313 drop_kdac=-10.332
    row=12 col=14 transition=[323.0, 282.0] min_slope=-3.364 mean_slope=-0.348 drop_kdac=-14.637
    row=13 col=14 transition=[286.0, 264.0] min_slope=-3.093 mean_slope=-0.617 drop_kdac=-14.190
    row=14 col=14 transition=[331.0, 307.0] min_slope=-1.848 mean_slope=-0.314 drop_kdac=-7.867
    row=15 col=14 transition=[323.0, 301.0] min_slope=-1.780 mean_slope=-0.416 drop_kdac=-9.440
    row=23 col=14 transition=[320.0, 294.0] min_slope=-2.253 mean_slope=-0.326 drop_kdac=-8.799
    row=27 col=14 transition=[279.0, 253.0] min_slope=-1.532 mean_slope=-0.418 drop_kdac=-11.302
  User bias = 625
```

```
  Clean detectors in transition in [545.0, 625.0]: []
  Near misses / diagnostics (<=40 DAC from window, or rejected/noisy overlaps):
    row=4 col=14 transition=[575.0, 574.0] min_slope=-0.872 mean_slope=-0.871 drop_kdac=-1.757
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=26 col=14 transition=[580.0, 579.0] min_slope=-0.786 mean_slope=-0.783 drop_kdac=-1.570
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=29 col=14 transition=[546.0, 545.0] min_slope=-1.099 mean_slope=-1.087 drop_kdac=-2.160
gap_to_window=0.0 reason=excluded as noisy (multiple accepted transitions)

Column 15
  Noisy detectors excluded: [(23, 15)]
    row=23 col=15 noisy_transition=[1262.0, 1259.0] min_slope=-2.810 mean_slope=-1.446 drop_kdac=-5.579
    row=23 col=15 noisy_transition=[1234.0, 1231.0] min_slope=-1.467 mean_slope=-0.739 drop_kdac=-2.664
    row=23 col=15 noisy_transition=[1228.0, 1218.0] min_slope=-2.145 mean_slope=-1.237 drop_kdac=-12.562
    row=23 col=15 noisy_transition=[1215.0, 1208.0] min_slope=-1.494 mean_slope=-0.768 drop_kdac=-5.387
    row=23 col=15 noisy_transition=[1185.0, 1180.0] min_slope=-2.235 mean_slope=-0.973 drop_kdac=-5.780
  Best bias = 616.0
  Max detectors in transition at best bias = 3
  Detectors at best bias in [536.0, 616.0]: [(1, 15), (6, 15), (20, 15)]
    row=1 col=15 transition=[594.0, 540.0] min_slope=-7.360 mean_slope=-0.511 drop_kdac=-28.139
    row=6 col=15 transition=[565.0, 536.0] min_slope=-3.361 mean_slope=-0.761 drop_kdac=-22.852
    row=20 col=15 transition=[592.0, 546.0] min_slope=-4.725 mean_slope=-0.405 drop_kdac=-19.027
  User bias = 600
  Clean detectors in transition in [520.0, 600.0]: [(1, 15), (6, 15), (20, 15)]
    row=1 col=15 transition=[594.0, 540.0] min_slope=-7.360 mean_slope=-0.511 drop_kdac=-28.139
    row=6 col=15 transition=[565.0, 536.0] min_slope=-3.361 mean_slope=-0.761 drop_kdac=-22.852
    row=20 col=15 transition=[592.0, 546.0] min_slope=-4.725 mean_slope=-0.405 drop_kdac=-19.027
  Near misses / diagnostics (<=40 DAC from window, or rejected/noisy overlaps):
    row=7 col=15 transition=[594.0, 550.0] min_slope=-0.346 mean_slope=-0.146 drop_kdac=-6.386
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=7 col=15 transition=[547.0, 546.0] min_slope=-0.617 mean_slope=-0.604 drop_kdac=-0.553
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=8 col=15 transition=[591.0, 556.0] min_slope=-0.255 mean_slope=-0.134 drop_kdac=-4.701
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule

Column 16
  Noisy detectors excluded: [(25, 16), (30, 16)]
    row=25 col=16 noisy_transition=[1206.0, 1204.0] min_slope=-1.000 mean_slope=-0.666 drop_kdac=-2.000
    row=25 col=16 noisy_transition=[582.0, 581.0] min_slope=-1.016 mean_slope=-0.993 drop_kdac=-2.038
    row=25 col=16 noisy_transition=[557.0, 556.0] min_slope=-1.000 mean_slope=-0.976 drop_kdac=-2.008
    row=25 col=16 noisy_transition=[331.0, 330.0] min_slope=-1.030 mean_slope=-1.006 drop_kdac=-2.067
    row=25 col=16 noisy_transition=[306.0, 305.0] min_slope=-1.028 mean_slope=-1.005 drop_kdac=-2.063
    row=25 col=16 noisy_transition=[281.0, 280.0] min_slope=-1.032 mean_slope=-1.007 drop_kdac=-2.063
    row=25 col=16 noisy_transition=[256.0, 255.0] min_slope=-1.038 mean_slope=-1.015 drop_kdac=-2.080
    row=25 col=16 noisy_transition=[231.0, 230.0] min_slope=-1.038 mean_slope=-1.014 drop_kdac=-2.081
```

```
    row=25 col=16 noisy_transition=[206.0, 205.0] min_slope=-1.057 mean_slope=-1.031 drop_kdac=-2.110
    row=25 col=16 noisy_transition=[198.0, 197.0] min_slope=-1.180 mean_slope=-1.163 drop_kdac=-2.395
    row=25 col=16 noisy_transition=[157.0, 156.0] min_slope=-1.151 mean_slope=-1.124 drop_kdac=-2.303
    row=25 col=16 noisy_transition=[131.0, 130.0] min_slope=-1.082 mean_slope=-1.054 drop_kdac=-2.165
    row=25 col=16 noisy_transition=[105.0, 104.0] min_slope=-1.010 mean_slope=-0.987 drop_kdac=-2.024
    row=25 col=16 noisy_transition=[80.0, 79.0] min_slope=-1.009 mean_slope=-0.986 drop_kdac=-2.022
    row=25 col=16 noisy_transition=[55.0, 54.0] min_slope=-1.024 mean_slope=-0.995 drop_kdac=-2.050
    row=25 col=16 noisy_transition=[31.0, 30.0] min_slope=-1.091 mean_slope=-1.066 drop_kdac=-2.183
    row=25 col=16 noisy_transition=[5.0, 4.0] min_slope=-1.028 mean_slope=-0.999 drop_kdac=-2.058
    row=30 col=16 noisy_transition=[1090.0, 1089.0] min_slope=-1.441 mean_slope=-1.412 drop_kdac=-2.859
    row=30 col=16 noisy_transition=[950.0, 949.0] min_slope=-1.152 mean_slope=-1.143 drop_kdac=-2.361
  Best bias = 528.0
  Max detectors in transition at best bias = 2
  Detectors at best bias in [448.0, 528.0]: [(3, 16), (12, 16)]
    row=3 col=16 transition=[477.0, 448.0] min_slope=-2.540 mean_slope=-0.301 drop_kdac=-9.036
    row=12 col=16 transition=[519.0, 483.0] min_slope=-5.390 mean_slope=-0.540 drop_kdac=-19.979
  User bias = 600
  Clean detectors in transition in [520.0, 600.0]: []
  Near misses / diagnostics (<=40 DAC from window, or rejected/noisy overlaps):
    row=12 col=16 transition=[519.0, 483.0] min_slope=-5.390 mean_slope=-0.540 drop_kdac=-19.979
gap_to_window=37.0 reason=accepted transition outside user window
    row=25 col=16 transition=[582.0, 581.0] min_slope=-1.016 mean_slope=-0.993 drop_kdac=-2.038
gap_to_window=0.0 reason=excluded as noisy (multiple accepted transitions)
    row=25 col=16 transition=[557.0, 556.0] min_slope=-1.000 mean_slope=-0.976 drop_kdac=-2.008
gap_to_window=0.0 reason=excluded as noisy (multiple accepted transitions)

Column 17
  Noisy detectors excluded: [(1, 17), (15, 17), (22, 17), (25, 17), (28, 17)]
    row=1 col=17 noisy_transition=[567.0, 565.0] min_slope=-2.588 mean_slope=-1.720 drop_kdac=-5.175
    row=1 col=17 noisy_transition=[555.0, 553.0] min_slope=-1.270 mean_slope=-0.838 drop_kdac=-2.541
    row=1 col=17 noisy_transition=[447.0, 445.0] min_slope=-1.066 mean_slope=-0.724 drop_kdac=-2.131
    row=1 col=17 noisy_transition=[308.0, 302.0] min_slope=-1.241 mean_slope=-0.705 drop_kdac=-4.913
    row=15 col=17 noisy_transition=[1410.0, 1410.0] min_slope=-4.772 mean_slope=-4.772 drop_kdac=0.000
    row=15 col=17 noisy_transition=[477.0, 476.0] min_slope=-7.576 mean_slope=-7.571 drop_kdac=-15.147
    row=22 col=17 noisy_transition=[167.0, 166.0] min_slope=-1.371 mean_slope=-1.316 drop_kdac=-2.744
    row=22 col=17 noisy_transition=[160.0, 158.0] min_slope=-2.384 mean_slope=-1.600 drop_kdac=-4.768
    row=25 col=17 noisy_transition=[1379.0, 1378.0] min_slope=-1.402 mean_slope=-1.396 drop_kdac=-2.745
    row=25 col=17 noisy_transition=[1375.0, 1373.0] min_slope=-1.165 mean_slope=-0.788 drop_kdac=-2.331
    row=25 col=17 noisy_transition=[1349.0, 1345.0] min_slope=-1.006 mean_slope=-0.456 drop_kdac=-2.294
    row=25 col=17 noisy_transition=[795.0, 791.0] min_slope=-2.485 mean_slope=-1.483 drop_kdac=-7.463
    row=25 col=17 noisy_transition=[353.0, 345.0] min_slope=-6.443 mean_slope=-4.221 drop_kdac=-38.203
    row=25 col=17 noisy_transition=[192.0, 190.0] min_slope=-3.961 mean_slope=-2.583 drop_kdac=-7.923
    row=28 col=17 noisy_transition=[1303.0, 1301.0] min_slope=-1.238 mean_slope=-0.824 drop_kdac=-2.476
    row=28 col=17 noisy_transition=[55.0, 54.0] min_slope=-1.295 mean_slope=-1.268 drop_kdac=-2.499
  Best bias = 627.0
```

```
  Max detectors in transition at best bias = 1
  Detectors at best bias in [547.0, 627.0]: [(31, 17)]
    row=31 col=17 transition=[552.0, 547.0] min_slope=-1.291 mean_slope=-0.501 drop_kdac=-2.979
  User bias = 500
  Clean detectors in transition in [420.0, 500.0]: []
  Near misses / diagnostics (<=40 DAC from window, or rejected/noisy overlaps):
    row=1 col=17 transition=[447.0, 445.0] min_slope=-1.066 mean_slope=-0.724 drop_kdac=-2.131
gap_to_window=0.0 reason=excluded as noisy (multiple accepted transitions)
    row=15 col=17 transition=[477.0, 476.0] min_slope=-7.576 mean_slope=-7.571 drop_kdac=-15.147
gap_to_window=0.0 reason=excluded as noisy (multiple accepted transitions)
    row=19 col=17 transition=[471.0, 471.0] min_slope=-0.081 mean_slope=-0.081 drop_kdac=0.000
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule,
segment too short for sustained rule
    row=19 col=17 transition=[467.0, 447.0] min_slope=-0.225 mean_slope=-0.133 drop_kdac=-2.625
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule

Column 18
  Noisy detectors excluded: [(13, 18), (18, 18)]
    row=13 col=18 noisy_transition=[1220.0, 1219.0] min_slope=-1.003 mean_slope=-0.997 drop_kdac=-2.002
    row=13 col=18 noisy_transition=[1086.0, 1085.0] min_slope=-1.005 mean_slope=-1.000 drop_kdac=-2.006
    row=13 col=18 noisy_transition=[815.0, 814.0] min_slope=-1.008 mean_slope=-1.001 drop_kdac=-2.009
    row=13 col=18 noisy_transition=[373.0, 343.0] min_slope=-1.620 mean_slope=-0.239 drop_kdac=-7.430
    row=13 col=18 noisy_transition=[231.0, 230.0] min_slope=-1.018 mean_slope=-0.989 drop_kdac=-2.024
    row=13 col=18 noisy_transition=[206.0, 205.0] min_slope=-1.017 mean_slope=-0.987 drop_kdac=-2.017
    row=13 col=18 noisy_transition=[181.0, 180.0] min_slope=-1.008 mean_slope=-0.977 drop_kdac=-1.999
    row=18 col=18 noisy_transition=[947.0, 946.0] min_slope=-1.040 mean_slope=-1.035 drop_kdac=-2.078
    row=18 col=18 noisy_transition=[808.0, 807.0] min_slope=-1.036 mean_slope=-1.030 drop_kdac=-2.066
    row=18 col=18 noisy_transition=[671.0, 670.0] min_slope=-1.047 mean_slope=-1.042 drop_kdac=-2.092
    row=18 col=18 noisy_transition=[533.0, 532.0] min_slope=-1.038 mean_slope=-1.032 drop_kdac=-2.072
    row=18 col=18 noisy_transition=[397.0, 396.0] min_slope=-1.051 mean_slope=-1.046 drop_kdac=-2.102
    row=18 col=18 noisy_transition=[257.0, 256.0] min_slope=-1.050 mean_slope=-1.044 drop_kdac=-2.100
    row=18 col=18 noisy_transition=[121.0, 120.0] min_slope=-1.028 mean_slope=-1.024 drop_kdac=-2.056
  Best bias = 399.0
  Max detectors in transition at best bias = 8
  Detectors at best bias in [319.0, 399.0]: [(15, 18), (19, 18), (21, 18), (22, 18), (24, 18), (28, 18), (29,
18), (31, 18)]
    row=15 col=18 transition=[334.0, 319.0] min_slope=-1.752 mean_slope=-0.385 drop_kdac=-6.157
    row=19 col=18 transition=[348.0, 323.0] min_slope=-1.158 mean_slope=-0.222 drop_kdac=-5.796
    row=21 col=18 transition=[359.0, 330.0] min_slope=-3.245 mean_slope=-0.376 drop_kdac=-11.296
    row=22 col=18 transition=[381.0, 357.0] min_slope=-2.684 mean_slope=-0.386 drop_kdac=-9.656
    row=24 col=18 transition=[373.0, 350.0] min_slope=-1.336 mean_slope=-0.257 drop_kdac=-6.171
    row=28 col=18 transition=[355.0, 326.0] min_slope=-2.686 mean_slope=-0.336 drop_kdac=-10.084
    row=29 col=18 transition=[373.0, 349.0] min_slope=-2.337 mean_slope=-0.345 drop_kdac=-8.624
    row=31 col=18 transition=[386.0, 363.0] min_slope=-3.339 mean_slope=-0.446 drop_kdac=-10.715
  User bias = 375
```

```
  Clean detectors in transition in [295.0, 375.0]: [(14, 18), (15, 18), (19, 18), (21, 18), (24, 18), (28,
18), (29, 18), (30, 18)]
    row=14 col=18 transition=[320.0, 296.0] min_slope=-1.642 mean_slope=-0.270 drop_kdac=-6.759
    row=15 col=18 transition=[334.0, 319.0] min_slope=-1.752 mean_slope=-0.385 drop_kdac=-6.157
    row=19 col=18 transition=[348.0, 323.0] min_slope=-1.158 mean_slope=-0.222 drop_kdac=-5.796
    row=21 col=18 transition=[359.0, 330.0] min_slope=-3.245 mean_slope=-0.376 drop_kdac=-11.296
    row=24 col=18 transition=[373.0, 350.0] min_slope=-1.336 mean_slope=-0.257 drop_kdac=-6.171
    row=28 col=18 transition=[355.0, 326.0] min_slope=-2.686 mean_slope=-0.336 drop_kdac=-10.084
    row=29 col=18 transition=[373.0, 349.0] min_slope=-2.337 mean_slope=-0.345 drop_kdac=-8.624
    row=30 col=18 transition=[326.0, 303.0] min_slope=-4.000 mean_slope=-0.500 drop_kdac=-11.997
  Near misses / diagnostics (<=40 DAC from window, or rejected/noisy overlaps):
    row=9 col=18 transition=[325.0, 306.0] min_slope=-0.522 mean_slope=-0.171 drop_kdac=-3.521
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=13 col=18 transition=[373.0, 343.0] min_slope=-1.620 mean_slope=-0.239 drop_kdac=-7.430
gap_to_window=0.0 reason=excluded as noisy (multiple accepted transitions)
    row=18 col=18 transition=[397.0, 396.0] min_slope=-1.051 mean_slope=-1.046 drop_kdac=-2.102
gap_to_window=22.0 reason=excluded as noisy (multiple accepted transitions)
    row=18 col=18 transition=[257.0, 256.0] min_slope=-1.050 mean_slope=-1.044 drop_kdac=-2.100
gap_to_window=39.0 reason=excluded as noisy (multiple accepted transitions)
    row=22 col=18 transition=[381.0, 357.0] min_slope=-2.684 mean_slope=-0.386 drop_kdac=-9.656
gap_to_window=6.0 reason=accepted transition outside user window
    row=23 col=18 transition=[403.0, 380.0] min_slope=-0.357 mean_slope=-0.147 drop_kdac=-3.276
gap_to_window=28.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=31 col=18 transition=[386.0, 363.0] min_slope=-3.339 mean_slope=-0.446 drop_kdac=-10.715
gap_to_window=11.0 reason=accepted transition outside user window

Column 19
  Noisy detectors excluded: []
  Best bias = 242.0
  Max detectors in transition at best bias = 6
  Detectors at best bias in [162.0, 242.0]: [(3, 19), (4, 19), (7, 19), (11, 19), (15, 19), (22, 19)]
    row=3 col=19 transition=[187.0, 168.0] min_slope=-2.288 mean_slope=-0.387 drop_kdac=-7.742
    row=4 col=19 transition=[214.0, 198.0] min_slope=-1.897 mean_slope=-0.372 drop_kdac=-6.322
    row=7 col=19 transition=[180.0, 162.0] min_slope=-3.881 mean_slope=-0.580 drop_kdac=-11.050
    row=11 col=19 transition=[229.0, 212.0] min_slope=-2.344 mean_slope=-0.406 drop_kdac=-7.256
    row=15 col=19 transition=[188.0, 168.0] min_slope=-3.900 mean_slope=-0.563 drop_kdac=-11.831
    row=22 col=19 transition=[188.0, 170.0] min_slope=-2.820 mean_slope=-0.475 drop_kdac=-8.985
  User bias = 250
  Clean detectors in transition in [170.0, 250.0]: [(4, 19), (11, 19), (22, 19)]
    row=4 col=19 transition=[214.0, 198.0] min_slope=-1.897 mean_slope=-0.372 drop_kdac=-6.322
    row=11 col=19 transition=[229.0, 212.0] min_slope=-2.344 mean_slope=-0.406 drop_kdac=-7.256
    row=22 col=19 transition=[188.0, 170.0] min_slope=-2.820 mean_slope=-0.475 drop_kdac=-8.985
  Near misses / diagnostics (<=40 DAC from window, or rejected/noisy overlaps):
    row=3 col=19 transition=[187.0, 168.0] min_slope=-2.288 mean_slope=-0.387 drop_kdac=-7.742
gap_to_window=2.0 reason=accepted transition outside user window
```

```
    row=7 col=19 transition=[180.0, 162.0] min_slope=-3.881 mean_slope=-0.580 drop_kdac=-11.050
gap_to_window=8.0 reason=accepted transition outside user window
    row=14 col=19 transition=[274.0, 249.0] min_slope=-3.163 mean_slope=-0.399 drop_kdac=-10.414
gap_to_window=24.0 reason=accepted transition outside user window
    row=15 col=19 transition=[188.0, 168.0] min_slope=-3.900 mean_slope=-0.563 drop_kdac=-11.831
gap_to_window=2.0 reason=accepted transition outside user window
    row=26 col=19 transition=[270.0, 270.0] min_slope=-0.082 mean_slope=-0.082 drop_kdac=0.000
gap_to_window=20.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule,
segment too short for sustained rule
    row=26 col=19 transition=[267.0, 249.0] min_slope=-0.710 mean_slope=-0.207 drop_kdac=-3.951
gap_to_window=17.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule

Column 20
  Noisy detectors excluded: [(15, 20)]
    row=15 col=20 noisy_transition=[283.0, 262.0] min_slope=-2.981 mean_slope=-0.428 drop_kdac=-9.421
    row=15 col=20 noisy_transition=[2.0, 1.0] min_slope=-1.171 mean_slope=-0.855 drop_kdac=-1.171
  Best bias = 344.0
  Max detectors in transition at best bias = 4
  Detectors at best bias in [264.0, 344.0]: [(5, 20), (8, 20), (11, 20), (12, 20)]
    row=5 col=20 transition=[287.0, 264.0] min_slope=-1.073 mean_slope=-0.246 drop_kdac=-5.917
    row=8 col=20 transition=[319.0, 295.0] min_slope=-1.190 mean_slope=-0.234 drop_kdac=-5.855
    row=11 col=20 transition=[338.0, 315.0] min_slope=-1.307 mean_slope=-0.246 drop_kdac=-5.902
    row=12 col=20 transition=[331.0, 307.0] min_slope=-1.341 mean_slope=-0.254 drop_kdac=-6.363
  User bias = 500
  Clean detectors in transition in [420.0, 500.0]: []
  Near misses / diagnostics (<=40 DAC from window, or rejected/noisy overlaps):
    row=0 col=20 transition=[509.0, 488.0] min_slope=-0.619 mean_slope=-0.191 drop_kdac=-4.173
gap_to_window=9.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=3 col=20 transition=[403.0, 381.0] min_slope=-0.232 mean_slope=-0.131 drop_kdac=-2.851
gap_to_window=39.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=7 col=20 transition=[417.0, 416.0] min_slope=-0.615 mean_slope=-0.615 drop_kdac=-1.243
gap_to_window=4.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=21 col=20 transition=[467.0, 466.0] min_slope=-0.083 mean_slope=-0.082 drop_kdac=-0.085
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=21 col=20 transition=[463.0, 444.0] min_slope=-0.563 mean_slope=-0.150 drop_kdac=-3.015
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=28 col=20 transition=[454.0, 435.0] min_slope=-0.317 mean_slope=-0.148 drop_kdac=-2.892
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule

Column 21
  Noisy detectors excluded: []
  Best bias = 295.0
  Max detectors in transition at best bias = 3
  Detectors at best bias in [215.0, 295.0]: [(9, 21), (12, 21), (20, 21)]
    row=9 col=21 transition=[238.0, 219.0] min_slope=-1.172 mean_slope=-0.237 drop_kdac=-4.793
```

```
    row=12 col=21 transition=[239.0, 215.0] min_slope=-3.441 mean_slope=-0.451 drop_kdac=-11.281
    row=20 col=21 transition=[241.0, 217.0] min_slope=-1.351 mean_slope=-0.274 drop_kdac=-6.850
  User bias = 325
  Clean detectors in transition in [245.0, 325.0]: []
  Near misses / diagnostics (<=40 DAC from window, or rejected/noisy overlaps):
    row=6 col=21 transition=[337.0, 316.0] min_slope=-0.614 mean_slope=-0.158 drop_kdac=-3.497
gap_to_window=12.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=9 col=21 transition=[238.0, 219.0] min_slope=-1.172 mean_slope=-0.237 drop_kdac=-4.793
gap_to_window=26.0 reason=accepted transition outside user window
    row=11 col=21 transition=[268.0, 250.0] min_slope=-0.918 mean_slope=-0.200 drop_kdac=-3.801
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=12 col=21 transition=[239.0, 215.0] min_slope=-3.441 mean_slope=-0.451 drop_kdac=-11.281
gap_to_window=30.0 reason=accepted transition outside user window
    row=16 col=21 transition=[351.0, 327.0] min_slope=-0.589 mean_slope=-0.181 drop_kdac=-4.527
gap_to_window=26.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=17 col=21 transition=[356.0, 331.0] min_slope=-0.582 mean_slope=-0.164 drop_kdac=-4.270
gap_to_window=31.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=19 col=21 transition=[277.0, 251.0] min_slope=-0.879 mean_slope=-0.207 drop_kdac=-5.593
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=20 col=21 transition=[241.0, 217.0] min_slope=-1.351 mean_slope=-0.274 drop_kdac=-6.850
gap_to_window=28.0 reason=accepted transition outside user window
    row=21 col=21 transition=[355.0, 330.0] min_slope=-0.935 mean_slope=-0.190 drop_kdac=-4.939
gap_to_window=30.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=25 col=21 transition=[357.0, 333.0] min_slope=-0.627 mean_slope=-0.167 drop_kdac=-4.179
gap_to_window=32.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=29 col=21 transition=[346.0, 319.0] min_slope=-1.386 mean_slope=-0.214 drop_kdac=-6.012
gap_to_window=21.0 reason=accepted transition outside user window

Column 22
  Noisy detectors excluded: [(5, 22)]
    row=5 col=22 noisy_transition=[806.0, 801.0] min_slope=-2.429 mean_slope=-0.919 drop_kdac=-5.494
    row=5 col=22 noisy_transition=[175.0, 174.0] min_slope=-1.001 mean_slope=-0.995 drop_kdac=-1.999
  Best bias = 933.0
  Max detectors in transition at best bias = 2
  Detectors at best bias in [853.0, 933.0]: [(7, 22), (10, 22)]
    row=7 col=22 transition=[859.0, 853.0] min_slope=-2.384 mean_slope=-0.782 drop_kdac=-5.417
    row=10 col=22 transition=[874.0, 869.0] min_slope=-1.474 mean_slope=-0.577 drop_kdac=-3.434
  User bias = 1100
  Clean detectors in transition in [1020.0, 1100.0]: []
  Near misses / diagnostics (<=40 DAC from window, or rejected/noisy overlaps):
    row=3 col=22 transition=[1080.0, 1079.0] min_slope=-0.153 mean_slope=-0.150 drop_kdac=-0.286
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=8 col=22 transition=[1012.0, 1011.0] min_slope=-0.737 mean_slope=-0.734 drop_kdac=-1.479
gap_to_window=9.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=11 col=22 transition=[1015.0, 1011.0] min_slope=-0.405 mean_slope=-0.230 drop_kdac=-1.093
```

```
gap_to_window=9.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=13 col=22 transition=[1021.0, 1017.0] min_slope=-2.368 mean_slope=-1.022 drop_kdac=-5.079
gap_to_window=3.0 reason=accepted transition outside user window

Column 23
  Noisy detectors excluded: [(14, 23)]
    row=14 col=23 noisy_transition=[1512.0, 1510.0] min_slope=-4.303 mean_slope=-2.873 drop_kdac=-8.605
    row=14 col=23 noisy_transition=[1465.0, 1464.0] min_slope=-2.613 mean_slope=-2.601 drop_kdac=-5.249
    row=14 col=23 noisy_transition=[1460.0, 1458.0] min_slope=-1.205 mean_slope=-0.805 drop_kdac=-2.410
    row=14 col=23 noisy_transition=[765.0, 759.0] min_slope=-4.402 mean_slope=-1.640 drop_kdac=-11.492
    row=14 col=23 noisy_transition=[501.0, 500.0] min_slope=-1.288 mean_slope=-1.277 drop_kdac=-2.540
    row=14 col=23 noisy_transition=[483.0, 482.0] min_slope=-1.200 mean_slope=-1.199 drop_kdac=-2.372
  Best bias = 320.0
  Max detectors in transition at best bias = 2
  Detectors at best bias in [240.0, 320.0]: [(4, 23), (26, 23)]
    row=4 col=23 transition=[273.0, 240.0] min_slope=-1.994 mean_slope=-0.255 drop_kdac=-8.665
    row=26 col=23 transition=[315.0, 288.0] min_slope=-1.061 mean_slope=-0.222 drop_kdac=-6.223
  User bias = 325
  Clean detectors in transition in [245.0, 325.0]: [(26, 23)]
    row=26 col=23 transition=[315.0, 288.0] min_slope=-1.061 mean_slope=-0.222 drop_kdac=-6.223
  Near misses / diagnostics (<=40 DAC from window, or rejected/noisy overlaps):
    row=1 col=23 transition=[253.0, 247.0] min_slope=-0.953 mean_slope=-0.389 drop_kdac=-2.697
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=4 col=23 transition=[273.0, 240.0] min_slope=-1.994 mean_slope=-0.255 drop_kdac=-8.665
gap_to_window=5.0 reason=accepted transition outside user window
    row=5 col=23 transition=[274.0, 253.0] min_slope=-0.698 mean_slope=-0.203 drop_kdac=-4.461
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=7 col=23 transition=[228.0, 210.0] min_slope=-1.105 mean_slope=-0.223 drop_kdac=-4.220
gap_to_window=35.0 reason=accepted transition outside user window
    row=8 col=23 transition=[317.0, 295.0] min_slope=-0.258 mean_slope=-0.136 drop_kdac=-2.993
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=22 col=23 transition=[356.0, 355.0] min_slope=-0.620 mean_slope=-0.615 drop_kdac=-1.182
gap_to_window=31.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=22 col=23 transition=[324.0, 299.0] min_slope=-0.919 mean_slope=-0.190 drop_kdac=-4.955
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule

Column 24
  Noisy detectors excluded: []
  Best bias = 370.0
  Max detectors in transition at best bias = 1
  Detectors at best bias in [290.0, 370.0]: [(18, 24)]
    row=18 col=24 transition=[308.0, 290.0] min_slope=-1.919 mean_slope=-0.369 drop_kdac=-7.016
  User bias = 250
  Clean detectors in transition in [170.0, 250.0]: [(26, 24)]
    row=26 col=24 transition=[192.0, 175.0] min_slope=-2.097 mean_slope=-0.383 drop_kdac=-6.895
```

```
  Near misses / diagnostics (<=40 DAC from window, or rejected/noisy overlaps):
    []

Column 25
  Noisy detectors excluded: [(18, 25)]
    row=18 col=25 noisy_transition=[1464.0, 1460.0] min_slope=-1.173 mean_slope=-0.479 drop_kdac=-2.249
    row=18 col=25 noisy_transition=[1446.0, 1445.0] min_slope=-1.224 mean_slope=-1.180 drop_kdac=-2.380
  Best bias = 2000.0
  Max detectors in transition at best bias = 0
  Detectors at best bias in [1920.0, 2000.0]: []
  User bias = 500
  Clean detectors in transition in [420.0, 500.0]: []
  Near misses / diagnostics (<=40 DAC from window, or rejected/noisy overlaps):
    row=14 col=25 transition=[410.0, 409.0] min_slope=-0.134 mean_slope=-0.129 drop_kdac=-0.271
gap_to_window=11.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=17 col=25 transition=[487.0, 487.0] min_slope=-0.085 mean_slope=-0.085 drop_kdac=0.000
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule,
segment too short for sustained rule
    row=17 col=25 transition=[484.0, 472.0] min_slope=-0.327 mean_slope=-0.124 drop_kdac=-1.635
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=19 col=25 transition=[402.0, 399.0] min_slope=-0.093 mean_slope=-0.084 drop_kdac=-0.249
gap_to_window=21.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=19 col=25 transition=[396.0, 390.0] min_slope=-0.114 mean_slope=-0.100 drop_kdac=-0.597
gap_to_window=30.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=20 col=25 transition=[508.0, 506.0] min_slope=-0.217 mean_slope=-0.156 drop_kdac=-0.433
gap_to_window=8.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule

Column 26
  Noisy detectors excluded: []
  Best bias = 364.0
  Max detectors in transition at best bias = 2
  Detectors at best bias in [284.0, 364.0]: [(1, 26), (3, 26)]
    row=1 col=26 transition=[305.0, 284.0] min_slope=-4.011 mean_slope=-0.562 drop_kdac=-12.381
    row=3 col=26 transition=[337.0, 318.0] min_slope=-16.801 mean_slope=-1.792 drop_kdac=-35.839
  User bias = 400
  Clean detectors in transition in [320.0, 400.0]: []
  Near misses / diagnostics (<=40 DAC from window, or rejected/noisy overlaps):
    row=1 col=26 transition=[305.0, 284.0] min_slope=-4.011 mean_slope=-0.562 drop_kdac=-12.381
gap_to_window=36.0 reason=accepted transition outside user window
    row=3 col=26 transition=[337.0, 318.0] min_slope=-16.801 mean_slope=-1.792 drop_kdac=-35.839
gap_to_window=2.0 reason=accepted transition outside user window
    row=7 col=26 transition=[326.0, 326.0] min_slope=-0.085 mean_slope=-0.085 drop_kdac=0.000
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule,
segment too short for sustained rule
    row=7 col=26 transition=[320.0, 300.0] min_slope=-0.638 mean_slope=-0.167 drop_kdac=-3.517
```

```
gap_to_window=20.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=12 col=26 transition=[405.0, 404.0] min_slope=-0.128 mean_slope=-0.116 drop_kdac=-0.203
gap_to_window=5.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=12 col=26 transition=[400.0, 399.0] min_slope=-0.132 mean_slope=-0.128 drop_kdac=-0.220
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=12 col=26 transition=[392.0, 392.0] min_slope=-0.091 mean_slope=-0.091 drop_kdac=0.000
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule,
segment too short for sustained rule
    row=12 col=26 transition=[371.0, 370.0] min_slope=-0.139 mean_slope=-0.115 drop_kdac=-0.327
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=12 col=26 transition=[365.0, 365.0] min_slope=-0.143 mean_slope=-0.143 drop_kdac=0.000
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule,
segment too short for sustained rule
    row=12 col=26 transition=[342.0, 342.0] min_slope=-0.119 mean_slope=-0.119 drop_kdac=0.000
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule,
segment too short for sustained rule
    row=12 col=26 transition=[339.0, 339.0] min_slope=-0.104 mean_slope=-0.104 drop_kdac=0.000
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule,
segment too short for sustained rule
    row=12 col=26 transition=[335.0, 334.0] min_slope=-0.241 mean_slope=-0.201 drop_kdac=-0.321
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=12 col=26 transition=[330.0, 329.0] min_slope=-0.176 mean_slope=-0.173 drop_kdac=-0.193
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=12 col=26 transition=[322.0, 322.0] min_slope=-0.229 mean_slope=-0.229 drop_kdac=0.000
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule,
segment too short for sustained rule
    row=12 col=26 transition=[316.0, 316.0] min_slope=-0.080 mean_slope=-0.080 drop_kdac=0.000
gap_to_window=4.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule,
segment too short for sustained rule
    row=13 col=26 transition=[407.0, 407.0] min_slope=-0.099 mean_slope=-0.099 drop_kdac=0.000
gap_to_window=7.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule,
segment too short for sustained rule
    row=13 col=26 transition=[365.0, 365.0] min_slope=-0.109 mean_slope=-0.109 drop_kdac=0.000
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule,
segment too short for sustained rule
    row=13 col=26 transition=[350.0, 349.0] min_slope=-0.204 mean_slope=-0.152 drop_kdac=-0.228
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=13 col=26 transition=[339.0, 338.0] min_slope=-0.155 mean_slope=-0.135 drop_kdac=-0.250
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=13 col=26 transition=[316.0, 315.0] min_slope=-0.123 mean_slope=-0.103 drop_kdac=-0.205
gap_to_window=5.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=13 col=26 transition=[298.0, 298.0] min_slope=-0.102 mean_slope=-0.102 drop_kdac=0.000
gap_to_window=22.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule,
segment too short for sustained rule
```

```
Column 27
  Noisy detectors excluded: [(9, 27), (24, 27)]
    row=9 col=27 noisy_transition=[569.0, 534.0] min_slope=-2.400 mean_slope=-0.235 drop_kdac=-9.622
    row=9 col=27 noisy_transition=[509.0, 506.0] min_slope=-2.205 mean_slope=-0.885 drop_kdac=-2.462
    row=9 col=27 noisy_transition=[502.0, 492.0] min_slope=-8.154 mean_slope=-3.794 drop_kdac=-41.956
    row=9 col=27 noisy_transition=[466.0, 461.0] min_slope=-1.556 mean_slope=-0.730 drop_kdac=-4.182
    row=9 col=27 noisy_transition=[456.0, 454.0] min_slope=-3.646 mean_slope=-2.487 drop_kdac=-7.263
    row=24 col=27 noisy_transition=[535.0, 529.0] min_slope=-2.400 mean_slope=-0.978 drop_kdac=-6.952
    row=24 col=27 noisy_transition=[520.0, 519.0] min_slope=-1.114 mean_slope=-0.970 drop_kdac=-1.878
    row=24 col=27 noisy_transition=[506.0, 504.0] min_slope=-1.927 mean_slope=-1.303 drop_kdac=-3.853
  Best bias = 580.0
  Max detectors in transition at best bias = 2
  Detectors at best bias in [500.0, 580.0]: [(22, 27), (27, 27)]
    row=22 col=27 transition=[503.0, 500.0] min_slope=-1.305 mean_slope=-0.605 drop_kdac=-1.394
    row=27 col=27 transition=[532.0, 509.0] min_slope=-2.055 mean_slope=-0.346 drop_kdac=-9.284
  User bias = 750
  Clean detectors in transition in [670.0, 750.0]: []
  Near misses / diagnostics (<=40 DAC from window, or rejected/noisy overlaps):
    row=10 col=27 transition=[689.0, 689.0] min_slope=-0.081 mean_slope=-0.081 drop_kdac=0.000
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule,
segment too short for sustained rule
    row=25 col=27 transition=[684.0, 683.0] min_slope=-0.095 mean_slope=-0.093 drop_kdac=-0.161
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule

Column 28
  Noisy detectors excluded: []
  Best bias = 2000.0
  Max detectors in transition at best bias = 0
  Detectors at best bias in [1920.0, 2000.0]: []
  User bias = 750
  Clean detectors in transition in [670.0, 750.0]: []
  Near misses / diagnostics (<=40 DAC from window, or rejected/noisy overlaps):
    row=26 col=28 transition=[684.0, 684.0] min_slope=-0.082 mean_slope=-0.082 drop_kdac=0.000
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule,
segment too short for sustained rule
    row=26 col=28 transition=[678.0, 678.0] min_slope=-0.083 mean_slope=-0.083 drop_kdac=0.000
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule,
segment too short for sustained rule
    row=26 col=28 transition=[672.0, 654.0] min_slope=-0.702 mean_slope=-0.160 drop_kdac=-2.883
gap_to_window=16.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=26 col=28 transition=[651.0, 651.0] min_slope=-0.213 mean_slope=-0.213 drop_kdac=0.000
gap_to_window=19.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule,
segment too short for sustained rule

Column 29
```

```
  Noisy detectors excluded: []
  Best bias = 2000.0
  Max detectors in transition at best bias = 0
  Detectors at best bias in [1920.0, 2000.0]: []
  User bias = 700
  Clean detectors in transition in [620.0, 700.0]: []
  Near misses / diagnostics (<=40 DAC from window, or rejected/noisy overlaps):
    row=3 col=29 transition=[694.0, 694.0] min_slope=-0.082 mean_slope=-0.082 drop_kdac=0.000
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule,
segment too short for sustained rule
    row=3 col=29 transition=[674.0, 674.0] min_slope=-0.084 mean_slope=-0.084 drop_kdac=0.000
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule,
segment too short for sustained rule
    row=3 col=29 transition=[656.0, 655.0] min_slope=-0.089 mean_slope=-0.089 drop_kdac=-0.094
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=3 col=29 transition=[639.0, 637.0] min_slope=-0.121 mean_slope=-0.099 drop_kdac=-0.242
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=3 col=29 transition=[623.0, 621.0] min_slope=-0.143 mean_slope=-0.120 drop_kdac=-0.285
gap_to_window=0.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=3 col=29 transition=[616.0, 606.0] min_slope=-0.175 mean_slope=-0.101 drop_kdac=-1.046
gap_to_window=14.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule
    row=3 col=29 transition=[603.0, 603.0] min_slope=-0.084 mean_slope=-0.084 drop_kdac=0.000
gap_to_window=17.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule,
segment too short for sustained rule
    row=3 col=29 transition=[600.0, 599.0] min_slope=-0.840 mean_slope=-0.791 drop_kdac=-1.552
gap_to_window=21.0 reason=slope not steep enough for sharp rule, total drop too small for sustained rule

Column 30
  Noisy detectors excluded: []
  Best bias = 2000.0
  Max detectors in transition at best bias = 0
  Detectors at best bias in [1920.0, 2000.0]: []
  User bias = 0
  Clean detectors in transition in [-80.0, 0.0]: []
  Near misses / diagnostics (<=40 DAC from window, or rejected/noisy overlaps):
    []

Column 31
  Noisy detectors excluded: []
  Best bias = 2000.0
  Max detectors in transition at best bias = 0
  Detectors at best bias in [1920.0, 2000.0]: []
  User bias = 0
  Clean detectors in transition in [-80.0, 0.0]: []
  Near misses / diagnostics (<=40 DAC from window, or rejected/noisy overlaps):
```

```
    []

Saved PDF: /home/timestudent/anie/load_curves_all/specB/best_bias_20260209_spec_B_iv_352mK_iv_all_data.pdf
```