Hands-on tutorial on Linear Programming and Integer Linear Programming modeling

Installation Guide

Romeo Rizzi, Alice Raffaele

University of Verona romeo.rizzi@univr.it, alice.raffaele@unitn.it

November 20, 2018

Overview

AMPL Installation

GMPL/GLPK Installation

References


How to install AMPL

- The free size-limited AMPL Demo Version (500 variables and 500 constraints for linear problems, 300 for nonlinear ones)
- Available versions for most common platforms (Windows, Linux, Mac OS X) at the following link: http://ampl.com/try-ampl/download-a-free-demo/
- Two modeling environments:
 - AMPL IDE
 - Command-line AMPL
- AMPL Demo Version already includes, among others, the following solvers:
 - CPLEX and Gurobi for linear and quadratic problems in both continuous and discrete variables;
 - CONOPT and MINOS for nonlinear problems in continuous variables.

AMPL Demo Version for Mac OS X

- 1. Please check to already have Java installed on your pc;
- Download the distribution archive file named amplide.macosx64.tgz at this link: http://ampl.com/try-ampl/download-a-free-demo/#macosx
- Extract its contents; by default the package will be extracted into a folder named amplide.macosx64 that will be in your Download folder.
- This will be your AMPL folder but eventually you can rename it or move it to another location, for example into the Desktop.

5. To run, you have to double click the **Amplide** file icon in the AMPL folder:




AMPL

6. Loading files and workspace:




7. Finally the IDE appears:




Important note for users of Mac OS X 10.12 Sierra

 It may happen that the first time you launch the AMPL IDE, during loading of files, you get the following error message:



 It is a security issue due to the new security features introduced with Sierra, but it seems fixed in other versions of Mac OS X. To quickly solve it, you just need to drag the Amplide file icon and drop it to the Desktop; then drag and drop it again into the AMPL folder:



Command-line AMPL for Mac OS X

- 1. Open a new terminal window and go to the AMPL folder
- 2. Type ./ampl and press enter: the AMPL prompt will appear

```
amplide.macosx64 — ampl — 80×24

Last login: Thu Nov 2 18:45:14 on ttys000

MacBook-Pro-di-Alice:~ alice$ cd Desktop/amplide.macosx64/

MacBook-Pro-di-Alice:amplide.macosx64 alice$ ./ampl

ampl:
```

3. Now you can start using AMPL commands.

- 4. If you want to use AMPL from every directory, you need to edit the environment variable name \$PATH. To do so, open a new terminal in your home directory.
- 5. Write **nano** .bash_profile to create a bash profile where to put your standard environment variables and the AMPL one.






- Save the file pressing CTRL-X and force the script to be executed: source ~/.bash_profile;
- 7. Print the environment variable to check the edit:



AMPL Demo Version for Windows

- Download the distribution archive file named amplide.mswin32.zip or amplide.mswin64.zip,according to the version of your operative system, at this link: http://ampl.com/try-ampl/download-a-free-demo/#windows
- Extract contents of the main folder and also of the subfolders; by default the package will be extracted into a folder named amplide.mswinXX that will be in your *Download* folder.
- This will be your AMPL folder but eventually you can rename it or move it to another location, for example into your Desktop.

4. To run, you have to double click the **Amplide** file icon in the following path: \amplide.mswinXX\amplide




AMPL

00000000000000




6. Finally the IDE appears:




AMPI

Command-line AMPL for Windows

1. In your AMPL folder, look for **sw.exe** and double-click on it to make a prompt window appear:



- To be able to run ampl from every directory (and not just from its one), go to Start → Computer → View system information → Advanced tab → "Environment Variables".
- 3. Look for "Path", click "Edit", do not erase anything but just add at the end the path to the directory where you have put ampl.exe and sw.exe.



AMPL

4. Open a command prompt and try to type **sw.exe** or ampl.exe and press enter: the AMPL prompt will appear

```
Documents: running ampl
File Edit Help
sw: ampl
ampl:
```

5. Now you can start using AMPL commands.

Introduction to GLPK



- GLPK (i.e., GNU Linear Programming Kit) is a software package developed in ANSI C by Andrew Makhorin (Department for Applied Informatics, Moscow Aviation Institute) for solving large-scale LP and MIP problems.
- Part of the GNU Project, actually it is a library.
- The package contains several components:
 - For LP problems: revised simplex method and primal-dual interior point method;
 - For IP problems: Branch-and-bound method and cut routines;
 - Others: translator for GNU MathProg modeling language;
 API; stand-alone LP/MIP solver glpsol

glpsol and GMPL

- Since GLPK is a library, it needs a client software where can be run exploiting GLPK APIs → The default client is the glpsol solver (GNU Linear Program Solver).
- glpsol can take GMPL model and data as inputs and it finds a solution as output.
- GMPL (i.e., GNU Math Programming Language) is a modeling language intended for describing linear mathematical programming models:
 - Like in AMPL, the model is described through model objects such as sets, parameters, variables, constraints and objectives;
 - The model description is composed of two parts:
 - the model section
 - the data section
 - GMPL syntax is basically the same as AMPL

GLPK for Mac OS X and Linux

- 1. Main page: https://www.gnu.org/software/glpk/
- 2. Download the lastest version of GLPK (4.65) from this link: http://ftp.gnu.org/gnu/glpk/
- 3. Extract the package

Index of /gnu/glpk

<u>Name</u>	Last modified	Size	Description
Parent Directory		-	
glpk-4.63.tar.gz.sig	2017-07-25 04:17	65	
glpk-4.63.tar.gz	2017-07-25 04:17	3.9M	
glpk-4.62.tar.gz.sig	2017-06-14 05:30	65	
g <u>lpk-4.62.tar.gz</u>	2017-06-14 05:30	3.9M	
alale 4.61 ton an air	2017 01 22 07.56	65	

- 4. Open a new terminal window, go to the folder where you have extracted files and then type ./configure -prefix=/usr/local to launch the installation on your system
- 5. Type make
- 6. When it is finished, type **sudo make install**
- To verify GLPK is installed, type which glpsol and you should get something like this: /usr/local/bin/glpsol
- 8. Try also GLPK help: glpsol -help

```
Last login: Fri Nov 10 17:33:42 on ttys000
[MBP-di-Alice:~ alice$ which glpsol
/usr/local/bin/glpsol
[MBP-di-Alice:~ alice$ glpsol --help
Usage: glpsol [options...] filename
General options:
                   read LP/MIP problem in fixed MPS format
   --mps
   --freemps
                   read LP/MIP problem in free MPS format (default)
   --lp
                   read LP/MIP problem in CPLEX LP format
                   read LP/MIP problem in GLPK format
   --alp
                   read LP/MIP model written in GNU MathProg modeling
   --math
                   language
   -m filename, --model filename
                   read model section and optional data section from
                    filename (same as --math)
   -d filename, --data filename
                   read data section from filename (for --math only);
                   if model file also has data section, it is ignored
   -v filename, --display filename
```

GLPK for Windows

- 1. Main page: http://winglpk.sourceforge.net
- 2. Download the latest version of GLPK (4.63) from this link: https://sourceforge.net/projects/winglpk/
- 3. Extract the package



- 4. The executables and dynamic link libraries for 32 bit (or 64 bit) Windows can be found in directory w32 (or w64).
- 5. Now, to be able to run glpsol, go to the folder where you have just extracted the package and then double-click on the folder winXX (according to your operative system version); you have two options:
 - You can copy all .dll files into %SystemRoot\%nsystem32 (for example, C:\windows\system32);
 - Otherwise, you can add the path to this winXX folder into the environment variable PATH (as you did before for AMPL).
- If you open a command prompt, typing glpsol you should get information about the version (it means that the link to the dynamic libraries is working).
- For more information: https://en.wikibooks.org/wiki/GLPK/Windows_executables

References



http://ampl.com



AMPL: A Modeling Language for Mathematical Programming R. Fourer, D.M. Gay, B. Kernighan http://ampl.com/resources/the-ampl-book/



https://en.wikibooks.org/wiki/GLPK



GLPK/GMPL

https://en.wikibooks.org/wiki/GLPK/GMPL_(MathProg)