

Started on	Thursday, October 15, 2020, 11:33 PM
State	Finished
Completed on	Thursday, October 15, 2020, 11:33 PM
Time taken	17 secs
Grade	8.00 out of 8.00 (100%)

Question **1**  
Correct  
2.00 points out of 2.00

In a UCM, one can model component for

- Select one:
- ☐ a. Level
  - ☐ b. Trend
  - ☐ c. Seasonal
  - ☒ d. All of the above ✓
  - ☐ e. None of the above

Your answer is correct.  
The correct answer is: All of the above

Question **2**  
Correct  
2.00 points out of 2.00

In a UCM model, the level, trend and seasonal components can be either deterministic or stochastic.

- Select one:
- ☒ True ✓
  - ☐ False

The correct answer is 'True'.

Question **3**  
Correct  
2.00 points out of 2.00

In an ARIMAX, the "X variables" can have numerator or denominator effects

- Select one:
- ☒ True ✓
  - ☐ False

The correct answer is 'True'.

Question **4**  
Correct  
2.00 points out of 2.00

One method to combine forecasts from different models is by simply taking the average of the forecasts.

- Select one:
- ☒ True ✓
  - ☐ False

The correct answer is 'True'.

◀ Time Series 2: Quiz 3

Jump to...

August 19 - Time Series 1 - Blue 9:00 ▶