

Intro Class Activity - Week 1

Goals:

In this class activity we will create, modify, move and delete files and folders. Ultimately creating a “Projects” folder for the student to consolidate their coding projects. The student will end up making a simple text file with a message in it.

Tools Needed

- Computer
- Text Editor
- Web Browser (bonus)

Activity Outline:

- Open the *File Browser* (*Finder, My Computer, Home folder*)
- Navigate to your *Documents* folder
- Create a folder named *Projects*
- Navigate into *Projects* folder
- Create a folder named *Project1*
- Open text editor (TextEdit, Notepad, ect)
- Type “*Welcome to Code Louisville*”

Unset

Welcome to Code Louisville/Kentucky

- In the menu go to File > Save As
- Save file with the name “*welcome*” and extension *.txt*

Unset

welcome.txt

- Close text editor.

Bonus Activity:

Go back and reopen the file. Make a change (add an exclamation point (!) to the welcome message) and save it.


Unset

Welcome to Code Louisville/Kentucky!

Artifacts:

- *Projects* folder in *Documents* folder for storing class materials
- *Project1* folder
- Welcome.txt file

Screenshot of final files.



Command Line Basics

pwd	Prints the full name (the full path) of current/working directory
ls	List directory contents
ls -a	List all the content, including hidden files
ls -l	List the content and its information
mkdir <i>foldername</i>	Creates a new directory <i>foldername</i>
cd	Returns to <i>\$home</i> (default or user) directory
cd <i>foldername</i>	Change the working directory to <i>foldername</i>
cd ..	Goes up a directory
cd -	Returns to the previous directory
cp <i>source destination</i>	Copies source (file or folder) to destination (file or folder)
cp -r <i>source destination</i>	Copies a directory recursively (repeats) from <i>source</i> to <i>destination</i>
mv <i>source destination</i>	Moves source (file or folder) to destination (file or folder)
rm <i>filename</i>	Removes <i>filename</i>
rm -r <i>foldername</i>	Removes a directory and its contents recursively (repeats)

More Help:

https://developer.mozilla.org/en-US/docs/Learn/Tools_and_testing/Understanding_client-side_to_ols/Command_line