

## CUSTOMER REQUIREMENT CHECK LIST

DATE :  
 STATUS \*) : NEW CUSTOMER / PRODUCT  
 ITEM NO :  
 PRODUCT NAME : C1100R Y2H Ag 0.64

COMPANY NAME : PT. Sugindo  
 PIC : Forestin  
 PHONE/FAX NO. :  
 E-MAIL :

NO.	REQUIREMENT	SPECIFICATION			STANDARD MP	REMARKS
1	Master Sample					
2	Mill sheet					
3	Characteristic Product	- Toleransi Thickness = <u>± 0.02</u>			± 0.02 mm	
		- Toleransi Width = <u>± 0.1</u>			+ 0.1 mm, - 0.2 mm	
		- Toleransi Burry = <u>MAX. 10%</u>			10% from Thickness	
		- Inner Diameter, Min = <u>300</u> mm Max = <u>300</u> mm			Available : 200mm, 250mm, 300mm, 400mm, 500mm	
		- Outer Diameter Max = mm			Max. 900mm	
		- Appearance : (Standard quality mohon lampirkan Jika ada)				
		<u>UJUNG COIL SEARASAN JARUM JAM</u>				
4	Target Price					
5	Total Order Qty					
6	Average/Month Qty					
7	Material Type					
		- All Type Material *)	Ya	Tidak		
8	Material Size					
		- All Size Material *)	Ya	Tidak		
9	Labeling	- Metalsindo style *)	✓ Ya	Tidak	As image "Standard Packaging"	
10	Packaging	- Metalsindo style *)	✓ Ya	Tidak	As image "Standard Packaging"	
		- Qty coil terkecil yang diterima (min) = <u>25</u> kg				
		- Qty coil terbesar yang diterima (max) = <u>100</u> kg				
		- Qty max material per pallet = <u>1000</u> kg			Max. 1000 kg	
		- Tinggi max susunan coil per pallet = <u>500</u> mm			Max. 500mm As image "Standard Packaging"	
11	Delivery	- Partial *)	Ya	Tidak		
12	Payment Instrument	- Melalui *)	GIRO			
			TRANSFER TUNAI			
13	Payment Term					

\*) - Cross the unnecessary item

C U S T O M E R




PT. SUGINDO INTERNATIONAL FORCES

PT. METALSINDO PACIFIC




ANDY

## STANDARD PACKAGING



1. LABEL COIL
2. SILICA GEL
3. LAYER/KARTON
4. COIL DI IKAT PLASTIK WRAPPING



1. PALLET ATAS
2. TALI STRAPPING
3. PALLET NO.
4. PACKING CARD
5. SAMPLE MATERIAL
6. PLASTIK BAG
7. PALLET BAWAH



500mm (Tinggi Max. Susunan Coil Material)

COMMENT :

Standard Packaging =

OK  
NG

<input checked="" type="checkbox"/>

Tanggal

--

CUSTOMER  
PT. SUCINDO  
INTERNATIONAL  
FORGES.  
*Melati*




PT. METALSINDO PACIFIC

*Andi*

**QUALITY CONFIRMATION**


DATE :

FOR ALL TYPE MATERIAL

NO.	COMPANY	PROBLEM
	PT. METALSINDO PACIFIC	<p>1. Apakah coil material boleh di JOINT/sambung (Gambar 1) atau hanya diberi Marking/tidak dipotong (Gambar 2)</p> <p>2. Berapa maksimal Joint atau marking pada satu coil material (Gambar 3)</p>
1	CUSTOMER	
		 <p>Gambar 1</p>  <p>Gambar 2</p>  <p>Gambar 3</p>

C U S T O M E R

PT. METALSINDO PACIFIC



PT. SUCINDO  
INTERNATIONAL  
FORES



ANDI

## CUSTOMER REQUIREMENT CHECK LIST

DATE :  
 STATUS \*) : NEW CUSTOMER / PRODUCT  
 ITEM NO :  
 PRODUCT NAME : C2680 R Y2H 2,25 x 92

COMPANY NAME : PT. Sugindo International  
 PIC : Forestin  
 PHONE/FAX NO. :  
 E-MAIL :  
 :

NO.	REQUIREMENT	SPECIFICATION			STANDARD MP	REMARKS
1	Master Sample					
2	Mill sheet					
3	Characteristic Product	- Toleransi Thickness = <u>± 0.02</u>			± 0.02 mm	
		- Toleransi Width = <u>± 0.15</u>			+ 0.1 mm, - 0.2 mm	
		- Toleransi Burry = <u>MAX. 10 %</u>			10% from Thickness	
		- Inner Diameter, Min = <u>500</u> mm Max = <u>500</u> mm			Available : 200mm, 250mm, 300mm, 400mm, 500mm	
		- Outer Diameter Max = mm			Max. 900mm	
		- Appearance : (Standard quality mohon lampirkan Jika ada)				
		<u>UJUNG COIL SEARAH JARUM JAM</u>				
4	Target Price					
5	Total Order Qty					
6	Average/Month Qty					
7	Material Type					
		- All Type Material *)	Ya	Tidak		
8	Material Size					
		- All Size Material *)	Ya	Tidak		
9	Labeling	- Metalsindo style *)	✓ Ya	Tidak	As image "Standard Packaging"	
10	Packaging	- Metalsindo style *)	✓ Ya	Tidak	As image "Standard Packaging"	
		- Qty coil terkecil yang diterima (min) = <u>200</u> kg				
		- Qty coil terbesar yang diterima (max) = <u>500</u> kg				
		- Qty max material per pallet = <u>1000</u> kg			Max. 1000 kg	
		- Tinggi max susunan coil per pallet = <u>500</u> mm			Max. 500mm As image "Standard Packaging"	
11	Delivery	- Partial *)	Ya	Tidak		
12	Payment Instrument	- Melalui *)	GIRO			
			TRANSFER TUNAI			
13	Payment Term					

NO.DOK : RC-RP-01-02

REV : 01

\*) - Cross the unnecessary item

C U S T O M E R




PT. SUGINDO  
INTERNATIONAL  
FORRES

PT. METALSINDO PACIFIC




ANDI

## STANDARD PACKAGING



1. LABEL COIL
2. SILICA GEL
3. LAYER/KARTON
4. COIL DI IKAT PLASTIK WRAPPING



1. PALLET ATAS
2. TALI STRAPPING
3. PALLET NO.
4. PACKING CARD
5. SAMPLE MATERIAL
6. PLASTIK BAG
7. PALLET BAWAH



500mm (Tinggi Max. Susunan Coil Material)

COMMENT :

Standard Packaging =

OK  
NG



Tanggal

--

CUSTOMER  
PT. SUGIHDO  
INTERNATIONAL  
FORES.  
*Herry*




PT. METALSINDO PACIFIC

*ANDI*

QUALITY CONFIRMATION

DATE :

FOR ALL TYPE MATERIAL

NO.	COMPANY	PROBLEM
	PT. METALSINDO PACIFIC	<p>1. Apakah coil material boleh di JOINT/sambung (Gambar 1) atau hanya diberi Marking/tidak dipotong (Gambar 2)</p> <p>2. Berapa maksimal Joint atau marking pada satu coil material (Gambar 3)</p>
1	CUSTOMER	 <p>Gambar 1</p>  <p>Gambar 2</p>  <p>Gambar 3</p>

C U S T O M E R

PT. SUKSES  
INTERNATIONAL  
FORES.

PT. METALSINDO PACIFIC

ANDI

## CUSTOMER REQUIREMENT CHECK LIST

DATE :  
 STATUS \*) : NEW CUSTOMER / PRODUCT  
 ITEM NO :  
 PRODUCT NAME : C110R 1/2H 0.5 x 50

COMPANY NAME : PT. SUGINDO INTERNATIONAL  
 PIC : FORESTIN  
 PHONE/FAX NO. :  
 E-MAIL :  
 :

NO.	REQUIREMENT	SPECIFICATION			STANDARD MP	REMARKS
1	Master Sample					
2	Mill sheet					
3	Characteristic Product	- Toleransi Thickness = <u>± 0.02</u>			± 0.02 mm	
		- Toleransi Width = <u>± 0.1</u>			+ 0.1 mm, - 0.2 mm	
		- Toleransi Burry = <u>MAT. 10%</u>			10% from Thickness	
		- Inner Diameter, Min = <u>300</u> mm			Available : 200mm, 250mm,	
		Max = <u>300</u> mm			300mm, 400mm, 500mm	
		- Outer Diameter Max = mm			Max. 900mm	
		- Appearance :				
		(Standard quality mohon lampirkan Jika ada)				
		<u>USUNG COIL SEARAH SARUM 3AM</u>				
4	Target Price					
5	Total Order Qty					
6	Average/Month Qty					
7	Material Type					
		- All Type Material *)	Ya	Tidak		
8	Material Size					
		- All Size Material *)	Ya	Tidak		
9	Labeling	- Metalsindo style *)	✓ Ya	Tidak	As image "Standard Packaging"	
10	Packaging	- Metalsindo style *)	✓ Ya	Tidak	As image "Standard Packaging"	
		- Qty coil terkecil yang diterima (min) = <u>25</u> kg				
		- Qty coil terbesar yang diterima (max) = <u>100</u> kg				
		- Qty max material per pallet = <u>1000</u> kg			Max. 1000 kg	
		- Tinggi max susunan coil per pallet = <u>500</u> mm			Max. 500mm As image "Standard Packaging"	
11	Delivery	- Partial *)	Ya	Tidak		
12	Payment Instrument	- Melalui *)	GIRO			
			TRANSFER TUNAI			
13	Payment Term					

NO.DOK : RC - RP - 01 - 02

REV : 01

\*) - Cross the unnecessary item


C U S T O M E R

PT. SUGINDO  
INTERNATIONAL  
FORESTIN


PT. METALSINDO PACIFIC

ANDI

## STANDARD PACKAGING



1. LABEL COIL
2. SILICA GEL
3. LAYER/KARTON
4. COIL DI IKAT PLASTIK WRAPPING



1. PALLET ATAS
2. TALI STRAPPING
3. PALLET NO.
4. PACKING CARD
5. SAMPLE MATERIAL
6. PLASTIK BAG
7. PALLET BAWAH



500mm (Tinggi Max. Susunan Coil Material)

COMMENT :

Standard Packaging =

OK  
NG

Tanggal



CUSTOMER  
PT. SUGINDO  
INTERNATIONAL  
FORGES.  
*[Signature]*

PT. METALSINDO PACIFIC  
*[Signature]*  
ANDI

QUALITY CONFIRMATION

DATE :

FOR ALL TYPE MATERIAL

NO.	COMPANY	PROBLEM
	PT. METALSINDO PACIFIC	<p>1. Apakah coil material boleh di JOINT/sambung (Gambar 1) atau hanya diberi Marking/tidak dipotong (Gambar 2)</p> <p>2. Berapa maksimal Joint atau marking pada satu coil material (Gambar 3)</p>
1	CUSTOMER	
		 <p>Gambar 1</p>  <p>Gambar 2</p>  <p>Gambar 3</p>

C U S T O M E R

PT. SUGIHKO  
INTERNATIONAL  
FORES.



PT. METALSINDO PACIFIC



ANDI

## CUSTOMER REQUIREMENT CHECK LIST

DATE :  
 STATUS \*) : NEW CUSTOMER / PRODUCT  
 ITEM NO :  
 PRODUCT NAME : SUS 430 0.25x26

COMPANY NAME : PT. SUGINDO INTERNATIONAL  
 PIC : FOREESTIN  
 PHONE/FAX NO. :  
 E-MAIL :

NO.	REQUIREMENT	SPECIFICATION			STANDARD MP	REMARKS
1	Master Sample					
2	Mill sheet					
3	Characteristic Product	- Toleransi Thickness = <u>± 0.02</u>			± 0.02 mm	
		- Toleransi Width = <u>± 0.1</u>			+ 0.1 mm, - 0.2 mm	
		- Toleransi Burry = <u>MAT. 10%</u>			10% from Thickness	
		- Inner Diameter, Min = <u>300</u> mm			Available : 200mm, 250mm,	
		Max = <u>300</u> mm			300mm, 400mm, 500mm	
		- Outer Diameter Max = mm			Max. 900mm	
		- Appearance :				
		(Standard quality mohon lampirkan Jika ada)				
		<u>UJUNG COIL SEARAH JARUM JAM</u>				
4	Target Price					
5	Total Order Qty					
6	Average/Month Qty					
7	Material Type					
8	Material Size	- All Type Material *)	Ya	Tidak		
9	Labeling	- Metalsindo style *)	✓ Ya	Tidak	As image "Standard Packaging"	
10	Packaging	- Metalsindo style *)	✓ Ya	Tidak	As image "Standard Packaging"	
		- Qty coil terkecil yang diterima (min) = <u>25</u> kg				
		- Qty coil terbesar yang diterima (max) = <u>100</u> kg				
		- Qty max material per pallet = <u>1000</u> kg			Max. 1000 kg	
		- Tinggi max susunan coil per pallet = <u>500</u> mm			Max. 500mm	
					As image "Standard Packaging"	
11	Delivery	- Partial *)	Ya	Tidak		
12	Payment Instrument	- Melalui *)	GIRO			
			TRANSFER TUNAI			
13	Payment Term					

NO.DOK : RC - RP - 01 - 02

REV : 01

\*) - Cross the unnecessary item

C U S T O M E R





PT. SUGINDO  
INTERNATIONAL  
FORESTIN

PT. METALSINDO PACIFIC



ANDI

## STANDARD PACKAGING



COMMENT :

Standard Packaging =  OK  NG  Tanggal \_\_\_\_\_

CUSTOMER  
PT. SUGINDO  
INTERNATIONAL  
FORES.



PT. METALSINDO PACIFIC

ANDI

**QUALITY CONFIRMATION**

DATE :

FOR ALL TYPE MATERIAL

NO.	COMPANY	PROBLEM
	PT. METALSINDO PACIFIC	<p>1. Apakah coil material boleh di JOINT/sambung (Gambar 1) atau hanya diberi Marking/tidak dipotong (Gambar 2)</p> <p>2. Berapa maksimal Joint atau marking pada satu coil material (Gambar 3)</p>
1	CUSTOMER	
		 <p>Gambar 1</p>  <p>Gambar 2</p>  <p>Gambar 3</p>

C U S T O M E R

  
**PT. SUGIH  
INTERNATIONAL**  
Forces.

PT. METALSINDO PACIFIC



ANDI

## CUSTOMER REQUIREMENT CHECK LIST

**DATE** : 20 Februari 2023  
**STATUS \*)** : NEW CUSTOMER / PRODUCT  
**ITEM NO** :  
**PRODUCT NAME** : SUS 301 3/4H 0.6x25.5

**COMPANY NAME** : PT SUGINDO INTERNATIONAL  
**PIC** : Foreestin  
**PHONE/FAX NO.** : 82114705460  
**E-MAIL** :

NO.	REQUIREMENT	SPECIFICATION			STANDARD MP	REMARKS
1	Master Sample					
2	Mill sheet					
3	Characteristic Product	- Toleransi Thickness = ± 0.02 mm		± 0.02 mm		
		- Toleransi Width = + 0.1 mm, - 0.2 mm		+ 0.1 mm, - 0.2 mm		
		- Toleransi Burry = 10% from Thickness		10% from Thickness		
		- Inner Diameter, Min = 300 mm 500	Available : 200mm,250mm, 300mm, 400mm, 500mm			
		Max = 300 mm 500				
		- Outer Diameter Max = mm		Max. 900mm		
		- Appearance :				
		(Standard quality mohon lampirkan Jika ada)				
4	Target Price					
5	Total Order Qty					
6	Average/Month Qty					
7	Material Type	- All Type Material *)	Ya			
8	Material Size	- All Size Material *)	Ya			
9	Labeling	- Metalsindo style *)	Ya	Tidak	As image "Standard Packaging"	
10	Packaging	- Metalsindo style *)	Ya	Tidak	As image "Standard Packaging"	
		- Qty coil terkecil yang diterima (min) = 25 kg				
		- Qty coil terbesar yang diterima (max) = 100 kg				
		- Qty max material per pallet = 1000 kg		Max. 1000 kg		
		- Tinggi max susunan coil per pallet = mm		Max. 500mm As image "Standard Packaging"		
11	Delivery	- Partial *)	Ya	Tidak		
12	Payment Instrument	- Melalui *)	GIRO			
			TRANSFER TUNAI			
13	Payment Term					

NO.DOK PG - RP - 01 - 02

REV. 01

\*) - Cross the unnecessary item

C U S T O M E R



PT. SUGINDO  
INTERNATIONAL  
FORRES'

PT. METALSINDO PACIFIC



ANDI