

CUSTOMER REQUIREMENT CHECK LIST

DATE : 14/03/2023
 STATUS *) : NEW CUSTOMER / PRODUCT
 ITEM NO : C2680R 1/2H
 PRODUCT NAME : BRASS / t:1.2mm & 1.0mm x 1219 (Sheet)

COMPANY NAME : PT. TAKITA MFG INDONESIA
 PIC : Rasyid ZM
 PHONE/FAX NO. : +62-21-8973378 Ext. 301
 E-MAIL : rasyid.gc@takita.co.id

NO.	REQUIREMENT	SPECIFICATION			STANDARD MP	REMARKS				
1	Master Sample	No Need								
2	Mill sheet	Yes				Per Delivery				
3	Characteristic Product	- Toleransi Thickness = ± 0.02 mm			± 0.02 mm					
		- Toleransi Width = ± 0.1 mm			+ 0.1 mm, - 0.2 mm					
		- Toleransi Burry = 10% from Thickness			10% from Thickness					
		- Inner Diameter, Min = mm			Available : 200mm, 250mm, 300mm, 400mm, 500mm					
		Max = mm								
		- Outer Diameter Max = mm			Max. 900mm					
		- Appearance : No Scratch, No Rusty, Not wavy No warpage.								
		(Standard quality mohon lampirkan Jika ada)								
4	Target Price	-								
5	Total Order Qty	-								
6	Average/Month Qty	-								
7	Material Type	<input checked="" type="checkbox"/> All Type Material *)			<input checked="" type="checkbox"/> Ya <input type="checkbox"/> Tidak					
8	Material Size	<input checked="" type="checkbox"/> All Size Material *)			<input checked="" type="checkbox"/> Ya <input type="checkbox"/> Tidak					
9	Labeling	<input checked="" type="checkbox"/> Metalsindo style *)			<input checked="" type="checkbox"/> Ya <input type="checkbox"/> Tidak	As image "Standard Packaging"				
10	Packaging	<input checked="" type="checkbox"/> Metalsindo style *)			<input checked="" type="checkbox"/> Ya <input type="checkbox"/> Tidak	As image "Standard Packaging"				
		- Qty coil terkecil yang diterima (min) = kg								
		- Qty coil terbesar yang diterima (max) = kg								
		- Qty max material per pallet = 1000 kg			Max. 1000 kg					
<input checked="" type="checkbox"/> Tinggi max susunan coil per pallet = 500 mm					Max. 500mm					
					As image "Standard Packaging"					
11	Delivery	<input checked="" type="checkbox"/> Partial *)			<input checked="" type="checkbox"/> Ya <input type="checkbox"/> Tidak					
12	Payment Instrument	<input checked="" type="checkbox"/> Melalui *)			GIRO TRANSFER TUNAI					
13	Payment Term	AS inform by lmi accounting								

REV. 01

*) - Cross the unnecessary item

C U S T O M E R


TAKITA
PURWOWO

PT. TAKITA MANUFACTURING INDONESIA


PT. METALSINDO PACIFIC

ANDI

STANDARD PACKAGING



1. LABEL COIL
2. SILICA GEL
3. LAYER/KARTON
4. COIL DI IKAT PLASTIK WRAPPING



1. PALLET ATAS
2. TALI STRAPPING
3. PALLET NO.
4. PACKING CARD
5. SAMPLE MATERIAL
6. PLASTIK BAG
7. PALLET BAWAH



500mm (Tinggi Max. Susunan Coil Material)

COMMENT : Untuk standard packing dari PT. Takita Mfg Indonesia meminta agar tiap per 1 coil dipacking ;-
Menggunakan PLASTIK WRAPPING atau PLASTIK BAG.

Standard Packaging = OK NG Tanggal 14/03/2023

CUSTOMER
TAKITA
PT. TAKITA MANUFACTURING INDONESIA

PT. METALSINDO PACIFIC
ANDI

QUALITY CONFIRMATION


DATE : 14/03/2023

FOR ALL TYPE MATERIAL

NO.	COMPANY	PROBLEM
	PT. METALSINDO PACIFIC	<p>1. Apakah coil material boleh di JOINT/sambung (Gambar 1) atau hanya diberi Marking/tidak dipotong (Gambar 2)</p> <p>2. Berapa maksimal Joint atau marking pada satu coil material (Gambar 3)</p>
1	CUSTOMER	<p>1. Untuk material coil boleh di JOINT dengan catatan :</p> <ul style="list-style-type: none"> * Pada posisi sambungan di kasih tanda pada area sambungan tersebut. * Untuk Label pada coil yang terdapat sambungan dikasih identitas " JOINT ". <p>2. Coil yang terdapat " JOINT " Maximal 1 JOINT.</p>



Gambar 1



Gambar 2



Gambar 3

CUSTOMER



TAKITA
PURWO

PT. TAKITA MANUFACTURING INDONESIA

PT. METALSINDO PACIFIC



AMDI

CUSTOMER REQUIREMENT CHECK LIST

DATE : 14/03/2023
 STATUS *) : NEW CUSTOMER / PRODUCT
 ITEM NO : SUS304-CSP-3/4H
 PRODUCT NAME : STAINLESS STEEL / t: 0.2mm (Coil)

COMPANY NAME : PT. TAKITA MFG INDONESIA
 PIC : Rasyid ZM
 PHONE/FAX NO. : +62-21-8973378 Ext. 301
 E-MAIL : rasyid.qc@takita.co.id

NO.	REQUIREMENT	SPECIFICATION			STANDARD MP	REMARKS		
1	Master Sample	No Need						
2	Mill sheet	Yes				Per Delivery		
3	Characteristic Product	- Toleransi Thickness = ± 0.02 mm			± 0.02 mm			
		- Toleransi Width = ± 0.1 mm			+ 0.1 mm, - 0.2 mm			
		- Toleransi Burry = 25% from Thickness			10% from Thickness			
		- Inner Diameter, Min = 400 mm Max = 500 mm			Available : 200mm, 250mm, 300mm, 400mm, 500mm			
		- Outer Diameter Max = 900 mm			Max. 900mm			
		- Appearance : No Scratch, No Rusty, Not wavy (Standard quality mohon lampirkan Jika ada)						
4	Target Price	-						
5	Total Order Qty	-						
6	Average/Month Qty	-						
7	Material Type	<input checked="" type="checkbox"/> All Type Material *)	Ya	Tidak				
8	Material Size	<input checked="" type="checkbox"/> All Size Material *)	Ya	Tidak				
9	Labeling	<input checked="" type="checkbox"/> Metalsindo style *)	Ya	Tidak	As image "Standard Packaging"			
10	Packaging	<input checked="" type="checkbox"/> Metalsindo style *)	Ya	Tidak	As image "Standard Packaging"			
		- Qty coil terkecil yang diterima (min) = 80 kg						
		- Qty coil terbesar yang diterima (max) = 150 kg						
		- Qty max material per pallet = 1000 kg			Max. 1000 kg			
		- Tinggi max susunan coil per pallet = 500 mm			Max. 500mm As image "Standard Packaging"			
11	Delivery	<input checked="" type="checkbox"/> Partial *)	Ya	Tidak				
12	Payment Instrument	<input checked="" type="checkbox"/> Melalui *)	GIRO					
					TRANSFER TUNAI			
13	Payment Term	AS inform by tmi accounting						

NODOK RG-NP-01-02

REV. 01


*) - Cross the unnecessary item

C U S T O M E R




PT. TAKITA MANUFACTURING INDONESIA

PT. METALSINDO PACIFIC




AHDI

STANDARD PACKAGING



1. LABEL COIL
2. SILICA GEL
3. LAYER/KARTON
4. COIL DI IKAT PLASTIK WRAPPING



1. PALLET ATAS
2. TALI STRAPPING
3. PALLET NO.
4. PACKING CARD
5. SAMPLE MATERIAL
6. PLASTIK BAG
7. PALLET BAWAH



500mm (Tinggi Max. Susunan Coil Material)

COMMENT : Untuk standard packing dari PT. Takita Mfg Indonesia meminta agar tiap per 1 coil dipacking ;-
Menggunakan PLASTIK WRAPPING atau PLASTIK BAG.

Standard Packaging =	OK		NG		Tanggal	14/03/2023
----------------------	----	--	----	--	---------	------------

CUSTOMER
TAKITA
PURW
PT. TAKITA MANUFACTURING INDONESIA

PT. METALSINDO PACIFIC


ANIDI

QUALITY CONFIRMATION


DATE : 14/03/2023

FOR ALL TYPE MATERIAL

NO.	COMPANY	PROBLEM
	PT. METALSINDO PACIFIC	<p>1. Apakah coil material boleh di JOINT/sambung (Gambar 1) atau hanya diberi Marking/tidak dipotong (Gambar 2)</p> <p>2. Berapa maksimal Joint atau marking pada satu coil material (Gambar 3)</p>
1	CUSTOMER	<p>1. Untuk material coil boleh di JOINT dengan catatan :</p> <ul style="list-style-type: none"> * Pada posisi sambungan di kasih tanda pada area sambungan tersebut. * Untuk Label pada coil yang terdapat sambungan dikasih identitas " JOINT ". <p>2. Coil yang terdapat " JOINT " Maxsimal 1 JOINT.</p>



Gambar 1



Gambar 2



Gambar 3

CUSTOMER

PT. TAKITA MANUFACTURING INDONESIA

PT. METALSINDO PACIFIC

ANDY

CUSTOMER REQUIREMENT CHECK LIST

DATE : 14/03/2023
 STATUS *) : NEW CUSTOMER / PRODUCT
 ITEM NO : C2680R 1/2H
 PRODUCT NAME : BRASS / t: 0.5mm (Coil)

COMPANY NAME : PT. TAKITA MFG INDONESIA
 PIC : Rasyid ZM
 PHONE/FAX NO. : +62-21-8973378 Ext. 301
 E-MAIL : rasyid.qc@takita.co.id

NO.	REQUIREMENT	SPECIFICATION			STANDARD MP	REMARKS		
1	Master Sample	No Need						
2	Mill sheet	Yes				Per Delivery		
3	Characteristic Product	- Toleransi Thickness = ± 0.02 mm			± 0.02 mm			
		- Toleransi Width = ± 0.1 mm			+ 0.1 mm, - 0.2 mm			
		- Toleransi Burry = 10% from Thickness			10% from Thickness			
		- Inner Diameter, Min = 400 mm Max = 500 mm			Available : 200mm, 250mm, 300mm, 400mm, 500mm			
		- Outer Diameter Max = 900 mm			Max. 900mm			
		- Appearance : No Scratch, No Rusty, Not wavy (Standard quality mohon lampirkan Jika ada)						
4	Target Price	-						
5	Total Order Qty	-						
6	Average/Month Qty	-						
7	Material Type	<input checked="" type="checkbox"/> All Type Material *)	Ya	Tidak				
8	Material Size	<input checked="" type="checkbox"/> All Size Material *)	Ya	Tidak				
9	Labeling	<input checked="" type="checkbox"/> Metalsindo style *)	Ya	Tidak	As image "Standard Packaging"			
10	Packaging	<input checked="" type="checkbox"/> Metalsindo style *)	Ya	Tidak	As image "Standard Packaging"			
		- Qty coil terkecil yang diterima (min) = 80 kg						
		- Qty coil terbesar yang diterima (max) = 150 kg						
		- Qty max material per pallet = 1000 kg			Max. 1000 kg			
		- Tinggi max susunan coil per pallet = 500 mm			Max. 500mm As image "Standard Packaging"			
11	Delivery	<input checked="" type="checkbox"/> Partial *)	Ya	Tidak				
12	Payment Instrument	<input checked="" type="checkbox"/> Melalui *)	GIRO					
					TRANSFER TUNAI			
13	Payment Term	AS inform by trni accounting						

NO.DOK. RC-HP-01-02

REV. 01

*) - Cross the unnecessary item

C U S T O M E R

TAKITA
 Purnomo
 PT. TAKITA MANUFACTURING INDONESIA


PT. METALSINDO PACIFIC

Andi




PT. METALSINDO PACIFIC

STANDARD PACKAGING



1. LABEL COIL
2. SILICA GEL
3. LAYER/KARTON
4. COIL DI IKAT PLASTIK WRAPPING



1. PALLET ATAS
2. TALI STRAPPING
3. PALLET NO.
4. PACKING CARD
5. SAMPLE MATERIAL
6. PLASTIK BAG
7. PALLET BAWAH



500mm (Tinggi Max. Susunan Coil Material)

COMMENT : Untuk standard packing dari PT. Takita Mfg Indonesia meminta agar tiap per 1 coil dipaking ;
Menggunakan PLASTIK WRAPPING atau PLASTIK BAG.

Standard Packaging = OK
 NG Tanggal 14/03/2023

CUSTOMER
TAKITA
PURWO
PT. TAKITA MANUFACTURING INDONESIA


PT. METALSINDO PACIFIC
ANDI

QUALITY CONFIRMATION


DATE : 14/03/2023

FOR ALL TYPE MATERIAL


NO.	COMPANY	PROBLEM
	PT. METALSINDO PACIFIC	<p>1. Apakah coil material boleh di JOINT/sambung (Gambar 1) atau hanya diberi Marking/tidak dipotong (Gambar 2)</p> <p>2. Berapa maksimal Joint atau marking pada satu coil material (Gambar 3)</p>
1	CUSTOMER	<p>1. Untuk material coil boleh di JOINT dengan catatan :</p> <ul style="list-style-type: none"> * Pada posisi sambungan di kasih tanda pada area sambungan tersebut. * Untuk Label pada coil yang terdapat sambungan dikasih identitas " JOINT ". <p>2. Coil yang terdapat " JOINT " Maximal 1 JOINT.</p>



Gambar 1




Gambar 2



Gambar 3

CUSTOMER



TAKITA
PURWO

PT. TAKITA MANUFACTURING INDONESIA

PT. METALSINDO PACIFIC



ANDI

CUSTOMER REQUIREMENT CHECK LIST

DATE : 14/03/2023
 STATUS *) : NEW CUSTOMER / PRODUCT
 ITEM NO : C2680R 1/2H
 PRODUCT NAME : BRASS / t : 0.5mm (Coil)

COMPANY NAME : PT. TAKITA MFG INDONESIA
 PIC : Rasyid ZM
 PHONE/FAX NO. : +62-21-8973378 Ext. 301
 E-MAIL : rasyid.qc@takita.co.id

NO.	REQUIREMENT	SPECIFICATION			STANDARD MP	REMARKS
1	Master Sample	No Need				
2	Mill sheet	Yes				Per Delivery
3	Characteristic Product	- Toleransi Thickness = ± 0.02 mm			± 0.02 mm	
		- Toleransi Width = ± 0.1 mm			+ 0.1 mm, - 0.2 mm	
		- Toleransi Burry = 10% from Thickness			10% from Thickness	
		- Inner Diameter, Min = 400 mm		Available : 200mm, 250mm,		
		Max = 500 mm		300mm, 400mm, 500mm		
		- Outer Diameter Max = 900 mm			Max. 900mm	
		- Appearance : No Scratch, No Rusty, Not wavy (Standard quality mohon lampirkan Jika ada)				
4	Target Price	-				
5	Total Order Qty	-				
6	Average/Month Qty	-				
7	Material Type	- All Type Material *)			Ya Tidak	
8	Material Size	- All Size Material *)			Ya Tidak	
9	Labeling	- Metalsindo style *)			Ya Tidak	As image "Standard Packaging"
10	Packaging	- Metalsindo style *)			Ya Tidak	As image "Standard Packaging"
		- Qty coil terkecil yang diterima (min) = 80 kg				
		- Qty coil terbesar yang diterima (max) = 150 kg				
		- Qty max material per pallet = 1000 kg			Max. 1000 kg	
11	Delivery	- Tinggi max susunan coil per pallet = 500 mm			Max. 500mm	
					As image "Standard Packaging"	
12	Payment Instrument	- Melalui *)			GIRO TRANSFER TUNAI	
13	Payment Term	AS inform by tmi accounting				

NOMOR: NO : RP - 01 02

REV. 01

*) - Cross the unnecessary item


CUSTOMER

TAKITA
 PURWO
 PT. TAKITA MANUFACTURING INDONESIA

PT. METALSINDO PACIFIC

 ANDI

STANDARD PACKAGING



Standard Packaging =	OK	NG	Tanggal	14/03/2023
----------------------	----	----	---------	------------

CUSTOMER
TAKITA
PURWO
PT. TAKITA MANUFACTURING INDONESIA


PT. METALSINDO PACIFIC
ANDI

QUALITY CONFIRMATION


DATE : 14/03/2023

FOR ALL TYPE MATERIAL


NO.	COMPANY	PROBLEM
	PT. METALSINDO PACIFIC	<p>1. Apakah coil material boleh di JOINT/sambung (Gambar 1) atau hanya diberi Marking/tidak dipotong (Gambar 2)</p> <p>2. Berapa maksimal Joint atau marking pada satu coil material (Gambar 3)</p>
1	CUSTOMER	<p>1. Untuk material coil boleh di JOINT dengan catatan :</p> <ul style="list-style-type: none"> * Pada posisi sambungan di kasih tanda pada area sambungan tersebut. * Untuk Label pada coil yang terdapat sambungan dikasih identitas " JOINT ". <p>2. Coil yang terdapat " JOINT " Maximal 1 JOINT.</p>



Gambar 1




Gambar 2



Gambar 3

CUSTOMER



TAKITA
PURWOWO

PT. TAKITA MANUFACTURING INDONESIA

PT. METALSINDO PACIFIC



ANDI

CUSTOMER REQUIREMENT CHECK LIST

DATE : 14/03/2023
 STATUS *) : NEW CUSTOMER / PRODUCT
 ITEM NO : C1100R 1/4H & C1100 1/2H
 PRODUCT NAME : COPPER / t: 1.0mm & 0.8mm (Coil)

COMPANY NAME : PT. TAKITA MFG INDONESIA
 PIC : Rasyid ZM
 PHONE/FAX NO. : +62-21-8973378 Ext. 301
 E-MAIL : rasyid.gc@takita.co.id

NO.	REQUIREMENT	SPECIFICATION			STANDARD MP	REMARKS	
1	Master Sample	No Need					
2	Mill sheet	Yes				Per Delivery	
3	Characteristic Product	- Toleransi Thickness = ± 0.02 mm			± 0.02 mm		
		- Toleransi Width = ± 0.1 mm		+ 0.1 mm, - 0.2 mm			
		- Toleransi Burry = 10% from Thickness			10% from Thickness		
		- Inner Diameter, Min = 400 mm		Available : 200mm, 250mm, 300mm, 400mm, 500mm			
		Max = 500 mm					
		- Outer Diameter Max = 900 mm			Max. 900mm		
		- Appearance : No Scratch, No Rusty, Not wavy (Standard quality mohon lampirkan Jika ada)					
4	Target Price	-					
5	Total Order Qty	-					
6	Average/Month Qty	-					
7	Material Type	<input checked="" type="checkbox"/> All Type Material *)	Ya	Tidak			
8	Material Size	<input checked="" type="checkbox"/> All Size Material *)	Ya	Tidak			
9	Labeling	<input checked="" type="checkbox"/> Metalsindo style *)	Ya	Tidak	As image "Standard Packaging"		
10	Packaging	<input checked="" type="checkbox"/> Metalsindo style *)	Ya	Tidak	As image "Standard Packaging"		
		- Qty coil terkecil yang diterima (min) = 80 kg					
		- Qty coil terbesar yang diterima (max) = 150 kg					
		- Qty max material per pallet = 1000 kg			Max. 1000 kg		
<input checked="" type="checkbox"/> Tinggi max susunan coil per pallet = 500 mm					Max. 500mm		
					As image "Standard Packaging"		
11	Delivery	<input checked="" type="checkbox"/> Partial *)	Ya	Tidak			
12	Payment Instrument	<input checked="" type="checkbox"/> Melalui *)	GIRO				
				TRANSFER TUNAI			
13	Payment Term	AS inform by tmi accounting					

NO.DOK: RC-IRP-DT-02

REV. 04

*) - Cross the unnecessary item

C U S T O M E R


TAKITA
PURWO

PT. TAKITA MANUFACTURING INDONESIA


PT. METALSINDO PACIFIC

ANDI


STANDARD PACKAGING



1. LABEL COIL
2. SILICA GEL
3. LAYER/KARTON
4. COIL DI IKAT PLASTIK WRAPPING



1. PALLET ATAS
2. TALI STRAPPING
3. PALLET NO.
4. PACKING CARD
5. SAMPLE MATERIAL
6. PLASTIK BAG
7. PALLET BAWAH



500mm (Tinggi Max. Susunan Coil Material)

COMMENT : Untuk standard packing dari PT. Takita Mfg Indonesia meminta agar tiap per 1 coil dipaking ;-
Menggunakan PLASTIK WRAPPING atau PLASTIK BAG.

Standard Packaging =

OK
NG

Tanggal

14/03/2023

CUSTOMER


TAKITA
PUKWO

PT. TAKITA MANUFACTURING INDONESIA

PT. METALSINDO PACIFIC


ANDI

QUALITY CONFIRMATION


DATE : 14/03/2023

FOR ALL TYPE MATERIAL

NO.	COMPANY	PROBLEM
	PT. METALSINDO PACIFIC	<p>1. Apakah coil material boleh di JOINT/sambung (Gambar 1) atau hanya diberi Marking/tidak dipotong (Gambar 2)</p> <p>2. Berapa maksimal Joint atau marking pada satu coil material (Gambar 3)</p>
1	CUSTOMER	<p>1. Untuk material coil boleh di JOINT dengan catatan :</p> <ul style="list-style-type: none"> * Pada posisi sambungan di kasih tanda pada area sambungan tersebut. * Untuk Label pada coil yang terdapat sambungan dikasih identitas " JOINT ". <p>2. Coil yang terdapat " JOINT " Maxsimal 1 JOINT.</p>



Gambar 1



Gambar 2



Gambar 3

CUSTOMER

TAKITA
MANUFACTURING INDONESIA

PT. TAKITA MANUFACTURING INDONESIA

PT. METALSINDO PACIFIC

ANDI