




- Material chrome vanadium
- Highly durable
- Easy to use
- Corrosion resistance

ENGINE BLOCK WRENCH FOR MOTORCYCLE 10"

KUNCI BLOK MESIN BENGKOK

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	7 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-EB0960	10"	250	17	24	35	42	16	5	255	6 / 60 pcs




- Heat treated alloy steel
- Drop forged for extra strength
- High quality powder coating finish

OIL FILTER WRENCH (CHAIN TYPE)

KUNCI OLI FILTER (TIPE RANTAI)

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-OF0961	6"	415	160	17	18	4	4	407	6 / 48 pcs
AU-OF0962	9"	500	230	24	21	5	9	419	6 / 36 pcs




- Heat treated alloy steel
- Drop forged for extra strength
- High quality powder coating finish

OIL FILTER WRENCH (BELT TYPE)

KUNCI OLI FILTER (TIPE SABUK) 9"

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-OF0963	9"	520	229	10	20	23	19	310	6 / 72 pcs



OIL FILTER WRENCH BOWL

KUNCI OLI FILTER (MANGKOK)

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-OF0964	64 mm	72	26	26	72	35	77	12 / 120 pcs
AU-OF1468	66.5 mm	76	26	26	73	34	82	12 / 120 pcs
AU-OF1469	72.5 mm	78	26	26	78	36	80	12 / 48 pcs
AU-OF0965	74 mm	80	26	26	81	35	90	12 / 120 pcs
AU-OF0966	79 mm	79	26	26	85	42	109	12 / 120 pcs
AU-OF0967	89 mm	95	26	26	96	41	112	12 / 120 pcs
AU-OF0968	99 mm	106	26	26	106	46	138	12 / 120 pcs

DESCRIPTION

64 mm = Avanza, CRV Lama, City

66.5 mm = Xenia


72.5 mm = Innova

74 mm = BMW, VW, Audi, Opel, Harley, Innova

79 mm = Kijang Kapsul, Taruna, Feroza, Ford

89 mm = Civic, Mitsubishi, Panther Lama

99 mm = Colt Diesel, Panther




- Material Chrome Vanadium
- Remove and install Oil filter easily and quickly
- Hold the oil filter simply and firmly
- Suitable for 1/2" and 3/8" DR. Ratchet handle

2 WAY OIL FILTER WRENCH

KUNCI OLI FILTER (TIPE 2 ARAH)

ITEM CODE	SIZE	1 (mm)	2 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-OF0969	63 -102 mm	22	14	377	12 / 48 pcs




- High quality plastic
- Elastic cable
- Indicator lamp for easy check

AUTO VOLTAGE TESTER

TESPEN DC

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-VT1061	DC	15	143	70	70	0.5	377	12 / 120 pcs






DRAIN PLUG WRENCH

KUNCI OLI GARDAN

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-DP0970	8 X 10 mm	280	8	10	347	12 / 48 pcs
AU-DP0971	10 X 10 mm	271	10	10	345	12 / 48 pcs

- Material Chrome Vanadium
- Heat treated Chrome vanadium steel
- Drop forged for extra strength
- Silver matt finish




WHEEL NUT WRENCH

KUNCI SOCK RODA TARIK HITAM

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-WN0972	10 mm	255	71	10	12	326	6 / 48 pcs
AU-WN0973	12 mm	256	74	12	12	349	6 / 48 pcs
AU-WN0974	14 mm	245	78	14	13	358	6 / 48 pcs

- CRV head socket
- High durable rusty painting





WHEEL MASTER WRENCH CR-V SOCK

KUNCI RODA TARIK

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	7 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-WM0975	19 X 21 mm	335	90	110	19	29	20	517	885	6 / 24 pcs

- Heavy duty and durable quality
- Telescopic handle for outstanding leverage
- Non - slip handgrip for comfortable holding




- Heavy duty and durable quality
- Manganese Phosphate coating to help resist corrosion and ensure an extra life time of use



TYRE RIM WRENCH

KUNCI SOCK RODA TRUCK HITAM

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-WN1461	20 X 38 X 440 mm	595	37	55	435	37	3,454	2 / 8 pcs
AU-WN1462	21 X 41 X 440 mm	595	39	58	440	39	3,844	2 / 8 pcs




- CRV head socket
- High durable chrome finishing for rust prevention



4 WAY CROSS WRENCH 14"

KUNCI RODA PALANG 14"

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-WC1463	17 X 19 X 21 X 23 mm	353	26	17 - 19 - 21 - 23	23	1,204	1 / 10 pcs




- Material Chrome Vanadium
- CRV head socket
- High durable chrome finishing for rust prevention

WHEEL NUT WRENCH

KUNCI RODA L



ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-WN0976	19 mm	298	95	27	20	28	15	529	1 / 24 pcs
AU-WN0977	21 mm	300	95	27	21	30	15	510	1 / 24 pcs



FEELER GAUGE

ALAT UKUR CELAH SET 13 PCS


ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-FG1292	0.05 mm; 0.10 mm; 0.15 mm; 0.20 mm; 0.25 mm; 0.30 mm; 0.40 mm; 0.50 mm; 0.60 mm; 0.70 mm; 0.80 mm; 0.90 mm; 1.00 mm	106	13	8	100	14	16	57	1 / 120 pcs



FEELER GAUGE ROLL

ALAT UKUR CELAH ROLL

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-FG1293	0.02 mm X 13 X 5	5,000	18	94	40	10 / 100 pcs
AU-FG1294	0.03 mm X 13 X 5	5,000	18	94	47	10 / 100 pcs
AU-FG1295	0.04 mm X 13 X 5	5,000	18	94	51	10 / 100 pcs
AU-FG1296	0.05 mm X 13 X 5	5,000	18	94	60	10 / 100 pcs
AU-FG1297	0.06 mm X 13 X 5	5,000	18	94	61	10 / 100 pcs
AU-FG1298	0.07 mm X 13 X 5	5,000	18	94	65	10 / 100 pcs
AU-FG1299	0.08 mm X 13 X 5	5,000	18	94	70	10 / 100 pcs
AU-FG1300	0.09 mm X 13 X 5	5,000	18	94	61	10 / 100 pcs
AU-FG1301	0.10 mm X 13 X 5	5,000	18	94	85	10 / 100 pcs




- Material Chrome Vanadium
- Complete range size
- Longer leaves allow accurate measuring



TIRE PRESSURE GAUGE

ALAT UKUR TEKANAN ANGIN BAN

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-TG0980	60 lb	220	142	10	8	38	50 / 250 pcs
AU-TG0981	120 lb	220	142	10	8	40	50 / 250 pcs



- Material Chrome Vanadium

AUTOMOTIVE

STORAGE

TRAY

AIR TOOLS

HEX KEY


GENERAL TOOLS

- Heavy duty and durable quality
- Material Chrome Vanadium

TIRE PRESSURE GAUGE

ALAT UKUR TEKANAN ANGIN BAN

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	7 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-TG0982	# 7 (160 psi)	272	10	27	14	8	372	15	120	10 / 100 pcs
AU-TG0983	# 9 (200 psi)	272	10	27	14	8	372	15	140	10 / 100 pcs




- Material Chrome Vanadium
- Dual head pump up
- Hanging hole design
- Air inflow enlarge

AIR CHUCK 6"

ALAT ISI ANGIN 6"

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-AC0984	Chrome 6"	170	9	15	115	10 / 100 pcs



- Flexible ratchet handle for flexible working
- Extension bar to reach deep position
- High corrosion resistance

3/8" DR. TUNE UP KIT 5 PCS

3/8" TUNE UP KIT SET 5 PCS

SIZE	CONTENT		WEIGHT (gr)	QTY / BOX INNER/MASTER
5 pcs	1 pcs	3/8" DR. Ratchet Handle Flexible	940	5 / 20 set
	1 pcs	3/8" Spark Plug Socket 16 mm		
	1 pcs	3/8" Spark Plug Socket 21 mm		
	1 pcs	3/8" DR. Extension Bar 5"		
	1 pcs	3/8" DR. Extension Bar 8"		




TIRE PRESSURE GAUGE

ALAT PENGISI ANGIN BAN 3 FUNGSI

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-PG1405	200 psi	125	11	75	13	12	515	450	5 / 40 pcs

- Ergonomic handle
- Flexible & high pressure hose
- Material Chrome vanadium




TIRE PRESSURE GAUGE

ALAT UKUR TEKANAN ANGIN BAN (BULAT)

ITEM CODE	SIZE	1 (mm)	2 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-TG1670	60 psi	48	100	113	10 / 100 pcs

- Angle chuck model
- Large dial for easy to read
- Suitable for most tire




PRESSURE GAUGE

ALAT UKUR TEKANAN ANGIN KOMPRESOR

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-PG1395	2.5 bar	61	26	12	109	10 / 100 pcs
AU-PG0986	4 bar	61	28	13	120	10 / 100 pcs
AU-PG0987	6 bar	61	28	13	120	10 / 100 pcs
AU-PG0988	10 bar	61	28	13	120	10 / 100 pcs
AU-PG0989	16 bar	61	28	13	120	10 / 100 pcs
AU-PG0990	25 bar	61	28	13	120	10 / 100 pcs


- Double standard air pressure
- Glass cover
- Measuring air pressure in application compressor





HYDRAULIC FLOOR JACK

The **TEKIRO** Hydraulic Floor Jack is heavy duty and designed to meet the demanding lifting needs of the professional service technician. Features include high-quality material, flanged side plates for strength, powder coat paint, and a safety overload valve for added protection. These are some of the strongest and most durable floor jacks in the industry.



Complies with
ASME
Safety Standards



SPECIAL QUALITY DESIGN

Polished and treated cylinder rams use high performance seals.



Polished inner cylinder walls extend the life of the seals to minimize abrasion and wear.



HYDRAULIC FLOOR JACK 2 TON 360°

Carry Handle for easy movement (360 degree)




- Safety valve to prevent overload
- 360° rotating castors
- Heavy duty rotating saddle
- Durable nylon casters for low noise

HYDRAULIC FLOOR JACK WITH CASE 2 TON

DONGKRAK BUAYA 2 TON (SPEC 2)

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	7 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-FJ0994	2 ton	440	200	135	52	135 - 342	458	335	8,177	1 / 1 pcs




- Safety valve to prevent overload
- Heavy duty rotating saddle
- Durable nylon casters for low noise
- 360° handle to use at any angle

HYDRAULIC FLOOR JACK 2 TON 360°

DONGKRAK BUAYA 2 TON PUTAR 360°

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	7 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-FJ0995	2 ton	440	200	135	52	135 - 335	458	335	8,274	1 / 1 pcs




- Wide bowl for stability
- Foot pump for high speed lifting
- Safety valve to prevent Over load

HEAVY DUTY HYDRAULIC FLOOR JACK

DONGKRAK BUAYA PANJANG

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	7 (mm)	8 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-FJ0997	3 ton	1,140	300	235	78	300	110	89	560	34,000	1 / 1 pcs
AU-FJ0998	5 ton	1,301	360	270	130	300	110	109	560	87,000	1 / 1 pcs
AU-FJ0999	10 ton	1,360	480	320	180	370	170	141	560	133,000	1 / 1 pcs





HYDRAULIC JACK DOUBLE PUMP LOW PROFILE 3 TON

DONGKRAK BUAYA 3 TON CEPER (DOUBLE PUMP)

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	7 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-FJ1677	3 ton	650	330	253	109	60	42.3	528	3,400	1 / 1 pcs

- Built for heavy duty professional use
- Dual pump mechanism for quick lifting
- Steel castors for durability
- Low profile 75mm, works for most vehicles with 3 1/2" ground clearance
- Wide bowl for stability




SCISSORS JACK 2 TON

DONGKRAK JEMBATAN 2 TON

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-SJ1059	2 ton	440	68	165	29	60	560	3,360	1 / 6 pcs

- Thread rod is integral rod
- Arms have teeth design increase stabilization
- Handle is riveted together can be folded, easy to carry
- Comes with handle





STEEL ALUMINUM FLOOR JACK DOUBLE PUMP 1.5 TON

DONGKRAK JEMBATAN 2 TON

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-FJ1922	1.5 ton	498	238	198	365	1454	1 / 1 pcs

- Thread rod is integral rod
- Arms have teeth design increase stabilization
- Handle is riveted together can be folded, easy to carry
- Comes with handle



BOTTLE JACK


TEKIRO Hydraulic Welded Bottle Jack is designed for commercial use in various industries such as automotive, marine, construction, manufacturing and agriculture. The inner and outer welded structure and steel construction keeps it leak-free and give it an overall stronger build.



Complies with
ASME
Safety Standards



HIGH GRADE STEEL



Constructed of high-grade steel and built to exacting standards for quality & durability.

HIGH QUALITY HYDRAULIC OIL



Hydraulics is powered with high quality oil, which offers better corrosion resistance and high/low-temperature flexibility, allowing the unit to operate at a temperature between 4°C and 40°C.

SAFETY INSTRUCTION



1. Lift the load using a bottle jack



2. After the load is lifted, hold it with a jack stand for safety on work and longer service life of bottle jack

HYDRAULIC WELDED BOTTLE JACK DOUBLE RAM

This is the extension of the Tekiro Welded Bottle Jack range. With double ram, the lifting height could be increased significantly




- High durable hardness
- Quick lifting weight
- Stable lifting

HYDRAULIC WELDED BOTTLE JACK

DONGKRAK BOTOL -1

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	7 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-BJ1909	2 ton	333	105	180	13	48	22	5	2,140	1 / 6 pcs
AU-BJ1910	4 ton	370	120	190	17	60	27	5	2,750	1 / 6 pcs
AU-BJ1911	6 ton	420	140	210	19	70	32	6	3,660	1 / 4 pcs
AU-BJ1912	10 ton	460	150	230	29	75	34	6	4,700	1 / 4 pcs
AU-BJ1913	15 ton	470	155	235	32	95	48	7	7,080	1 / 2 pcs
AU-BJ1914	20 ton	460	160	240	35	111	53	7	8,600	1 / 2 pcs
AU-BJ1915	30 ton	430	170	260	0	139	71	22	17,890	1 / 1 pcs
AU-BJ1916	50 ton	470	190	280	0	156	85	22	25,350	1 / 1 pcs




- High durable hardness
- Quick lifting weight
- Stable lifting

HYDRAULIC JACK

DONGKRAK BOTOL


ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	7 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-BJ1009	100 ton	540	215	325	100	115	230	55	87,000	1 / 1 pcs



HYDRAULIC WELDED BOTTLE JACK DOUBLE RAM

DONGKRAK BOTOL TIPE 2 RAM

ITEM CODE	CAPACITY	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	7 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-BJ1917	2 ton	380	215	165	22	28	60	0	2,600	1 / 6 pcs
AU-BJ1918	4 ton	360	200	170	27	34	70	60	3,360	1 / 4 pcs
AU-BJ1919	6 ton	430	210	170	35	43	85	60	4,700	1 / 4 pcs
AU-BJ1920	8 ton	430	210	180	35	43	85	60	4,700	1 / 4 pcs
AU-BJ1921	10 ton	390	210	175	43	54	106	60	7,650	1 / 2 pcs




DOUBLE LOCKING JACK STAND

TAHANAN DONGKRAK

- Large feet area & large saddle for stability
- Double locking protection for safety

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	7 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-JS1010	3 ton	288	423	210	64	270	35	26	6,930	1 / 4 pcs
AU-JS1011	6 ton	400	615	290	70	365	40	29	130,003	1 / 1 pcs




- Made of High quality steel
- Fine threaded barrel
- Cap fitted with nylon seal, for greater pressure and prevent leaks
- Comes with 2 hoses (flexible and steel) and one extra nylon seal

HIGH PRESSURE GREASE GUN 6000 PSI 500 CC

POMPA GEMUK 500 CC

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	7 (mm)	8 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-GG1015	500 cc	379	58	17	266	68	90	170	330	1,501	1 / 12 pcs




- Small size, high pressure
- Special coupler

HIGH PRESSURE GREASE GUN

POMPA GEMUK 100 CC

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	7 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-GG1014	100 cc	217	32	45	182	59	36	15	454	1 / 36 pcs




- 1/2" Flexible hose 4500 psi
- 4 jaws coupler to fit strongly

HOSE HAND GREASE GUN

SELANG POMPA GEMUK SET 6 PCS



ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-HG1369	6 PCS	330	31	9	7	13	40	549	1 / 30 pcs



GREASE PUMP

POMPA GEMUK 20 L



- Wheel and handle for easy handling
- Ergonomic pump handle
- Flexible hose and gun for easy use



OIL PUMP 20 L

POMPA OLI 20 L

- Big volume storage tank
- Easy to re - fill the oil





OIL SUCTION GUN

POMPA OLI

- Deluxe lip seal for maximum suction
- 12° flexible delivery tube

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	7 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-SG1016	500 cc	289	60	55	245	318	34	14	148	1 / 20 pcs
AU-SG1291	1,000 cc	400	60	50	245	335	32	13	1,078	1 / 12 pcs




- Material chrome vanadium
- Drop forged and properly heat-treated for super durability



TYRE WRENCH

CONGKELAN BAN

ITEM CODE	SIZE	1 (mm)	2 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-RC1017	10"	254	19	193	12 / 120 pcs
AU-RC1018	12"	300	22	195	12 / 48 pcs




- Heavy spring steel compresses the piston rings evenly
- Positive lock action provides positive compression and fingertip release



PISTON RING COMPRESSOR

POMPA GEMUK MINI TANGAN

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-PC1446	3" X 57 - 125 mm	67	75	6	90	322	20 / 60 pcs
AU-PC1447	4" X 90 - 175 mm	69	110	6	90	294	10 / 60 pcs




- Material Chrome Vanadium
- Design to magnetic uninstall
- Simple structure and easy to use
- High durable and corrosion resistance

FLYWHEEL PULLER

TREKER MAGNET MULTI FUNGSI


ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-MT1030	NO 1	34	34	92	8	118	33	394	10 / 40 pcs
AU-MT1031	NO 2	34	34	92	8	118	34	388	10 / 40 pcs
AU-MT1032	NO 3	36	28	91	9	119	36	391	10 / 40 pcs
AU-MT1033	NO 4	31	50	102	9	119	31	450	10 / 40 pcs



DESCRIPTION

- NO 1 = Honda (Kharisma, NSR, Tiger), Kawasaki (Ninja), Yamaha (RX), Suzuki (Satria, RC, Thunder 125)
- NO 2 = Honda (C7--, KC, GL, Grand, Tiger), Yamaha (RX-K, RX-S, RX-Z, Mio, Nouvo), Suzuki (GTO, RS, RGR, Satria F 150, Shogun)
- NO 3 = Yamaha (Alfa, Champ, Force 1)
- NO 4 = Honda (Neotech, Tiger), Suzuki (RC), Yamaha (RX)

BELIEVE
IN YOUR CHOICE



AUTOMOTIVE

STORAGE TRAY

AIR TOOLS

HEX KEY


GENERAL TOOLS

- High Quality Resin
- Smooth quality castors
- cushion head rest

MECHANICAL CREEPER TRH 6802

ALAS KERJA MEKANIK

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	7 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-MC1019	100 X 46 cm	1,000	470	200	85	450	25	47	4,900	1 pcs




- Suitable for use on all vehicle types and models
- Easily and quickly separates disc brake
- Simple on-hand installation

DISC BRAKE SPREADER

TREKER REM MOBIL

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-DB1034	15.2 X 7.3 X 2.1 cm	153	114	9	5	6	12	750	1 / 24 pcs




- Heat treated alloy steel
- Drop forged for extra strength
- High durable hardness

BALL JOINT SEPARATOR

TREKER BALL JOINT

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-BJ1036	9"	159	92	31	1,270	1 / 20 pcs




COIL SPRING COMPRESSOR SINGLE JAW

TREKER PER MOBIL - SATU KAKI / TREKER PER KEONG

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-CS1038	400 mm	450	32	20	2,160	1 / 10 set

- Single jaw for fast and secure installation on coil springs
- Suitable for use where space under wheel arch is limited




COIL SPRING CLAMP DOUBLE JAWS

TREKER PER MOBIL - DUA KAKI / TREKER PER KEONG

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-CS1039	400 mm	451	31	21	2254	1 / 10 set

- Double wrap over coil claw design for extra safety
- Suitable for use where space under wheel arch is limited




UNIVERSAL HOLDER

KUNCI TAHANAN KOPLING

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-UH1040	33 X 22 cm	330	123	64	19	481	12 / 36 pcs

- Material Chrome Vanadium




- Material Chrome Molybdenum

CLUTCH SPRING CHECK TOOL

TAHANAN RUMAH KOPLING MATIC



ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-CP1041	125 - 155 mm	135	20	109	167	83	35	1,470	6 / 24 pcs




- Material Chrome Molybdenum

HEAVY DUTY ADJUSTING CRANK TOOL SET 8 PCS

TREKER RUMAH MESIN MOTOR SET 8 PCS



ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	7 (mm)	8 (mm)	9 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-CR1042	8 pcs	148	~	200	~	~	94	65	57	48	1,500	1 / 12 pcs




- Material Chrome Molybdenum
- Specifically for small Engine applications
- Easily for replacing valve spring
- Suitable for different valve size

HEAVY DUTY VALVE SPRING COMPRESSOR

TREKER KLEP MESIN SET 6 PCS

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-SC1043	19 mm ~ 16.5 mm	47	244	108	25	130	50	1,235	
	23 mm ~ 21.5 mm	47	244	108	25	130	50	1,235	
	25 mm ~ 23.5 mm	47	244	108	25	130	50	1,235	1 / 12 set




BEARING PULLER

TREKER BEARING

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-BP1044	AB 1	87	56	70	54	280	10 / 50 pcs
AU-BP1045	AB 2	107	83	131	78	677	10 / 30 pcs

- Easy to remove bearings
- Fully adjustable jaws
- Suitable for multiple bearings
- Molybdenum materials




BLIND BEARING PULLER SET 5 PCS

TREKER AS RODA (MOTOR) SET 5 PCS

ITEM CODE	SIZE	1 (mm)	2 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-BB1851	5pcs	390	12	2,480	1 / 10 pcs

- Long slide chrome finish
- Chrome molybdenum extractor
- High durable hardness




TWO ARM GEAR PULLER

TREKER KAKI DUA

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-AP1047	3"	100	75	10	6	227	1 / 60 pcs
AU-AP1048	4"	123	100	13	8	360	1 / 50 pcs
AU-AP1049	6"	171	150	17	10	810	1 / 30 pcs
AU-AP1050	8"	245	200	18	12	1,900	1 / 12 pcs
AU-AP1051	10"	325	250	25	18	3,700	1 / 6 pcs
AU-AP1052	12"	360	300	29	22	5,880	1 / 4 pcs

- Suitable for pulling hubs, flanges, gears, bearings as reduction type starter motor powertools, etc
- Made from High-Strength forged and hardened steel 2 jaws design




- Suitable for pulling hubs, flanges, gears, bearings as reduction type starter motor powertools, etc
- Made from High-Strength forged and hardened steel 3 jaws design



THREE ARM GEAR PULLER

TREKER KAKI TIGA

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-AP1053	3"	100	75	11	7	320	1 / 60 pcs
AU-AP1054	4"	123	100	13	8	485	1 / 40 pcs
AU-AP1055	6"	171	150	17	10	1,100	1 / 20 pcs
AU-AP1056	8"	245	200	19	13	2,600	1 / 8 pcs
AU-AP1057	10"	320	250	25	18	4,980	1 / 4 pcs
AU-AP1058	12"	360	300	29	23	7,500	1 / 3 pcs




- Easy to disconnect roller chain
- Metal body for high durability
- Suitable for motorcycle and bicycle chain



ROLLER CHAIN DETACHERS

PEMOTONG RANTAI

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-CR1046	25 - 60	63	98	44	135	280	25 / 50 pcs



- Blow mould case
- Easy to bring
- High durable hardness



BEARING SEPARATOR SET

TREKER BEARING SEPARATOR SET 12 PCS

ITEM CODE	CONTENT	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-SS1402	2 pcs Bearing Separator Capacity 30 x 50 mm (1 1/4" - 2 1/2") Capacity 50 x 75 mm (2 1/4" - 3 1/2") 2 pcs 17 X L127 mm Extention Screw (Male & Female Threads) 2 pcs 17 X L127 mm Extention Screw (Male Threads) 2 pcs 17 X L103 mm Extention Screw (Male & Female Threads) 2 pcs 17 X L103 mm Extention Screw (Male Threads) 1 pcs 6" Bar - Type Puller Yoke 1 pcs Forcing Screw 9/16" X L175 mm	4,690	1 / 5 set

FLANGE AXLE AND JAW PULLER SET

TREKER AS RODA (MOBIL) SET 18 PCS

- Blow mould case
- Easy to bring
- High durability

ITEM CODE	CONTENT	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-UA1403	3 pcs Internal / External Puller Jaws	7,697	1 / 2 set
	3 pcs Screws and Nuts		
	2 pcs Flange Axle Puller (Shallow & Deep)		
	1 pcs Heavy - Duty Slide Hammer		
	1 pcs Center Bolt And T - Bar		
	1 pcs 2 - Way Puller Cross Head		
	1 pcs 3 - Way Puller Cross Head		
	1 pcs Jaw Spreader Cone		
	1 pcs Puller Hook Adapter		
	1 pcs Locking Plier Adapter		
	1 pcs Dent Puller Screw Adapter		
	1 pcs Tapping Screw		
	1 pcs Forcing Screw 5/8" x L145 mm		




OIL CAN METAL

POMPA OLI BOTOL 500 ML

- Flexible hose
- Ergonomic design
- Strong metal can

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-OC1414	500 ml	55	87	154	38	165	184	1 / 80 pcs




GUN AIR LUBRICATOR

ALAT TEMBAK GEMUK

- Chrome vanadium plated finish
- Corrosion resistance

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-GL1587	6"	284	24	48	170	9	14	949.0	1 / 20 pcs





TEKIRO®


- Evacuates all type of fluid
- Suitable for most vehicles
- Polyethylene construction for durable use



COMBO FLUID EXTRUDER

POMPA OLI KOMBINASI 10 L

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-CF1697	10 L	540	272	320	402	33	1,200	4,600	1 / 4 pcs




- High quality plastic
- Easy to use
- High durable



VACUUM BRAKE FLUID BLEEDER

ALAT KURAS MINYAK REM 1 L

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-VB1585	1 L	121	130	53	230	6	1,060	421.59	1 / 20 pcs




- High quality plastic
- Easy to use
- High durable



UNIVERSAL VACUUM BRAKE FLUID BLEEDER SET

ALAT KURAS & ISI MINYAK REM 1L SET

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	7 (mm)	8 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-VB1586	1 L	121	130	53	230	6	214	70	1,060	540.5	1 / 20 pcs




TIRE SEAL STRING

OBAT TAMBAL BAN

ITEM CODE	SIZE	1 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-TS1722	5pcs	202	208	1 / 24 pcs

- High quality vulcanized rubber strip
- Closely fits tires
- For quick repairs
- To be used with other tire repair tools




TYRE KIT METAL

ALAT TUBLES BAN SET GAGANG BESI

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-TK1774		90	18	120	83	8	4	~	10 / 40 pcs

- Emergency Vehicles Puncture Repair Kit for Tubeless Tires
- Mend punctures quickly and effectively
- Metal Handles for durability
- This Rasper Tool allows Tire hole widening and cleaning
- Needle Tool allows Tyre Rubber Strip insertion
- Includes 5 Repair Rubber Strips
- Useful Tool to keep in the car with spare wheels




TYRE KIT PLASTIC

ALAT TUBLES BAN SET GAGANG PLASTIK

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-TK1775	4mm	100	42	95	78	15	4	196	4 / 48 pcs

- Emergency Vehicles Puncture Repair Kit for Tubeless Tires
- Mend punctures quickly and effectively
- Plastic Handle for extra comfort o This Rasper Tool allows Tire hole widening and cleaning
- Needle Tool allows Tyre Rubber Strip insertion
- Includes 5 Repair Rubber Strips
- Useful Tool to keep in the car with spare wheels



AUTOMOTIVE

STORAGE

TRAY

AIR TOOLS

HEX KEY


GENERAL TOOLS

- High durable hardness
- Width thickness
- Material chrome vanadium
- Nice grip on handle
- Ideal for the lining of doors, backdoors, quarter panels floor, etc

SET DOOR UPHOLSTERY PANEL REMOVER SET 2 PCS

KUNCI PEMBUKA PANEL PINTU SET 2 PCS

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	7 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-PP1506	6mm	240	120	34	28	5	6	13	116	6 / 48 pcs



MECHANIC TOOLS 45 PCS

MEKANIK TOOLS SET 45 PCS

ITEM CODE	SIZE
AU-MT0978	45 PCS



SIZE	CONTENT	WEIGHT (gr)	QTY / BOX INNER/MASTER
45 pcs	9 pcs Socket 10 mm, 12 mm, 13 mm, 14 mm, 17 mm 19 mm, 21 mm, 22 mm, 24 mm 1 pcs 1/2" DR. Spark Plug 21 mm 1 pcs 1/2" DR. Flexible Handle 15" 1 pcs 1/2" DR. Ratchet Handle 72 Teeth Rubber Handle 10" 1 pcs 1/2" DR. Extention Bar 5" 1 pcs Diagonal Plier 6" 1 pcs Long Nose Plier 6" 1 pcs Slip Joint Pliers 8" 1 pcs Water Pump Pliers 10" 1 pcs Ballpier Hammer 6 OZ 6 pcs Open End Wrench 6 X 7 mm, 10 X 11 mm, 12 X 13 mm 12 X 14 mm, 14 X 17 mm, 17 X 19 mm 6 pcs Boxes End Wrench 10 X 11 mm, 12 X 13 mm, 12 X 14 mm 14 X 17 mm, 19 X 21 mm, 22 X 24 mm 11 pcs Go-Thru Screwdriver (+ PH0 X 75 mm (3.2) (+ PH1 X 75 mm (5) (+ PH2 X 38 mm (6) (+ PH2 X 100 mm (6) (+ PH3 X 150 mm (8) (-) 3.2 X 75 mm, (-) 5 X 75 mm (-) 6 X 38 mm, (-) 6 X 100 mm (-) 8 X 150 mm, (-) 8 X 200 mm 1 pcs Adjustable Wrench 8" 1 pcs Adjustable Wrench 12" 1 pcs File 1 pcs Metal Case	8,751	1 set

MECHANIC TOOLS SET SM 59 PCS

MEKANIK TOOLS SET SM 59 PCS

ITEM CODE	SIZE
AU-MT0979	59 pcs

SIZE	CONTENT	WEIGHT (gr)	QTY / BOX INNER/MASTER
59 pcs	<p>5 pcs Open end wrench 6 X 7 mm, 8 X 10 mm, 12 X 14 mm 17 X 19 mm, 22 X 24 mm</p> <p>4 pcs Box End Wrench 8 X 10 mm, 12 X 14 mm 17 X 19 mm, 22 X 24 mm</p> <p>10 pcs 3/8" DR. Socket 8 mm, 10 mm, 12 mm, 14 mm, 17 mm 19 mm, 21 mm, 22 mm, 23 mm, 24 mm</p> <p>1 pcs 3/8" DR. Ratchet Handle 72 Teeth Rubber Handle 8"</p> <p>1 pcs 3 /8" DR. Sliding T Bar 8"</p> <p>1 pcs 3 /8" DR. Extention Bar 6"</p> <p>2 pcs 3 /8" DR. Spark Plug 16 mm, 21 mm</p> <p>8 pcs Go-Thru Screw Driver (+) PH1 X 75 mm, (+) PH2 X 38 mm (+) PH2 X 100 mm (+) PH3 X 150 mm (-) 5 X 75 mm, (-) 6 X 38 mm (-) 6 X 100 mm, (-) 8 X 150 mm</p> <p>1 pcs Slip Joint Plier 8"</p> <p>1 pcs Long Nose Plier 6"</p> <p>1 pcs Diagonal Plier 6"</p> <p>1 pcs Snap Ring 7" IS</p> <p>1 pcs Snap Ring 7" ES</p> <p>1 pcs Ajustable Wrench 10"</p> <p>1 pcs Ball Pein Hammer with Fibre 8 OZ</p> <p>1 pcs Double Plastic Hammer 30 mm</p> <p>8 pcs Hex Key Set 2-10 mm 2 mm, 2.5 mm, 3 mm, 4 mm 5 mm, 6 mm, 8 mm, 10 mm</p> <p>1 set Impact Driver 11 pcs</p> <p>1 pcs Plastic Handle Screwdriver (-) 3x 100 mm</p> <p>1 pcs Feeler Gauge 13 Blades</p> <p>1 pcs Scrapper</p> <p>3 pcs T-Type Wrench Rubber Handle 8 mm, 10 mm, 12 mm</p> <p>1 pcs Square Drive</p> <p>1 pcs Metal Case</p>	9,376	1 set



AUTOMOTIVE

STORAGE

TRAY

AIR TOOLS

HEX KEY

GENERAL TOOLS

MECHANIC TOOL SET 60 PCS

ITEM CODE	SIZE
SC-MT0626	60 PCS

MEKANIK TOOLS 60 PCS (TB PLASTIK)

SIZE	CONTENT	WEIGHT (gr)	QTY / BOX INNER/MASTER
60 pcs	8 pcs 1/4" DR. Hand Socket 8 mm, 9 mm, 10 mm, 11 mm 1/4", 5/16", 11/32", 3/8" 9 pcs 3/8" DR. Hand Socket 6 PT 12 mm, 13 mm, 14 mm, 15 mm, 17 mm 7/16", 1/2", 9/16", 5/8", 3/4" 7 pcs Combination Wrench 8 mm, 10 mm, 11 mm, 12 mm 14 mm, 17 mm, 19 mm 1 pcs 3/8" DR. Ratchet Handle 8" Rubber Handle 72 Teeth 1 pcs Ball Pein Hammer 8 OZ 1 pcs Long Nose Plier 6" 1 pcs Linesman Plier 7" 1 pcs Adaptor 3/8" F x 1/4" M 2 pcs Go-Thru Screwdriver Green Handle (-) 6 x 100 mm, (-) 6 x 150 mm 10 pcs Magnetic Bit Driver 1 pcs Bit Driver 1 pcs Water Pump Plier 10" 1 pcs Cutter Knife 18 mm 4 pcs Insulation Precision Screwdriver (+) #00, (+) #0, (-) 1.4, (-) 1.8 1 pcs Measuring Tape 3 mm 1 pcs Adjustable Wrench 8" 1 pcs Clip 8 pcs Assortment Box 1 pcs Blow Mould Case	2,180	1 / 5 set



MECHANIC TOOL SET 100 PCS

MEKANIK TOOLS 100 PCS (TB PLASTIK)

ITEM CODE	SIZE
SC-MT0627	100 PCS

SIZE	CONTENT	WEIGHT (gr)	QTY / BOX INNER/MASTER
100 pcs	10 pcs 1/4" DR. Hand Socket 6 PT 10 mm, 11 mm, 12 mm, 13 mm, 14 mm 15 mm, 17 mm, 19 mm, 22 mm, 24 mm	5,550	1 / 2 set
	9 pcs 1/4" DR. Socket 6 PT 5 mm, 6 mm, 7 mm, 8 mm, 9 mm 10 mm, 11 mm, 12 mm, 13 mm		
	7 pcs Combination Wrench 8 mm, 10 mm, 11 mm, 12 mm 13 mm, 14 mm, 17 mm, 19 mm		
	1 pcs 1/2" DR. Ratchet Handle 72 Teeth Rubber Handle 10"		
	1 pcs Ball Pein Hammer 8 OZ		
	1 pcs 1/2" DR. Universal Joint		
	1 pcs Five Way Deluxe Crimping Tool 9"		
	5 pcs Go-Thru Screwdriver Green Handle (+ #2 x 38 mm, (+) 2 x 100 mm (-) 6 x 38 mm, (-) 6 x 100 mm, (-) 8 x 200 mm		
	1 pcs Locking Plier Curved 10"		
	1 pcs Water Pump Plier Type A6 10"		
	4 pcs Hex Key Short 5 mm, 6 mm, 8 mm, 10 mm		
	1 pcs Magnetic Bit Driver		
	42 Pcs Wire Connector (Male & Female)		
	1 pcs Auto Voltage Tester		
	10 pcs Bit Driver		
	1 pcs Additional Socket		
	1 pcs 1/2" DR. Extension Bar 5"		
	1 pcs 1/2" DR. Sliding T Bar 10"		
	1 pcs 1/2" DR. Spark Plug 16 mm		
	1 pcs 1/2" DR. Spark Plug 21 mm		



AUTOMOTIVE

STORAGE

TRAY

AIR TOOLS

HEX KEY

GENERAL TOOLS

MECHANIC TOOL SET 130 PCS

MEKANIK TOOLS 130 PCS (TB PLASTIK)

SIZE	CONTENT	WEIGHT (gr)	QTY / BOX INNER/MASTER
17 pcs	1/4" DR. Hand Socket 4 mm, 4.5 mm, 5 mm, 5.5 mm, 6 mm 7 mm, 8 mm, 9 mm, 10 mm 5/32", 3/16", 7/32", 1/4" 9/32", 5/16", 11/32", 3/8"		
14 pcs	3/8" DR. Hand Socket 11 mm, 12 mm, 13 mm, 14 mm 15 mm, 17 mm, 19 mm 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"		
7 pcs	Open End Wrench 6 x 7 mm, 8 x 9 mm, 10 x 11 mm, 12 x 13 mm 14 mm, 15 mm, 16 mm, 17 mm, 18 mm		
1 pcs	3/8" DR. Ratchet Handle 8" Rubber Handle 72 Teeth		
1 pcs	Ball Pein Hammer with Fiber 08 OZ		
1 pcs	Five Way Deluxe Crimping Tool 9"		
1 pcs	Long Nose Plier 6"		
10 pcs	1/4" DR. Single Head Bits Hexagon 25 mm H1.5, H2, H2.5, H3, H4, H5, H5.5, H6, H7, H8		
4 pcs	1/4" DR. Single Head Bits Philips 25 mm PH0, PH1, PH2, PH3		
5 pcs	1/4" DR. Single Head Bits Torque 25 mm T8, T10, T15, T20, T30		
3 pcs	1/4" DR. Slotted Bits Socket 25 mm SL3, SL4, SL6	5,504	1 / 2 set
1 pcs	PVC Tape		
8 pcs	Hex Key 1.5 mm, 2 mm, 2.5 mm, 3 mm, 4 mm 5 mm, 5.5 mm, 6 mm		
1 pcs	Magnetic Bit Driver		
1 pcs	Wire Brush		
1 pcs	Auto Voltage Tester		
1 pcs	3/8" Extension Bar 3"		
2 pcs	Blade Fuses Mini Size 20 AMP		
1 pcs	3/8" DR. Spark Plug 21 mm		
1 pcs	Cutter Knife 18 mm		
1 pcs	Radiator Tester		
1 pcs	Tire Pressure Gauge 160 LB/IN ²		
2 pcs	Blade Fuses Mini Size 10 AMP, 15 AMP		
20 pcs	Terminals		
16 pcs	Nylon Cable Ties		
1 pcs	Adaptor 3/8" F x 1/4" M		
1 pcs	Slip Joint Plier 6"		
1 pcs	Spark Plug Gap Gauge		
1 pcs	Feeler Gauge 0.05 mm - 1 mm		
4 pcs	Precision Screwdriver (+) #00, (+) #0, (-) 1.4, (-) 1.8		
1 pcs	Blow Mold Case		

ITEM CODE	SIZE
SC-MT0628	130 PCS



AUTOMOTIVE


STORAGE

TRAY

AIR TOOLS

HEX KEY

GENERAL TOOLS



TOOL BOX SET 66 PCS

TOOL BOX SET 66 PCS

ITEM CODE	CONTENT	WEIGHT (gr)	QTY / BOX INNER/MASTER
ST-TB1651	3 pcs TPR Go-Thru Screwdriver (-) 5 x 75 mm, 6x 100 mm, 8 x 200 mm 2 pcs TPR Go- Thru Screwdriver (+) PH1 x 75 mm (5), PH2 x 100 mm (6) 14 pcs Combination Wrench (8 mm, 10 mm. 11 mm, 12 mm, 13 mm, 14 mm, 17 mm, 19 mm, 20 mm, 22 mm, 24 mm, 27 mm, 30 mm, 32 mm) 7 pcs Punch & Chisel Set 7 pcs 18 pcs Socket 1/2" DR 6 PT (10 mm, 11 mm , 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm, 19 mm, 20 mm, 21 mm, 22 mm, 23 mm, 24 mm, 27 mm, 30 mm, 32 mm) 1 pcs DR. Ratchet Handle 10" Green Yellow (SM) 2 pcs Extention Bar 5",10" 1 pcs Universal Joint 1/2" 1 pcs Flexible Handle 1/2" x 15" 1 pcs Ball Pein Hammer 8 Oz 1 pcs Double Plastic Hammer 35 mm 9 pcs Ball Point Hex Key Set Long 9 pcs 1 pcs Waterpump Pliers 10" 1 pcs Linesman Pliers 7" 1 pcs Long Nose Pliers 6" 1 pcs Diagonal Pliers 6" 1 pcs Tool Box 3 Susun (550x200x290 mm) 1 pcs EVA Tool Box Set	16,900	1 set



AUTOMOTIVE

STORAGE

TRAY

AIR TOOLS

HEX KEY

GENERAL TOOLS



UNIVERSAL RADIATOR PRESSURE TEST KIT 18 PCS

UNIVERSAL RADIATOR PRESSURE TEST KIT 18 PCS

ITEM CODE	CONTENT		WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-UR1725	10 pcs Nylon Test Caps 3 pcs Steel Test Caps 2 pcs Radiator Cap Test Tubes 1 pcs Pressure Testing Pump with Gauge 1 pcs Thermometer 1 pcs Handle		1,100	1 / 4 set

- Check leakages of original radiator cap and cooling system
- Durable blow mould case
- Pressure testing pump with gauge.
- Pressure range: 0-35psi , 0-2.5bar with pressure relief valve and quick coupler



BATTERY TESTER

ALAT TES AKI

ITEM CODE	SIZE	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-BT1991	7 - 30 VDC	852	1 / 10 pcs

- Test automotive and household electrical problems safely and accurately
- Four main functions: battery test, cranking test, max-load test, charging test
- Data hold and large digital display with 3.2" HD Color Screen for visibility in dimly light areas
- Multi language options: English, Russian, German, Chinese, Thai, Japanese, etc
- One click data printing
- This meter can not test AC current; ensure your Multimeter is set to the correct setting before testing
- Wide measure standard : CCA, DIN, IEC, EN, SAE, JIS



LABOR SAVING WRENCH 1 : 68

KUNCI TORSI RODA TRUK 1 : 68

ITEM CODE	SIZE	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-LS1794	1:68	770	1 / 3 set

- Perfect tool for trucks, RVs or any other heavy duty vehicles
- Extended torque for hard to turn bolts
- Comes in durable plastic case for easy storage
- Material: High-quality Alloy steel

HYDRAULIC PRESS 15 TON

MESIN PRESS 15 TON


ITEM CODE	SIZE	1 (mm)	2 MAX (mm)	2 MIN (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	7 (mm)	8 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-HP1559	15 Ton	1,633	880	200	865	560	170	630	290	90	176,000	1 set

USERS:

1. Auto repair, general machinery, maintenance industry.

APPLICATION:

1. Applied dis-assembly for bearing, gear shaft, bush and industrial machine parts.
2. Suitable for straigthening, rectifying & molding for shaft, machine parts, and industrial metal pieces.



SPECIFICATION

Capacity	: 15 Ton
Cylinder bore	: ø 80mm
Course	: 130mm
Bio-course	: 100mm
Pressure	: 300Kg/cm ²
Cylinder pressure speed	: 2.0mm/R
Reverse pressure speed	: 12mm/sec
Right/left side pitch	: 430mm
CUFT	: 24

ADVANTAGE:

1. Wide range of hydraulic cylinder capacity for more workpieces selection, high quality and durable.
2. Small size frame, operation handle in center-right side location, convenient & safe.
3. Independent hydraulic system is easy to maintain and improves durability.




HYDRAULIC PRESS 20 TON

MESIN PRESS 20 TON



ITEM CODE	SIZE	1 (mm)	2 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-HP1717	20 Ton	1,495	630	93,000	1 set

- High durable hardness
- Quick for press
- More accurate value




ENGINE CRANE 2 TON

ALAT PENGANGKAT MESIN 2 TON



ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-EC1588	2 Ton	1,620	Max. Height : 1,070 Min. Height : 590	Max. Length : 1,460 Min. Length : 940	1,275	750	85,600	1 / 1 pcs

- Outrigger leg easily folded for transport or storage
- Universal wheel provide
- 4 position weight
- High lifting range




TRANSMISSION JACK

DONGKRAK MESIN



ITEM CODE	SIZE	1 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-TJ1812	500 KG	Min: 1135, max: 1950	38,000	1 / 1 pcs


- Made of high strength steel for maximum durability, and you can use it for a long time with stable performance.
- Comes with foot-operated pump and lowering pedal, great for high position installation and removal of automobile gearbox, car engines.
- Maximum load is 500 Kg



AIR CHUCK TRUCK

ALAT PENGISI ANGIN 12"

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-AC0993	12"	350	9	15	85	15	160	25 / 100 pcs




- Material Chrome Vanadium
- Dual head
- Air inflow enlarge
- Suitable for truck tire inflation



TYRE PRESSURE GAUGE 170 PSI

ALAT UKUR TEKANAN ANGIN BAN 170 PSI

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-TP1558	170 Psi	160	106	96	13	13	670	863	4 / 16 pcs



- Ergonomic Handle
- Flexible & High pressure hose



WASTE OIL DRAINER 16 LITER


ALAT SEDOT OLI MESIN

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
AU-WO1872	16 L	161.5	41	71.5	58.5	37	32	24,300	1 set

- Operational by using the air compressor
- Simple use without open the oil bolt which can cause damage the oil bolt
- The product made by high quality material
- Suit for : Motorcycles, Cars

SPECIFICATION

Air Inlet Pressure	: 10bar
Air Inlet / Oil Outlet Connection	: -
Ejection Pressure	: 0.6 - 8bar / 8.7-11.6psi
Air Consumption	: 150L / Min
Vacuum Degree	: 0 - 1bar / 0-14.5psi
Tank Capacity	: 70L
Cylinder Capacity	: Cylinder Capacity
Oil Tray Volume	: 16L
Working Temperature	: 40°C - 60°C




- Thick stainless steel material
- Powerful magnet
- Anti scratch finish

MAGNETIC TRAY

WADAH MAGNET

ITEM CODE	SIZE	1 (mm)	2 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
GT-MP1612	6"	137	83	308.0	1 / 36 pcs




- Heat treated alloy steel
- Comfort anti slip grip
- Sharp and precise edge


SCRAPER

PAHAT

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	WEIGHT (gr)	QTY / BOX INNER/MASTER
GT-SC1276	10 X 3 cm	128	63	30	57	10 / 40 pcs



TEKIRO offers a wide range of Automatic Nitrogen Generators for tyre inflation to cater for different vehicles and needs. Nitrogen as an inflation medium can provide the vehicle or fleet owner with significant cost saving benefits. Studies by industry experts have shown that by reducing the oxygen content in the tyres to a very low level, you could keep your tyres correctly inflated for longer which could increase fuel economy and extend the life of an average tyre about 20%.



THE ADVANTAGE OF INFLATING THE TIRE WITH NITROGEN

- | | | | | | |
|--|-------------------|--|----------------------------------|--|---|
| | Improves Steering | | Reduce Tire Oxidation | | Decreases False Alarms from Tire Pressure Monitoring System |
| | Improves Handling | | Eliminate Inside Wheel Corrosion | | |
| | Improves Braking | | Reduce Running Temperatures | | |

AUTOMATIC NITROGEN GENERATOR-1

MESIN PENGISIAN ANGIN NITROGEN MOBIL-1


ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	WEIGHT (kg)	QTY / FRAME
AU-AN1900	50L	1255	700	435	145	1 unit

- Rugged and durable diecast aluminium enclosure
- Fully automated, fully programmable, micro-processor controlled conversion system
- Suitable for: Motorcycles & Cars

SPECIFICATION



Power Supply	: AC110V/220V 50Hz - 60Hz
Power Consumption	: 40 Watt
Nitrogen Purity	: 95-99%
Input Air Pressure	: 87-123psi / 6-8.5bar
Nitrogen Production Speed	: 42L/min (1.5cfm)
Nitrogen Output Pressure	: 8Bar
Nitrogen Storage Tank	: 50L
Packing Size	: 1380(H)×730(L)×510(W) mm



AUTOMATIC NITROGEN GENERATOR MOTORCYCLE-1


MESIN PENGISIAN ANGIN NITROGEN MOTOR-1

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	WEIGHT (kg)	QTY / FRAME
AU-AN1901	7L	1160	450	360	92	1 unit

- Small and portable
- Converts 2 tyres to nitrogen simultaneously with a touch of a button
- Fast and up to 30% time savings
- Suitable for: Motorcycles

SPECIFICATION

Power Supply	: AC110V/220V 50Hz - 60Hz
Power Consumption	: 27 Watt
Nitrogen Purity	: 95-99%
Input Air Pressure	: 87-123psi / 6-8.5bar
Nitrogen Production Speed	: 35L/min (1.3cfm)
Nitrogen Output Pressure	: ≤90psi / 6.2bar
Nitrogen Storage Tank	: 7L
Packing Size	: 1240(H) × 450(L) × 390(W) mm



AUTOMOTIVE

STORAGE

TRAY

AIR TOOLS

HEX KEY

GENERAL TOOLS

AUTOMATIC NITROGEN GENERATOR

MESIN PENGISIAN ANGIN NITROGEN


ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	WEIGHT (kg)	QTY / FRAME
AU-AN1813	70 L	1420	700	510	128	1 unit

- Presetting pressure automatically vacuum, fill N2 & test pressure to the desired value
- High Purity Equipment adopts high-octane BF-200#
- Carbon Molecular sieve
- High Precision pressure sensor is made by Novasensor, USA
- One button / touch for easy operation Suitable for Motorcycles, Cars, Vans, Mini-Buses and Light Trucks



SPECIFICATION

Power Supply	: AC110V/220V 50Hz - 60Hz
Power Consumption	: 60 W
Nitrogen Purity	: 95-99.5%
Input Air Pressure	: ≤174psi / 12bar
Nitrogen Production Speed	: 66L/min (2.3cfm) at 145psi / 10bar
Nitrogen Output Pressure	: ≤98psi / 6.8bar
Nitrogen Storage Tank	: 70L
Packing Size	: 1560(H) ×760(L) ×620(W) mm





TIRE CHANGER -1

MESIN PENGGANTI BAN -1

- Large cylinder for power arm
- Strong tire-pressing
- Smooth rotary pressing tire
- Shoveling tire smoothly


ITEM CODE	SPECIFICATION	QTY / BOX INNER/MASTER
AU-TC1876	Semi Automatic Swing Arm Suitable for Motorcycle and Car Tire Changing Motor Power: 0.75 KW Max. Wheel Diameter: 41" (1.040 mm) Max. Wheel Width: 14" (355 mm) Clamping: 6" - 24" Air Supply: 8 Bar Bread Breaker Force: 2.500 Kgs	1 unit



WHEEL BALANCER

WHEEL BALANCER (DIGITAL DISPLAY)

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	WEIGHT (kg)	QTY / BOX INNER/MASTER
AU-WB1925	10"-24"	1,250	1,100	1,700	115	1 unit



SPECIFICATION

Balancing Accuracy	: 1gr
Balancing Speed	: 200rpm
Cycle Time	: 10s
Rim Diameter	: 10"-24"
Rim Width	: 1.5"-20"
Max. Wheel Weight	: 65kg

TEKIRO wheel balancer is capable of balancing wheels up to 24" in diameter and weigh up to 65kg. This machine is complete with the 6 balancing mode.




- Latest advanced technology - High precision of self adhesive weight position finding
- High precision main shaft ensures repeated measuring accuracy
- Tracking sticking balancing mode can locate weights precisely and rapidly
- With self-calibration and self-diagnostics functions
- LED light and digital display
- Bigger machine body

WHEEL BALANCER

WHEEL BALANCER

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	WEIGHT (kg)	QTY / BOX INNER/MASTER
AU-WB1926	10"-24"	960	760	1,160	105	1 unit



TEKIRO Fully automatic wheel balancer uses automatic data entry for all 4 wheel parameters making it very simple to use. The 15" colour LED monitor produces high-quality images and feeds back user information during every step of the balancing procedure. This makes the machine one of the easiest, error free balancing machine on the market.

- Latest advanced technology - High precision of self adhesive weight position finding
- Laser Configuration
- High precision main shaft ensures repeated measuring accuracy
- Automatic distance and wheel diameter measuring
- Tracking sticking balancing mode can locate weights precisely and rapidly
- With self-calibration and self-diagnostics functions
- 15" LCD monitor, 3D animation interface
- Bigger machine body with deluxe design

SPECIFICATION

Balancing Accuracy	: 1gr
Balancing Speed	: 200rpm
Cycle Time	: 8s
Rim Diameter	: 10"-24"
Rim Width	: 1.5"-20"
Max. Wheel Weight	: 65kg




**TEKIRO®**

MOTORCYCLE BIKE LIFT 360 KG

BIKE LIFT 360 KG

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	WEIGHT (kg)	QTY / BOX INNER/MASTER
AU-BL1927	360 kg	780	2,170	490	124	1 unit



SPECIFICATION

Lifting Capacity	: 360kg
Min. Height	: 210mm
Max. Height	: 780mm
Table Size	: 2,170x490mm





DUAL POWERED MECHANISM (HYDRAULIC AND AIR)

SCISSORS LIFT 3 TON

MOBILE MINI SCISSORS LIFT 3 TON

ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	6 (mm)	WEIGHT (kg)	QTY / BOX INNER/MASTER
AU-SL1924	3 Ton	1943	1000	1420	1954	460	860	480	1 unit



SPECIFICATION

Lifting Capacity	: 3,000kg
Min. Height	: 110mm
Max. Height	: 1,000mm
Table Size	: 1,420x460mm
Motor Power	: 2.2kw

When you need to save space but desire a full standing room under a raised vehicle, **TEKIRO** scissor lift is an ideal choice. **TEKIRO** Scissors Lift designs are open-centre, so mechanics can perform all undercarriage services, unobstructed by cross members. A suite of optional accessories provides full wheel service capability on low-stance cars.

- Ready to use directly out of the box.
- Low profile extendable platform design, for a wide range of services.
- Pneumatic locking system.
- Space-saving design helps turn wasted floor space into a valuable service area.
- Lift raises in just under one minute.
- Automatic safety locks secure lift at multiple service heights. The control panel features simple push-button up and down controls and pneumatic safety release.





**TEKIRO®**

2-POST CAR LIFT 4 TON

TWO-POST LIFT 4 TON


ITEM CODE	SIZE	1 (mm)	2 (mm)	3 (mm)	4 (mm)	5 (mm)	WEIGHT (kg)	QTY / BOX INNER/MASTER
AU-CL1923	4 Ton	3,433	770-1,105	104	1,913	3,762	695	1 unit



SPECIFICATION

Lifting Capacity	: 4,000kg
Max. Height	: 1,913mm
Motor Power	: 2.2kw

The **TEKIRO 2-POST CAR LIFT 4 TON** offers the convenience of wide or narrow installation wrapped up into one configurable package. The durable, safe and reliable car lift features an expandable top beam and Tru-Metric arms to suit virtually every vehicle lifting requirement. It's a simple yet highly sophisticated lift designed to minimize service and maintenance costs while delivering low operating expenses and high productivity.



**BELIEVE
IN YOUR CHOICE**

WWW.TEKIRO.COM