Final exam and wrap up

Final exam (16 Questions)

Final exam

Wrap up

Final exam

Bookmark this page

You've reached the final exam for **QS101 n8n Quickstart**. This is the last graded assessment before the course conclusion.

The questions cover all three sections of the course.

Good luck.

Question 1

0.0/1.0 point (graded)

What can you do if there is no n8n node for an app/service that you want to use in a workflow?

- [x] Ask the n8n team to create the node
- [ ] Create the node yourself
- [x] Use the HTTP Request node instead

✖

Submit You have used 2 of 2 attempts

Question 2

1.0/1.0 point (graded)

Which of the following are Trigger Nodes?

- [x] Schedule node
- [ ] Code node
- [x] Airtable node
- [ ] Edit Fields node

✔

Submit You have used 2 of 3 attempts

Question 3

1.0/1.0 point (graded)

How does the Code node execute code?

- [x] The code gets executed only once for all items.
- [ ] The code can only be executed by a Schedule Trigger.
- [ ] The code runs continuously in the

- [ ] The code runs continuously in the background until manually stopped.
- [x] The code gets executed once for every item.

Submit You have used 2 of 3 attempts

Question 4

1.0/1.0 point (graded)

What is the difference between the IF node and the Switch node?

- [ ] None, they are the same.
- [x] The IF node supports two conditional routes, the Switch node supports unlimited conditional routes.
- [ ] The IF node supports unlimited conditional routes, the Switch node supports two conditional routes.

Submit You have used 1 of 3 attempts

Question 5

1.0/1.0 point (graded)

What is the correct data structure?

- [ ] {[json: {jsonKeyName: 'keyValue'}]}
- [x] [{json: {jsonKeyName: 'keyValue'}}]
- [ ] json: [jsonKeyName: 'keyValue']

Submit You have used 1 of 3 attempts

Question 6

1.0/1.0 point (graded)

What happens when you publish a workflow that has a Schedule Trigger node?

- [ ] The workflow runs once immediately and then stops until you manually trigger it again.

- ○ The workflow is shared publicly so other n8n users on your instance can edit it.
- ◉ The workflow will run automatically at the scheduled time without any manual action.
- ○ The Schedule Trigger still needs to be manually enabled separately from publishing.

✔

Submit You have used 1 of 3 attempts

Question 7

1.0/1.0 point (graded)

What can be the reasons for node errors?

- ○ The node credentials are missing or are incorrect.
- ◉ The node parameters are not configured correctly.
- ○ You don't have permission to use that node.

✔

Submit You have used 1 of 3 attempts

Question 8

1.0/1.0 point (graded)

What is the data structure of n8n?

- ○ A string of JSON
- ◉ An array of objects
- ○ A single object
- ○ An array of arrays

✔

Answer
Correct: Correct!

Submit You have used 2 of 3 attempts

Question 9

Question 9

1.0/1.0 point (graded)

An n8n node performs its action on each _____ of incoming data.

- ○ key
- ○ array
- ○ workflow
- ◉ item

✔

Answer
Correct: Correct!

Submit You have used 1 of 3 attempts

Question 10

1.0/1.0 point (graded)

You need to reference a field called "region" from a node named "GetCountries" that is not directly connected to the current node. Which expression is correct?

- ○ {{ $json.region }}
- ◉ {{ $['GetCountries'].item.json.region }}
- ○ {{ $input['GetCountries'].json.region }}
- ○ {{ $json.GetCountries.region }}

✔

Answer
Correct: Correct!

Submit You have used 1 of 3 attempts

Question 11

1.0/1.0 point (graded)

In an Edit Fields node, which expression adds 20 years to a date field called "customerSince"?

- ○ {{ $json.customerSince + years[20] }}
- ◉ {{ $json.customerSince.toDateTime().plus({20 'years'} }}

- {{ DateTime.fromISO($json.customerSince) - 20 }}
- {{ $json.customerSince.addYears(20) }}

Answer
Correct: Correct!

Submit You have used 1 of 3 attempts

Question 12

1.0/1.0 point (graded)

What happens when you set a node's On Error setting to "Continue Using Error Output"?

- Failed items are silently skipped and only successful items continue to the next node
- The workflow stops execution and the error is written to the log
- **A second output appears on the node and failed items are routed there**
- The node retries the operation up to three times before failing

Answer
Correct: Correct!

Submit You have used 1 of 3 attempts

Question 13

1.0/1.0 point (graded)

What is a key difference between a standard n8n workflow and an AI agent workflow?

- AI agents do not need a trigger node
- **Standard workflows are deterministic, AI agents are not**
- Standard workflows cannot use HTTP Request nodes
- AI agent workflows run faster

Answer
Correct: Correct!

Submit You have used 2 of 5 attempts

Question 14

1.0/1.0 point (graded)

How does the AI Agent decide which tool to call?

- ○ You must configure a condition to tell it which tool to use
- ◉ It reads the tool description and matches it to the user's question
- ○ Tools are called in the order they were added to the canvas
- ○ It calls every tool on each message and picks the best result

Answer
Correct: Correct!

Submit You have used 1 of 5 attempts

Question 15

1.0/1.0 point (graded)

What does the system message (system prompt) control in the AI Agent?

- ○ The memory window size
- ○ How many tools the agent can call per message
- ◉ The agent's behavior, personality, and instructions
- ○ Which language model the agent uses

Answer
Correct: Correct!

Submit You have used 1 of 5 attempts

Question 16

1.0/1.0 point (graded)

Why is Simple Memory not recommended for

Previous Next >

- It can only remember one message at a time
- It costs more than database-backed memory options
- It only stores messages in memory, so they are lost on restart

© All Rights Reserved

Automate without limits

Careers
Contact
Merch
Press
Legal
Tools

Case Studies
AI agent report
AI benchmark
n8n alternatives
Events
n8n on SAP

Partners
Affiliate program
Hire an expert
Join user tests, get a gift
Brand Guidelines

Imprint | Security | Privacy | Report a vulnerability

© 2026 n8n | All rights reserved.