

# TC ShopeePay

---

## Execution Environment

Host name dwida - Daun  
Local OS Windows 11 64bit  
Katalon version 10.3.1.0  
Browser  
Device name Android 15 - vivo V2427 (Android 15)

## Summary

ID	Test Suites/E-Wallet/Shopee Pay/TC ShopeePay		
Description			
Total	2	Failed	0
Passed	2	Incomplete	0
Error	0		
Skipped	0		
Start	25-11-2025 16:30:29	End	25-11-2025 16:34:07
Elapsed	3m - 38.417s		

#	ID	Description	Status
1	Test Cases/E-Wallet/Shopeepay/Top Up Shopeepay		PASSED
2	Test Cases/E-Wallet/Shopeepay/Negatif Test Case Top Up Shopeepay		PASSED

# Top Up Shopeepay

---

## Information

**ID** Test Cases/E-Wallet/Shopeepay/Top Up Shopeepay

**Description**

**Tag**

**Start** 25-11-2025 16:30:31

**End** 25-11-2025 16:32:19

**Elapsed** 1m - 48.070s

**Status** PASSED

## Details

#	Description	Elapsed	Status
---	-------------	---------	--------

# Top Up Shopeepay

---

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Login/Login Valid"), [:], CONTINUE_ON_FAILURE)	46.624s	PASSED

[Call Test Case 'Test Cases/Login/Login Valid' successfully](#)


# Top Up Shopeepay



## Masuk

RUXXXXXXXX12

.....|



## Top Up Shopeepay

---

#	Description	Elapsed	Status
---	-------------	---------	--------

# Top Up Shopeepay

#	Description	Elapsed	Status
			

# Top Up Shopeepay

#	Description	Elapsed	Status
2	tapAtPosition(540, 1472)  Tapped at [540, 1,472]	0.116s	PASSED
3	delay(5)  Delayed 5 second(s)	5.030s	PASSED
4	tap(findTestObject("Transfer/Transfer Antar Bank/butoon transaksi"), 0)  Tapped on element 'Object Repository/Transfer/Transfer Antar Bank/butoon transaksi'	3.316s	PASSED
5	tap(findTestObject("E-Wallet/Shopeepay/Menu ShopeePay"), 0)  Tapped on element 'Object Repository/E-Wallet/Shopeepay/Menu ShopeePay'	1.851s	PASSED
6	delay(5, CONTINUE_ON_FAILURE)  Delayed 5 second(s)	5.024s	PASSED
7	tap(findTestObject("E-Wallet/Shopeepay/Nomor Favorit"), 0)  Tapped on element 'Object Repository/E-Wallet/Shopeepay/Nomor Favorit'	0.940s	PASSED
8	delay(5, CONTINUE_ON_FAILURE)  Delayed 5 second(s)	5.016s	PASSED
9	tap(findTestObject("E-Wallet/DANA/nominal"), 0)  Tapped on element 'Object Repository/E-Wallet/DANA/nominal'	1.441s	PASSED
10	setText(findTestObject("E-Wallet/DANA/nominal"), "10000", 0)  Text '10000' has been set to element 'Object Repository/E-Wallet/DANA/nominal'	0.689s	PASSED
11	hideKeyboard()  Keyboard is hidden	2.165s	PASSED

## Top Up Shopeepay

---

#	Description	Elapsed	Status
12	delay(2)	2.016s	PASSED

Delayed 2 second(s)




# Top Up Shopeepay

---

#	Description	Elapsed	Status
13	takeScreenshot("C:\\Users\\dwida\\Documents\\Project Alif\\CCBI\\Katalon\\Automation Mobile Banking V3 DSI\\Screenshot\\E-Wallet\\ShopeePay\\ShopeePay1.png", CONTINUE_ON_FAILURE)	0.854s	PASSED

Screenshot is taken

# Top Up Shopeepay

#	Description	Elapsed	Status
			
	Pembelian Terakhir		
	 081234567800 Shopee Pay		
			
	<b>Topup Ewallet</b>		
	No. Handphone  <b>081234567800</b>		
			
	Nominal		
	IDR <b>10,000</b>		
			
	Total Pembelian <b>IDR 10,000.00</b>	<b>Beli</b>	
			

# Top Up Shopeepay


#	Description	Elapsed	Status
14	tap(findTestObject("E-Wallet/DANA/button beli (1)", 0, CONTINUE_ON_FAILURE))  Tapped on element 'Object Repository/E-Wallet/DANA/button beli (1)'	1.759s	PASSED
15	delay(2)  Delayed 2 second(s)	2.011s	PASSED

# Top Up Shopeepay

#	Description	Elapsed	Status
16	takeScreenshot("C:\\Users\\dwida\\Documents\\Project Alif\\CCBI\\Katalon\\Automation Mobile Banking V3 DSI\\Screenshot\\E-Wallet\\ShopeePay\\konfirmasi.png", CONTINUE_ON_FAILURE)	0.863s	PASSED

Screenshot is taken

# Top Up Shopeepay

#	Description	Elapsed	Status																
	 <p>The screenshot shows the ShopeePay mobile application interface for a top-up transaction. At the top, there's a blue header bar with the text "Konfirmasi Pembelian". Below it, a white card-like section displays "Rekening Sumber" (Bank Account) information: "CCB Indonesia Saving" and "..... Utama". There's a "Ubah" (Change) button next to it. Below this, another card-like section shows "Detail Transaksi" (Transaction Details) with the following data:</p> <table border="1"><tbody><tr><td>Produk</td><td>Shopee Pay</td></tr><tr><td>Rekening Sumber</td><td>2000008551</td></tr><tr><td>Nama Pemilik Rekening</td><td></td></tr><tr><td>ID Pelanggan</td><td>081234567800</td></tr><tr><td>Nama Pelanggan</td><td>Simul Shopeepay H2H A</td></tr><tr><td>Nominal Transfer</td><td>IDR 10,000.00</td></tr><tr><td>Biaya Admin</td><td>IDR 1,000.00</td></tr><tr><td>Total Bayar</td><td>IDR 11,000.00</td></tr></tbody></table> <p>At the bottom, there are two buttons: "Masukkan Kode Voucher" (Enter Voucher Code) and a large blue "Konfirmasi" (Confirm) button. The footer of the app includes standard navigation icons.</p>	Produk	Shopee Pay	Rekening Sumber	2000008551	Nama Pemilik Rekening		ID Pelanggan	081234567800	Nama Pelanggan	Simul Shopeepay H2H A	Nominal Transfer	IDR 10,000.00	Biaya Admin	IDR 1,000.00	Total Bayar	IDR 11,000.00		
Produk	Shopee Pay																		
Rekening Sumber	2000008551																		
Nama Pemilik Rekening																			
ID Pelanggan	081234567800																		
Nama Pelanggan	Simul Shopeepay H2H A																		
Nominal Transfer	IDR 10,000.00																		
Biaya Admin	IDR 1,000.00																		
Total Bayar	IDR 11,000.00																		

# Top Up Shopeepay

#	Description	Elapsed	Status
17	tap(findTestObject("E-Wallet/DANA/button konfirmasi (1)'), 0, CONTINUE_ON_FAILURE)  Tapped on element 'Object Repository/E-Wallet/DANA/button konfirmasi (1)'	1.520s	PASSED
18	delay(2)  Delayed 2 second(s)	2.030s	PASSED
19	tap(findTestObject("E-Wallet/DANA/1"), 0, CONTINUE_ON_FAILURE)  Tapped on element 'Object Repository/E-Wallet/DANA/1'	0.950s	PASSED
20	tap(findTestObject("E-Wallet/DANA/4"), 0, CONTINUE_ON_FAILURE)  Tapped on element 'Object Repository/E-Wallet/DANA/4'	0.923s	PASSED
21	tap(findTestObject("E-Wallet/DANA/7"), 0, CONTINUE_ON_FAILURE)  Tapped on element 'Object Repository/E-Wallet/DANA/7'	1.880s	PASSED
22	tap(findTestObject("E-Wallet/DANA/2"), 0, CONTINUE_ON_FAILURE)  Tapped on element 'Object Repository/E-Wallet/DANA/2'	0.979s	PASSED
23	tap(findTestObject("E-Wallet/DANA/5"), 0, CONTINUE_ON_FAILURE)  Tapped on element 'Object Repository/E-Wallet/DANA/5'	0.911s	PASSED
24	tap(findTestObject("E-Wallet/DANA/8"), 0, CONTINUE_ON_FAILURE)  Tapped on element 'Object Repository/E-Wallet/DANA/8'	1.286s	PASSED
25	delay(10)  Delayed 10 second(s)	10.028s	PASSED

# Top Up Shopeepay

#	Description	Elapsed	Status
26	takeScreenshot("C:\\Users\\dwida\\Documents\\Project Alif\\CCBI\\Katalon\\Automation Mobile Banking V3 DSI\\Screenshot\\E-Wallet\\ShopeePay\\ovo2.png", CONTINUE_ON_FAILURE)  Screenshot is taken	0.785s	PASSED

# Top Up Shopeepay

#	Description	Elapsed	Status																				
 <p>E-Wallet</p> <p><b>Transaksi Sukses</b></p> <p>25 Nov 2025 - 16:28:33 - No. Ref 288353120532</p> <p><b>Detail Transaksi</b></p> <table><tbody><tr><td>Tipe Transfer</td><td>Topup E-Wallet</td></tr><tr><td>Produk</td><td>Shopee Pay</td></tr><tr><td>Rekening Sumber</td><td>2000008551</td></tr><tr><td>Nama Pemilik Rekening</td><td>RUDDY SATYA ANDIKA</td></tr><tr><td>Nama Pelanggan</td><td>Simul Shopeepay H2H A</td></tr><tr><td>ID Pelanggan</td><td>081234567800</td></tr><tr><td>Nominal Transfer</td><td>IDR 10,000.00</td></tr><tr><td>Biaya Admin</td><td>IDR 1,000.00</td></tr><tr><td>Status</td><td>SUKSES</td></tr><tr><td>Total</td><td>IDR 11,000.00</td></tr></tbody></table> <p><b>Ke Beranda</b></p> <p> Share       Simpan       favorit</p>				Tipe Transfer	Topup E-Wallet	Produk	Shopee Pay	Rekening Sumber	2000008551	Nama Pemilik Rekening	RUDDY SATYA ANDIKA	Nama Pelanggan	Simul Shopeepay H2H A	ID Pelanggan	081234567800	Nominal Transfer	IDR 10,000.00	Biaya Admin	IDR 1,000.00	Status	SUKSES	Total	IDR 11,000.00
Tipe Transfer	Topup E-Wallet																						
Produk	Shopee Pay																						
Rekening Sumber	2000008551																						
Nama Pemilik Rekening	RUDDY SATYA ANDIKA																						
Nama Pelanggan	Simul Shopeepay H2H A																						
ID Pelanggan	081234567800																						
Nominal Transfer	IDR 10,000.00																						
Biaya Admin	IDR 1,000.00																						
Status	SUKSES																						
Total	IDR 11,000.00																						

# Top Up Shopeepay

#	Description	Elapsed	Status
27	closeApplication()	1.954s	PASSED
	Close app successfully		
28	Video	0.001s	PASSED
	Video recording for test case 'Test Cases/E-Wallet/Shopeepay/Top Up Shopeepay' .		

# Negatif Test Case Top Up Shopeepay

---

## Information

**ID** Test Cases/E-Wallet/Shopeepay/Negatif Test Case Top Up Shopeepay

**Description**

**Tag**

**Start** 25-11-2025 16:32:19

**End**

25-11-2025 16:34:06

**Elapsed** 1m - 47.517s

**Status** PASSED

## Details

#	Description	Elapsed	Status
---	-------------	---------	--------

## Negatif Test Case Top Up Shopeepay

---

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Login/Login Valid"), [:], CONTINUE_ON_FAILURE)	39.206s	PASSED

[Call Test Case 'Test Cases/Login/Login Valid' successfully](#)

# Negatif Test Case Top Up Shopeepay



## Masuk

RUXXXXXXXX12

.....|  
\_\_\_\_\_



## Negatif Test Case Top Up Shopeepay

---

#	Description	Elapsed	Status
---	-------------	---------	--------

## Negatif Test Case Top Up Shopeepay

#	Description	Elapsed	Status
			

## Negatif Test Case Top Up Shopeepay

#	Description	Elapsed	Status
2	tapAtPosition(540, 1472)  Tapped at [540, 1,472]	0.094s	PASSED
3	tap(findTestObject("Transfer/Transfer Antar Bank/butoon transaksi"), 0)  Tapped on element 'Object Repository/Transfer/Transfer Antar Bank/butoon transaksi'	2.128s	PASSED
4	tap(findTestObject("E-Wallet/Shopeepay/Menu ShopeePay"), 0)  Tapped on element 'Object Repository/E-Wallet/Shopeepay/Menu ShopeePay'	1.350s	PASSED
5	delay(5, CONTINUE_ON_FAILURE)  Delayed 5 second(s)	5.015s	PASSED
6	tap(findTestObject("E-Wallet/Shopeepay/Nomor Favorit"), 0)  Tapped on element 'Object Repository/E-Wallet/Shopeepay/Nomor Favorit'	0.435s	PASSED
7	delay(5, CONTINUE_ON_FAILURE)  Delayed 5 second(s)	5.025s	PASSED
8	tap(findTestObject("E-Wallet/DANA/nominal"), 0)  Tapped on element 'Object Repository/E-Wallet/DANA/nominal'	0.497s	PASSED
9	setText(findTestObject("E-Wallet/DANA/nominal"), "1000", 0)  Text '1000' has been set to element 'Object Repository/E-Wallet/DANA/nominal'	1.501s	PASSED
10	hideKeyboard()  Keyboard is hidden	1.938s	PASSED
11	tap(findTestObject("E-Wallet/DANA/button beli (1)'), 0, CONTINUE_ON_FAILURE)  Tapped on element 'Object Repository/E-Wallet/DANA/button beli (1)'	1.011s	PASSED

## Negatif Test Case Top Up Shopeepay

---


#	Description	Elapsed	Status
12	delay(2)  Delayed 2 second(s)	2.007s	PASSED
13	getText(findTestObject("E-Wallet/DANA/transaksi kuran min"), 0)  Text of element 'Object Repository/E-Wallet/DANA/transaksi kuran min' is: "	0.359s	PASSED

## Negatif Test Case Top Up Shopeepay

#	Description	Elapsed	Status
14	takeScreenshot("C:\\Users\\dwida\\Documents\\Project Alif\\CCBI\\Katalon\\Automation Mobile Banking V3 DSI\\Screenshot\\E-Wallet\\ShopeePay\\Transaksi Minimum.png", CONTINUE_ON_FAILURE)	0.532s	PASSED

Screenshot is taken

## Negatif Test Case Top Up Shopeepay

#	Description	Elapsed	Status
	 <p>The screenshot shows the Shopee Pay app interface. At the top, there's a header with the text "Shopee Pay" and a back arrow. Below it, a section titled "Pembelian Terakhir" displays a profile picture with "SP" and the phone number "081234567800" next to the text "Shopee Pay". A modal dialog box is overlaid on the screen, indicating an error: "Transaksi kurang dari batas minimal sebesar IDR 10.000,00 (LR1)". This dialog has a red circular close button with a white "X" and a blue "OK" button at the bottom. In the background, partially visible through the dialog, are fields for "Nominal" (with "IDR" and a dropdown menu) and "Beli" (with "Total Pembelian" showing "IDR 1,000.00"). The status bar at the very top shows the time "16.33" and various connectivity icons.</p>		

# Negatif Test Case Top Up Shopeepay

#	Description	Elapsed	Status
15	tapAtPosition(514, 1400)	0.099s	PASSED
	Tapped at [514, 1,400]		
16	tap(findTestObject("E-Wallet/DANA/nominal"), 0)	1.843s	PASSED
	Tapped on element 'Object Repository/E-Wallet/DANA/nominal'		
17	clearText(findTestObject("E-Wallet/DANA/nominal"), 0)	0.401s	PASSED
	Element 'Object Repository/E-Wallet/DANA/nominal' text is cleared		
18	setText(findTestObject("E-Wallet/DANA/nominal"), "71000000", 0)	1.048s	PASSED
	Text '71000000' has been set to element 'Object Repository/E-Wallet/DANA/nominal'		
19	hideKeyboard()	1.846s	PASSED
	Keyboard is hidden		
20	tap(findTestObject("E-Wallet/DANA/button beli (1)'), 0, CONTINUE_ON_FAILURE)	2.573s	PASSED
	Tapped on element 'Object Repository/E-Wallet/DANA/button beli (1)'		
21	delay(2)	2.006s	PASSED
	Delayed 2 second(s)		
22	getText(findTestObject("E-Wallet/DANA/tansaksi melebihi max"), 0)	0.377s	PASSED
	Text of element 'Object Repository/E-Wallet/DANA/tansaksi melebihi max' is: "		


## Negatif Test Case Top Up Shopeepay

---

#	Description	Elapsed	Status
23	takeScreenshot("C:\\Users\\dwida\\Documents\\Project Alif\\CCBI\\Katalon\\Automation Mobile Banking V3 DSI\\Screenshot\\E-Wallet\\ShopeePay\\Transaksi Maksimum.png", CONTINUE_ON_FAILURE)	0.610s	PASSED

Screenshot is taken

# Negatif Test Case Top Up Shopeepay

#	Description	Elapsed	Status
	 <p>Shopee Pay</p> <p>Pembelian Terakhir</p> <p>SP</p> <p>081234567800</p> <p>Shopee Pay</p> <p>Topup E-wallet</p> <p>Transaksi melebihi batas maksimal sebesar IDR 1.000.000,00 (LR2)</p> <p>OK</p> <p>Total Pembelian</p> <p>IDR 71,000,000.00</p> <p>Beli</p>		

# Negatif Test Case Top Up Shopeepay


#	Description	Elapsed	Status
24	tapAtPosition(514, 1400)  Tapped at [514, 1,400]	0.114s	PASSED
25	tap(findTestObject("E-Wallet/DANA/nominal"), 0)  Tapped on element 'Object Repository/E-Wallet/DANA/nominal'	1.858s	PASSED
26	clearText(findTestObject("E-Wallet/DANA/nominal"), 0)  Element 'Object Repository/E-Wallet/DANA/nominal' text is cleared	0.388s	PASSED
27	setText(findTestObject("E-Wallet/DANA/nominal"), "75000000", 0)  Text '75000000' has been set to element 'Object Repository/E-Wallet/DANA/nominal'	1.000s	PASSED
28	hideKeyboard()  Keyboard is hidden	1.852s	PASSED
29	tap(findTestObject("E-Wallet/DANA/button beli (1)'), 0, CONTINUE_ON_FAILURE)  Tapped on element 'Object Repository/E-Wallet/DANA/button beli (1)'	2.020s	PASSED
30	delay(2, CONTINUE_ON_FAILURE)  Delayed 2 second(s)	2.012s	PASSED
31	getText(findTestObject("E-Wallet/DANA/saldo kurang"), 0)  Text of element 'Object Repository/E-Wallet/DANA/saldo kurang' is: "	0.367s	PASSED

## Negatif Test Case Top Up Shopeepay

#	Description	Elapsed	Status
32	takeScreenshot("C:\\Users\\dwida\\Documents\\Project Alif\\CCBI\\Katalon\\Automation Mobile Banking V3 DSI\\Screenshot\\E-Wallet\\ShopeePay\\Saldo Tidak Cukup.png", CONTINUE_ON_FAILURE)	0.554s	PASSED

Screenshot is taken

## Negatif Test Case Top Up Shopeepay

#	Description	Elapsed	Status
	 <p>The screenshot shows the Shopee Pay app interface. At the top, there's a header with the time '16.33' and various status icons. Below it, a dark blue bar displays the 'Shopee Pay' logo with a back arrow. The main content area has a grey background. On the left, there's a circular profile picture with 'SP' initials and the phone number '081234567800' next to the text 'Shopee Pay'. In the center, a modal dialog box is displayed with a red circular loading icon at the top. The text 'Saldo Tidak Mencukupi (X8)' is shown below the icon. A large blue button at the bottom of the dialog box contains the text 'OK'. In the background, partially visible through the modal, is a section titled 'Topup Ewallet' with some placeholder text and a 'Beli' button.</p>		

# Negatif Test Case Top Up Shopeepay

#	Description	Elapsed	Status
33	tapAtPosition(514, 1400)	0.142s	PASSED
	Tapped at [514, 1,400]		
34	tap(findTestObject("E-Wallet/DANA/nominal"), 0)	1.833s	PASSED
	Tapped on element 'Object Repository/E-Wallet/DANA/nominal'		
35	clearText(findTestObject("E-Wallet/DANA/nominal"), 0)	0.338s	PASSED
	Element 'Object Repository/E-Wallet/DANA/nominal' text is cleared		
36	setText(findTestObject("E-Wallet/DANA/nominal"), "10000", 0)	3.837s	PASSED
	Text '10000' has been set to element 'Object Repository/E-Wallet/DANA/nominal'		
37	hideKeyboard()	1.899s	PASSED
	Keyboard is hidden		
38	tap(findTestObject("E-Wallet/DANA/button beli (1)'), 0, CONTINUE_ON_FAILURE)	2.048s	PASSED
	Tapped on element 'Object Repository/E-Wallet/DANA/button beli (1)'		
39	delay(2)	2.011s	PASSED
	Delayed 2 second(s)		
40	tap(findTestObject("E-Wallet/DANA/button konfirmasi (1)'), 0, CONTINUE_ON_FAILURE)	1.958s	PASSED
	Tapped on element 'Object Repository/E-Wallet/DANA/button konfirmasi (1)'		
41	tap(findTestObject("E-Wallet/DANA/2"), 0, CONTINUE_ON_FAILURE)	0.901s	PASSED
	Tapped on element 'Object Repository/E-Wallet/DANA/2'		
42	tap(findTestObject("E-Wallet/DANA/1"), 0, CONTINUE_ON_FAILURE)	0.867s	PASSED
	Tapped on element 'Object Repository/E-Wallet/DANA/1'		

## Negatif Test Case Top Up Shopeepay

#	Description	Elapsed	Status
43	tap(findTestObject("E-Wallet/DANA/2"), 0, CONTINUE_ON_FAILURE)  Tapped on element 'Object Repository/E-Wallet/DANA/2'	0.881s	PASSED
44	tap(findTestObject("E-Wallet/DANA/2"), 0, CONTINUE_ON_FAILURE)  Tapped on element 'Object Repository/E-Wallet/DANA/2'	0.886s	PASSED
45	tap(findTestObject("E-Wallet/DANA/3"), 0, CONTINUE_ON_FAILURE)  Tapped on element 'Object Repository/E-Wallet/DANA/3'	1.598s	PASSED
46	tap(findTestObject("E-Wallet/DANA/3"), 0, CONTINUE_ON_FAILURE)  Tapped on element 'Object Repository/E-Wallet/DANA/3'	1.286s	PASSED
47	delay(1)  Delayed 1 second(s)	1.007s	PASSED
48	getText(findTestObject("E-Wallet/DANA/invalid pin"), 0)  Text of element 'Object Repository/E-Wallet/DANA/invalid pin' is: "	0.781s	PASSED


## Negatif Test Case Top Up Shopeepay

---

#	Description	Elapsed	Status
49	takeScreenshot("C:\\Users\\dwida\\Documents\\Project Alif\\CCBI\\Katalon\\Automation Mobile Banking V3 DSI\\Screenshot\\E-Wallet\\ShopeePay\\Invalid PIN.png", CONTINUE_ON_FAILURE)	0.560s	PASSED

Screenshot is taken

# Negatif Test Case Top Up Shopeepay

#	Description	Elapsed	Status
	 <p>The screenshot shows the 'Konfirmasi Pembelian' (Purchase Confirmation) screen. A modal dialog box is centered, displaying the error message 'Invalid Pin (49)' over a red circular background. Below the message is a large blue 'OK' button. The background shows the transaction details: Rekening Sumber (Bank Account) set to CCB Indonesia Saving, Detail Transaksi (Transaction Details) showing a payment to ShopeePay for IDR 11,000.00, and a Biaya Admin (Admin Fee) of IDR 1,000.00. At the bottom, there's a 'Masukkan Kode Voucher' (Enter Voucher Code) input field and a large blue 'Konfirmasi' (Confirm) button.</p>		

## Negatif Test Case Top Up Shopeepay

#	Description	Elapsed	Status
50	Video  Video recording for test case 'Test Cases/E-Wallet/Shopeepay/Negatif Test Case Top Up Shopeepay' .	0.001s	PASSED