

Heat Transfer Label

Attribute	Details
Product Name	Heat Transfer Label
Material	TPU / Silicone / PET Film (Hot and Cool)
Label Type	Care Label / Brand Label/ neck label / Main Label/ Size Label
Technics	Solvent-based / Oil-based Transfer/ Water-Based Transfer, Silicone Transfer/PU/PVC Transfer / Foil Transfer
Feature	Tagless / Skin-Friendly / Wash-Durable
Design	Fully Customizable
Logo	According to customer requirement
Color	Any customer requirement, Any Custom (DTM) Colors Available
Application Temperature	Typically 130°C – 160°C
Application Time & Pressure	Min - 7 seconds Max - 20 Seconds Medium Pressure
Stretchability / Flexibility	High stretch and flexibility suitable for activewear
Wash Durability	Withstands 3-10 times wash (do some research)

Surface Compatibility	Suitable for Cotton, Polyester, Nylon, Jeans Fabrics
Finish Type	Matte, Glossy (depending on print finish), Foil, Glossy, Reflective, Flock
Custom Shape Support	According to customers requirements
Backing Type	Cold Peel / Hot Peel/ According to customer requirements
Usage	T-shirts, Sportswear, Underwear, Activewear
Packing Method	As per customer requirement. This can be done in pieces (for example, 5000 pcs packet) or in dozens (500 dozen).
Storage Conditions	Store in a cool, dry place away from direct sunlight (Basically, keep in room temperature)
Country of Origin	Bangladesh
MOQ	500 pcs
Bulk Order Discount	Available on orders above 3,000 pcs 500 - 3000 pcs = similar per piece? 3000+ pcs = bulk discount
Sample Order Lead Time	5-7 Days
Production Lead Time	500 pcs - 3000 pcs - maximum 2 days 3000+ pcs - Maximum 5-7 days (depends on quality)
Shipment	FOB Chittagong

Certifications	OEKO-TEX® Standard 100, FSC Standard Certificate (research please)
----------------	---