
Cinta Blanca




Internet y Web







Cliente - Servidor






Frontend vs Backend








Proceso Frontend y Backend



Choosing a MealUser Experience



JavaScript



Kitchen Back-end



Web Development





HTML, CSS y JavaScript





HTML



facebook

Pasword

Forgs

ine.

the form on torse data funder o bre

N. Patrick C.

By studing Sign Up, you agree to our Tomas and that you have much our Data Policy, including our Cookin Che.

ALC: N

Create a Page Nor a calebory, hand or fractions









JavaScript










HTML, CSS y JavaScript





Codigo

```
* * * Fparam | Lend Acl Resource Interfere string Fresource
 . Othrows Send Acl Exception
 * Greturn Tend Acl Provides a fluent interface
public function remove(Sresource)
    try (
        $resourceId = $this->get($resource)->getResourceId();
    } catch (Eend_Acl_Exception 50) {
        require_once 'Eend/Acl/Exception.php';
        throw new Zend_Acl_Exception(Se->getMessage(), Se->getCode(), Se);
    $resourcesRemoved = array($resource1d);
    if (sull !-- (SresourceParent - Sthis -> resources(SresourceId)['parent'])) {
        unset($this->_resources($resourceParent->getResourceId())[ children ][$resourceId]);
    foreach (Sthis->_resources[SresourceId]['children'] as SchildId => Schild) {
        $this->remove(SchildId);
        SresourcesRemoved[] = SchildId;
    foreach ($resourcesRemoved as $resourceIdRemoved) {
        foresch ($this->_rules['byResourceId'] as $resourceIdCurrent => $rules) {
   if ($resourceIdRenoved === $resourceIdCurrent) {
                 unset(Sthis->_rules['byResourceId'][SresourceIdCurrent]);
    unset(Sthis->_resources(SresourceId));
    return Sthing
```



Web Browsers





Web Page





Herramientas para el desarrollo



Editores de Texto










Emmet










Chrome developer tools





Git y Github









Dato Interesante

