

Quotation List

| Name | Qty | Unit | Unit Price(USD) |
|-------------------------------------|---------|------|-----------------|
| Automatic Feeder&Crusher | 1 | Set | 5,000 |
| Gum Base Oven | 1 | Set | 3,500 |
| Gum Base Mixer | 1 | Set | 17,200 |
| Gum Extruder | 1 | Set | 15,700 |
| Gum Pressing Machine | 1 | Set | 14,300 |
| Cooling Tunnel | 1 | Set | 17,200 |
| Pillow Gum Forming Machine | 2 | Set | 6,500 |
| Xylital Forming Machine | 2 | Set | 5,700 |
| Inclinable Glucose Cooker | 2 | Set | 3,500 |
| Coating Machine | 15 | Set | 1,200 |
| Automatic Screening Machine | 1 | Set | 5,000 |
| Dehumidifier | 4 | Set | 4,000 |
| Total Price | 143,300 | | |

Remark:

1. This quotation is **EXW price**.
2. Terms of payment: T/T 40% deposit in advance, 60% balance before delivery.
3. Video Outgoing-inspection: Provided

2025/09/12

Chewing Gum Production Line



| | |
|---------------------|----------------|
| Model | OMW300 |
| Production Capacity | Within 300kg/h |
| Power (Approx.) | 94kW/380V |
| Touch Screen | Weinview |

| Name | Technical Parameter | Picture |
|--------------------------|---|---|
| Automatic Feeder&Crusher | <p>1 .Machine Frame: stainless steel 304</p> <p>2. Power: 17 kw</p> <p>3. Dimension: 3500*1300*2200mm</p> <p>4. Weight: 1500kg</p> |  |
| Gum Base Oven | <p>1.Heating Temperature: upmost 380°C</p> <p>2.Output: 12 trays one time</p> <p>3.Tray Material: stainless steel 304</p> <p>4.Heating Tube Material: stainless steel 304</p> <p>5.Power: 18kw</p> <p>6.Dimension: 1600x600x1700mm</p> <p>7.Weight: 300kg</p> |  |

[®]**GUANGDONG OUMAIWEI MACHINERY CO., LTD.**Official Website: [Http://www.oumaiwei.com](http://www.oumaiwei.com)

| | | |
|----------------|--|--|
| Gum Base Mixer | <ol style="list-style-type: none">1. Machine Frame: stainless steel 3042. Power: 20kw3. Volume:200L4. Temperature Controller: Omron5. Electrical Parts: Schneider6. Heating Method: water cycle heating7..Dimension: 2300*8600*1550mm8. Weight: 2000kg9..Mixing Time: About 10min | |
| Gum Extruder | <ol style="list-style-type: none">1. Machine Frame: stainless steel 3042. Motor: Omate3. Power: 15kw4. Heating Method: water cycle heating5. Electrical Parts: Schneider6. Frequency Converter.: Schneider7. Temperature Controller: Omron8. Dimension: 2600x1150x1500mm9. Weight: 2200kg10. Can add an extra gum extruder if want to increase output in the future | |

| | | |
|----------------------------|--|--|
| Gum Pressing Machine | <ol style="list-style-type: none"> 1. Machine Frame: stainless steel 304 2. Power: 5kw 3. Dimension: 5100*850*1600mm 4. Weight: 2000kg |  |
| Cooling Tunnel | <ol style="list-style-type: none"> 1. Machine Frame: stainless steel 304 2. Power: 18kw 3. Dimension: 8850*1900*1850mm 4. Weight: 2500kg |  |
| Pillow Gum Forming Machine | <ol style="list-style-type: none"> 1.Machine Frame: stainless steel 304 2.Power: 3kw 3. Dimension: 2200*1050*1650mm 4.Weight: 350kg |  |
| Xylitol Forming Machine | <ol style="list-style-type: none"> 1. Machine Frame: stainlesssteel 304 2.Power: 20kw 3. Dimension: 1800*730*1650mm 4.Weight: 800kg |  |

| | | |
|-----------------------------|--|--|
| Inclinable Glucose Cooker | <ol style="list-style-type: none"> 1. Contact Part: stainless steel 304 2. Volume: 150L 3. Power: 4kw 4. Dimension: 1800x1200x1450m m 5. Weight: 200kg |  |
| Polishing Machine | <ol style="list-style-type: none"> 1. Contact Part: stainless steel 304 2. Inside Diameter: 1 meter 3. Thickness: 20mm 4. Powder: 2.2kw 5. Dimension: 1000*1000*1700mm 6. Weight: 200kg 7. Remark: It is equipped with a high-powered fan and a set of rotatable air duct |  |
| Automatic Screening Machine | <ol style="list-style-type: none"> 1. Power: 3kw 2. Frequency Converter: Schneider 3. Dimension: 2200x850x1400mm 4. Weight: 600kg |  |

| | | | |
|-------------------------|--|--|--|
| Refrigeration Equipment | <p>5. Power: 5Hp</p> <p>6. Temperature: 12°C - 55°C</p> <p>7. Dimension: 960x450x1860mm 1100x380x570(mm)</p> <p>8. Weight: 150kg</p> |  | |
|-------------------------|--|--|--|