

## AVAILABLE OFFSHORE - متوفر في الخارج

Stocklot Report

Reference: SL123-FM-TL-FL-07.10.2026

7 OCTOBER 2026

TOTAL AVAILABLE

999.40 MT

SUBSTANCE RANGE

80 - 220 GSM

ORIGIN (منشأ)

EUROPE

### ROLLS

| #       | QUALITY | GSM | REEL WIDTH (CM) | TONS      |
|---------|---------|-----|-----------------|-----------|
| FLUTING |         |     |                 | 469.28 MT |
| 1       | FLUTING | 80  | 130             | 40.90     |
| 2       | FLUTING | 80  | 160             | 8.50      |
| 3       | FLUTING | 80  | 180             | 3.20      |
| 4       | FLUTING | 80  | 199.5           | 2.08      |
| 5       | FLUTING | 80  | 219.5           | 4.73      |
| 6       | FLUTING | 80  | 234.5           | 4.63      |
| 7       | FLUTING | 80  | 249.5           | 8.18      |
| 8       | FLUTING | 80  | 250             | 22.52     |
| 9       | FLUTING | 85  | 125             | 14.30     |
| 10      | FLUTING | 85  | 130             | 29.30     |
| 11      | FLUTING | 85  | 140             | 4.80      |
| 12      | FLUTING | 85  | 145             | 16.30     |
| 13      | FLUTING | 85  | 149.5           | 6.53      |
| 14      | FLUTING | 85  | 155             | 1.80      |
| 15      | FLUTING | 85  | 219.5           | 2.52      |
| 16      | FLUTING | 90  | 160             | 1.80      |
| 17      | FLUTING | 90  | 174.5           | 5.25      |
| 18      | FLUTING | 90  | 190             | 6.20      |
| 19      | FLUTING | 90  | 199.5           | 6.87      |
| 20      | FLUTING | 90  | 219.5           | 2.54      |
| 21      | FLUTING | 90  | 225             | 2.57      |
| 22      | FLUTING | 90  | 233             | 13.15     |
| 23      | FLUTING | 90  | 239.5           | 5.62      |
| 24      | FLUTING | 90  | 244.5           | 11.89     |
| 25      | FLUTING | 90  | 245             | 6.00      |
| 26      | FLUTING | 90  | 250             | 61.60     |
| 27      | FLUTING | 95  | 204             | 7.18      |
| 28      | FLUTING | 95  | 219             | 2.71      |
| 29      | FLUTING | 100 | 125.5           | 2.90      |
| 30      | FLUTING | 100 | 153             | 1.80      |
| 31      | FLUTING | 100 | 219             | 4.75      |

| #             | QUALITY       | GSM | REEL WIDTH (CM) | TONS      |
|---------------|---------------|-----|-----------------|-----------|
| 32            | FLUTING       | 100 | 234             | 5.19      |
| 33            | FLUTING       | 100 | 234.5           | 17.35     |
| 34            | FLUTING       | 100 | 243             | 2.79      |
| 35            | FLUTING       | 100 | 244.5           | 2.09      |
| 36            | FLUTING       | 100 | 245             | 5.18      |
| 37            | FLUTING       | 100 | 249.5           | 23.55     |
| 38            | FLUTING       | 100 | 250             | 7.63      |
| 39            | FLUTING       | 110 | 130             | 1.16      |
| 40            | FLUTING       | 110 | 153             | 1.47      |
| 41            | FLUTING       | 110 | 180             | 6.50      |
| 42            | FLUTING       | 110 | 235             | 2.87      |
| 43            | FLUTING       | 110 | 245             | 7.81      |
| 44            | FLUTING       | 120 | 140             | 11.60     |
| 45            | FLUTING       | 120 | 189.2           | 2.44      |
| 46            | FLUTING       | 120 | 234.5           | 10.20     |
| 47            | FLUTING       | 120 | 240.7           | 2.76      |
| 48            | FLUTING       | 120 | 249.5           | 19.26     |
| 49            | FLUTING       | 120 | 250             | 2.92      |
| 50            | FLUTING       | 125 | 245             | 2.92      |
| 51            | FLUTING       | 130 | 180             | 2.10      |
| 52            | FLUTING       | 130 | 245             | 5.50      |
| 53            | FLUTING       | 135 | 240             | 5.13      |
| 54            | FLUTING       | 140 | 209.5           | 2.30      |
| 55            | FLUTING       | 150 | 259             | 5.43      |
| TESTLINER III |               |     |                 | 301.25 MT |
| 56            | TESTLINER III | 80  | 227.5           | 2.77      |
| 57            | TESTLINER III | 90  | 145             | 3.40      |
| 58            | TESTLINER III | 90  | 238             | 2.68      |
| 59            | TESTLINER III | 90  | 250             | 56.77     |
| 60            | TESTLINER III | 100 | 135             | 3.10      |
| 61            | TESTLINER III | 100 | 200             | 2.49      |
| 62            | TESTLINER III | 100 | 245             | 7.44      |
| 63            | TESTLINER III | 100 | 250             | 7.84      |
| 64            | TESTLINER III | 110 | 145             | 1.70      |
| 65            | TESTLINER III | 110 | 210             | 4.60      |
| 66            | TESTLINER III | 110 | 220             | 9.49      |
| 67            | TESTLINER III | 110 | 235             | 11.07     |
| 68            | TESTLINER III | 110 | 245             | 14.39     |
| 69            | TESTLINER III | 110 | 250             | 16.02     |

| #            | QUALITY       | GSM | REEL WIDTH (CM) | TONS      |
|--------------|---------------|-----|-----------------|-----------|
| 70           | TESTLINER III | 115 | 235             | 2.71      |
| 71           | TESTLINER III | 120 | 220             | 5.32      |
| 72           | TESTLINER III | 120 | 244             | 6.13      |
| 73           | TESTLINER III | 120 | 245             | 3.09      |
| 74           | TESTLINER III | 125 | 150             | 7.10      |
| 75           | TESTLINER III | 125 | 244             | 5.74      |
| 76           | TESTLINER III | 130 | 120             | 2.90      |
| 77           | TESTLINER III | 130 | 150             | 7.00      |
| 78           | TESTLINER III | 130 | 175             | 2.22      |
| 79           | TESTLINER III | 130 | 245             | 5.10      |
| 80           | TESTLINER III | 130 | 250             | 3.07      |
| 81           | TESTLINER III | 135 | 185             | 2.23      |
| 82           | TESTLINER III | 135 | 210             | 2.33      |
| 83           | TESTLINER III | 135 | 220             | 6.77      |
| 84           | TESTLINER III | 135 | 245             | 7.09      |
| 85           | TESTLINER III | 140 | 250             | 2.94      |
| 86           | TESTLINER III | 150 | 135             | 3.03      |
| 87           | TESTLINER III | 150 | 180             | 6.40      |
| 88           | TESTLINER III | 150 | 245             | 5.66      |
| 89           | TESTLINER III | 150 | 250             | 5.58      |
| 90           | TESTLINER III | 160 | 160             | 1.50      |
| 91           | TESTLINER III | 175 | 210             | 15.44     |
| 92           | TESTLINER III | 175 | 250             | 35.21     |
| 93           | TESTLINER III | 190 | 190             | 2.06      |
| 94           | TESTLINER III | 190 | 250             | 8.74      |
| 95           | TESTLINER III | 220 | 250             | 2.14      |
| TESTLINER II |               |     |                 | 150.81 MT |
| 96           | TESTLINER II  | 110 | 190             | 1.61      |
| 97           | TESTLINER II  | 110 | 235             | 12.84     |
| 98           | TESTLINER II  | 110 | 245             | 10.69     |
| 99           | TESTLINER II  | 115 | 120             | 12.60     |
| 100          | TESTLINER II  | 125 | 193             | 2.20      |
| 101          | TESTLINER II  | 125 | 210             | 2.38      |
| 102          | TESTLINER II  | 125 | 220             | 2.48      |
| 103          | TESTLINER II  | 125 | 250             | 7.23      |
| 104          | TESTLINER II  | 135 | 134             | 5.10      |
| 105          | TESTLINER II  | 140 | 120             | 14.00     |
| 106          | TESTLINER II  | 140 | 160             | 13.50     |
| 107          | TESTLINER II  | 140 | 250             | 6.91      |

| #                        | QUALITY                  | GSM | REEL WIDTH (CM) | TONS     |
|--------------------------|--------------------------|-----|-----------------|----------|
| 108                      | TESTLINER II             | 150 | 205             | 17.35    |
| 109                      | TESTLINER II             | 150 | 230             | 5.30     |
| 110                      | TESTLINER II             | 150 | 250             | 13.27    |
| 111                      | TESTLINER II             | 175 | 250             | 2.87     |
| 112                      | TESTLINER II             | 210 | 170             | 2.07     |
| 113                      | TESTLINER II             | 210 | 250             | 18.41    |
| HIGH PERFORMANCE FLUTING |                          |     |                 | 78.07 MT |
| 114                      | HIGH PERFORMANCE FLUTING | 115 | 180             | 19.10    |
| 115                      | HIGH PERFORMANCE FLUTING | 125 | 244             | 8.96     |
| 116                      | HIGH PERFORMANCE FLUTING | 135 | 150             | 9.20     |
| 117                      | HIGH PERFORMANCE FLUTING | 135 | 190             | 25.30    |
| 118                      | HIGH PERFORMANCE FLUTING | 135 | 249.5           | 2.70     |
| 119                      | HIGH PERFORMANCE FLUTING | 140 | 125             | 3.10     |
| 120                      | HIGH PERFORMANCE FLUTING | 140 | 150             | 7.30     |
| 121                      | HIGH PERFORMANCE FLUTING | 140 | 194             | 2.40     |
| TOTAL                    |                          |     |                 | 999.40   |

TONNAGE BY QUALITY

