

AVAILABLE OFFSHORE - متوفر في الخارج

Reference: SL112-HY-TL-FL-29.09.2026
29 SEPTEMBER 2026

Stocklot Report

TOTAL AVAILABLE
990.04 MT

SUBSTANCE RANGE
80 - 220 GSM

ROLLS

#	QUALITY	GSM	REEL WIDTH (CM)	TONS
FLUTING				
☐ 1	FLUTING	80	199.5	2.08
☐ 2	FLUTING	80	219.5	4.78
☐ 3	FLUTING	80	234.5	4.63
☐ 4	FLUTING	80	249.5	8.18
☐ 5	FLUTING	85	149.5	6.53
☐ 6	FLUTING	85	250	8.92
☐ 7	FLUTING	90	174.5	5.25
☐ 8	FLUTING	90	199.5	9.25
☐ 9	FLUTING	90	219.5	2.54
☐ 10	FLUTING	90	225	2.57
☐ 11	FLUTING	90	234.5	18.94
☐ 12	FLUTING	90	239.5	5.62
☐ 13	FLUTING	90	244.5	11.89
☐ 14	FLUTING	90	245	6.00
☐ 15	FLUTING	90	249.5	49.31
☐ 16	FLUTING	90	250	6.07
☐ 17	FLUTING	95	204	7.18
☐ 18	FLUTING	95	219	2.71
☐ 19	FLUTING	100	219	4.75
☐ 20	FLUTING	100	229.5	63.85
☐ 21	FLUTING	100	233	15.30
☐ 22	FLUTING	100	234	5.19
☐ 23	FLUTING	100	234.5	17.35
☐ 24	FLUTING	100	243	2.79
☐ 25	FLUTING	100	244.5	2.09
☐ 26	FLUTING	100	249.5	31.19
☐ 27	FLUTING	100	250	7.63
☐ 28	FLUTING	110	130	1.16
☐ 29	FLUTING	110	153	1.47
☐ 30	FLUTING	110	235	2.87
☐ 31	FLUTING	110	245	2.87
☐ 32	FLUTING	115	235	26.60

☐	33	FLUTING	120	189.2	2.44
☐	34	FLUTING	120	234.5	19.20
☐	35	FLUTING	120	240.7	2.76
☐	36	FLUTING	120	249.5	22.25
☐	37	FLUTING	120	250	38.89
☐	38	FLUTING	125	245	2.92
☐	39	FLUTING	130	245	5.50
☐	40	FLUTING	135	245	64.25
☐	41	FLUTING	150	259	5.43
☐	TESTLINER III				
☐	42	TESTLINER III	80	250	19.77
☐	43	TESTLINER III	90	250	48.75
☐	44	TESTLINER III	110	210	4.60
☐	45	TESTLINER III	110	220	9.49
☐	46	TESTLINER III	110	235	11.07
☐	47	TESTLINER III	110	245	11.59
☐	48	TESTLINER III	110	250	13.06
☐	49	TESTLINER III	120	235	2.68
☐	50	TESTLINER III	125	245	8.82
☐	51	TESTLINER III	130	245	5.10
☐	52	TESTLINER III	130	250	3.07
☐	53	TESTLINER III	135	185	2.23
☐	54	TESTLINER III	135	210	2.33
☐	55	TESTLINER III	135	220	6.77
☐	56	TESTLINER III	135	245	7.09
☐	57	TESTLINER III	140	245	19.25
☐	58	TESTLINER III	140	250	2.94
☐	59	TESTLINER III	160	210	9.00
☐	60	TESTLINER III	170	190	2.05
☐	61	TESTLINER III	170	235	16.72
☐	62	TESTLINER III	170	245	20.77
☐	63	TESTLINER III	170	250	7.85
☐	64	TESTLINER III	175	250	35.21
☐	65	TESTLINER III	180	242	6.01
☐	66	TESTLINER III	190	190	2.06
☐	67	TESTLINER III	190	250	8.74
☐	68	TESTLINER III	220	250	2.14
☐	TESTLINER II				
☐	69	TESTLINER II	110	190	1.61
☐	70	TESTLINER II	110	235	12.28
☐	71	TESTLINER II	110	245	10.69
☐	72	TESTLINER II	125	210	2.38

☐	73	TESTLINER II	125	220	2.48
☐	74	TESTLINER II	125	245	69.75
☐	75	TESTLINER II	125	250	4.45
☐	76	TESTLINER II	140	250	6.91
☐	77	TESTLINER II	150	235	14.13
☐	78	TESTLINER II	150	250	10.83
☐	79	TESTLINER II	175	200	2.75
☐	80	TESTLINER II	175	250	2.86
☐	81	TESTLINER II	190	245	4.28
☐	82	TESTLINER II	210	170	2.07
☐	83	TESTLINER II	210	210	5.00
☐	84	TESTLINER II	210	250	18.41
☐	HIGH PERFORMANCE FLUTING				
☐	85	HIGH PERFORMANCE FLUTING	125	244	8.96
☐	86	HIGH PERFORMANCE FLUTING	135	249.5	2.70
☐	87	HIGH PERFORMANCE FLUTING	140	250	7.12
TOTAL					990.04

TONNAGE BY QUALITY

